IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UTILITY PATENT APPLICATION TRANSMITTAL LETTER

BOX PATENT APPLICATION

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Enclosed for filing is the utility patent application of John P. CARULLI, Randall D. LITTLE, Robert R. RECKER and Mark L. JOHNSON for HIGH BONE MASS GENE OF 11q13.3.

Also	enclosed	are:

	Also	enclosed are:
	[X]	sheet(s) of [X] formal [] informal drawing(s);
	[]	a claim for foreign priority under 35 U.S.C. §§ 119 and/or 365 is [] hereby made to _ filed in _ on _; [] in the declaration;
	[]	a certified copy of the priority document;
	[]	a General Authorization for Petitions for Extensions of Time and Payment of Fees;
	[]	statement(s) claiming small entity status;
	[]	an Assignment document;
	[X]	an Information Disclosure Statement; and
C.F.	[X] .R. §§	Other: Preliminary Amendment and Sequence Listing and Declaration pursuant to 37 1.821-1.825.

- An [] executed [X] unexecuted declaration of the inventor(s) [X][X] also is enclosed [] will follow.
- [] Please amend the specification by inserting before the first line the sentence -- This application claims priority under 35 U.S.C. §§119 and/or 365 to _ filed in _ on _; the entire content of which is hereby incorporated by reference.--
- [] A bibliographic data entry sheet is enclosed.





[X] The filing fee has been calculated as follows [X] and in accordance with the enclosed preliminary amendment:

		CL/	AIMS		
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEE
Basic Application	on Fee				\$690.00 (101)
Total Claims		MINUS 20 =		x \$18.00 (103)	
Independent Claims		MINUS 3 =		x \$78.00 (102)	
If multiple depe	endent claims a	are presented, add	\$260.00 (104)		
Total Application	on Fee				
If verified State Total Application		small entity statu	s is enclosed, su	ubtract 50% of	
Add Assignmen		ee if Assignment	······································		
TOTAL APPI		DE DUE			

[X] This application is being filed without a filing fee. Issuance of a Notice to File Missing Parts of Application is respectfully requested.

Please address all correspondence concerning the present application to:

Teresa Stanek Rea Burns, Doane, Swecker & Mathis, L.L.P. P.O. Box 1404 Alexandria, Virginia 22313-1404.

Respectfully submitted,

BURNS, DOAME, SWECKER & MATRIS, L.L.P.

Date: April 5, 2000

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620 Registration No. 44,939

Mercedes K. Meyer

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)) BOX SEQUENCE
John P. CARULLI et al.)
Application No. (Unassigned)) Group Art Unit: Unassigned
Filed: April 5, 2000) Examiner: Unassigned
For: HIGH BONE MASS GENE OF 11g13.3)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

This Application is a continuation-in-part of U.S. Application Serial No. 09/229,319, filed January 13, 1999, which claims benefit of U.S. Provisional Application No. 60/071,449, filed January 13, 1998, and U.S. Provisional Application No. 60/105,511, filed October 23, 1998.

Prior to examination on the merits, please amend the above-identified Application as follows:

IN THE SPECIFICATION:

Kindly insert the attached substitute paper copy of the Sequence Listing between the last page of the Disclosure (page 109) and the first page of the Claims. Please re-number the pages of the Application accordingly.

REMARKS

Applicants retain the right to reintroduce any subject matter which was canceled without prejudice by the present Preliminary Amendment at any time during the prosecution of this Application or any continuation or divisional application thereof in the United States.

In the event that there are any questions relating to this Preliminary Amendment, or the Application in general, it would be appreciated if the Examiner would telephone the undersigned attorney concerning such questions so that prosecution of this Application may be expedited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By

Meyedes K. Meyer Registration No. 44

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: April 5, 2000

20

5

10

THE HIGH BONE MASS GENE OF 11q13.3

RELATED APPLICATIONS

This application is a continuation-in-part of Application No. 09/229,319, filed January 13, 1999, which claims benefit of U.S. Provisional Application No. 60/071,449, filed January 13, 1998, and U.S. Provisional Application No. 60/105,511, filed October 23, 1998, all of which are herein incorporated by reference in their entirety.

FIELD OF THE INVENTION

The present invention relates generally to the field of genetics, genomics and molecular biology. More particularly, the invention relates to methods and materials used to isolate, detect and sequence a high bone mass gene and corresponding wild-type gene, and mutants thereof. The present invention also relates to the high bone mass gene, the corresponding wild-type gene, and mutants thereof. The genes identified in the present invention are implicated in the ontology and physiology of bone development. The invention also provides nucleic acids, proteins, cloning vectors, expression vectors, transformed hosts, methods of developing pharmaceutical compositions, methods of identifying molecules involved in bone development, and methods of diagnosing and treating diseases involved in bone development. In preferred embodiments, the present invention is directed to methods for treating, diagnosing, preventing and screening for normal and abnormal conditions of bone, including metabolic bone diseases such as osteoporosis.

BACKGROUND OF THE INVENTION

Two of the most common types of osteoporosis are postmenopausal and senile osteoporosis. Osteoporosis affects men as well as women, and, taken with other abnormalities of bone, presents an ever-increasing health risk for an aging population. The most common type of osteoporosis is that associated with menopause. Most women lose between 20-60% of the bone mass in the trabecular compartment of the bone within 3-6 years after the cessation of menses. This rapid loss is generally associated with an increase of bone

25

10

15

20

25

resorption and formation. However, the resorptive cycle is more dominant and the result is a net loss of bone mass. Osteoporosis is a common and serious disease among postmenopausal women. There are an estimated 25 million women in the United States alone who are afflicted with this disease. The results of osteoporosis are both personally harmful, and also account for a large economic loss due to its chronicity and the need for extensive and long-term support (hospitalization and nursing home care) from the disease sequelae. This is especially true in more elderly patients. Additionally, while osteoporosis is generally not thought of as a life-threatening condition, a 20-30% mortality rate is related to hip fractures in elderly women. A large percentage of this mortality rate can be directly associated with postmenopausal osteoporosis.

The most vulnerable tissue in the bone to the effects of postmenopausal osteoporosis is the trabecular bone. This tissue is often referred to as spongy bone and is particularly concentrated near the ends of the bone near the joints and in the vertebrae of the spine. The trabecular tissue is characterized by small structures which inter-connect with each other as well as the more solid and dense cortical tissue which makes up the outer surface and central shaft of the bone. This criss-cross network of trabeculae gives lateral support to the outer cortical structure and is critical to the biomechanical strength of the overall structure. In postmenopausal osteoporosis, it is primarily the net resorption and loss of the trabeculae which lead to the failure and fracture of the bone. In light of the loss of the trabeculae in postmenopausal women, it is not surprising that the most common fractures are those associated with bones which are highly dependent on trabecular support, e.g., the vertebrae, the neck of the femur, and the forearm. Indeed, hip fracture, Colle's fractures, and vertebral crush fractures are indicative of postmenopausal osteoporosis.

One of the earliest generally accepted methods for treatment of postmenopausal osteoporosis was estrogen replacement therapy. Although this therapy frequently is successful, patient compliance is low, primarily due to the undesirable side-effects of chronic

10

15

20

25

estrogen treatment. Frequently cited side-effects of estrogen replacement therapy include reinitiation of menses, bloating, depression, and fear of breast or uterine cancer. In order to limit the known threat of uterine cancer in those women who have not undergone a hysterectomy, a protocol of estrogen and progestin cyclic therapy is often employed. This protocol is similar to that which is used in birth control regimens, and often is not tolerated by women because of the side-effects characteristic of progestin. More recently, certain antiestrogens, originally developed for the treatment of breast cancer, have been shown in experimental models of postmenopausal osteoporosis to be efficacious. Among these agents is raloxifene (See, U.S. Patent No. 5,393,763, and Black et al, *J. Clin. Invest.*, 93:63-69 (1994)). In addition, tamoxifene, a widely used clinical agent for the treatment of breast cancer, has been shown to increase bone mineral density in post menopausal women suffering from breast cancer (Love et al, *N. Engl. J. Med.*, 326:852-856 (1992)).

Another therapy for the treatment of postmenopausal osteoporosis is the use of calcitonin. Calcitonin is a naturally occurring peptide which inhibits bone resorption and has been approved for this use in many countries (Overgaard et al, *Br. Med. J.*, 305:556-561 (1992)). The use of calcitonin has been somewhat limited, however. Its effects are very modest in increasing bone mineral density and the treatment is very expensive. Another therapy for the treatment of postmenopausal osteoporosis is the use of bis-phosphonates. These compounds were originally developed for use in Paget's disease and malignant hypercalcemia. They have been shown to inhibit bone resorption. Alendronate, one compound of this class, has been approved for the treatment of postmenopausal osteoporosis. These agents may be helpful in the treatment of osteoporosis, but these agents also have potential liabilities which include osteomalacia, extremely long half-life in bone (greater than 2 years), and possible "frozen bone syndrome," e.g., the cessation of normal bone remodeling.

Senile osteoporosis is similar to postmenopausal osteoporosis in that it is marked by the loss of bone mineral density and resulting increase in fracture rate, morbidity, and

10

15

20

25

associated mortality. Generally, it occurs in later life, i.e., after 70 years of age. Historically, senile osteoporosis has been more common in females, but with the advent of a more elderly male population, this disease is becoming a major factor in the health of both sexes. It is not clear what, if any, role hormones such as testosterone or estrogen have in this disease, and its etiology remains obscure. Treatment of this disease has not been very satisfactory. Hormone therapy, estrogen in women and testosterone in men, has shown equivocal results; calcitonin and bis-phosphonates may be of some utility.

The peak mass of the skeleton at maturity is largely under genetic control. Twin studies have shown that the variance in bone mass between adult monozygotic twins is smaller than between dizygotic twins (Slemenda et al, *J. Bone Miner. Res.*, 6:561-567 (1991); Young et al, *J. Bone Miner. Res.*, 6:561-567 (1995); Pocock et al, *J. Clin. Invest.*, 80:706-710 (1987); Kelly et al, *J. Bone Miner. Res.*, 8:11-17 (1993)), and it has been estimated that up to 60% or more of the variance in skeletal mass is inherited (Krall et al, *J. Bone Miner. Res.*, 10:S367 (1993)). Peak skeletal mass is the most powerful determinant of bone mass in elderly years (Hui et al, *Ann. Int. Med.*, 111:355-361 (1989)), even though the rate of agerelated bone loss in adult and later life is also a strong determinant (Hui et al, *Osteoporosis Int.*, 1:30-34 (1995)). Since bone mass is the principal measurable determinant of fracture risk, the inherited peak skeletal mass achieved at maturity is an important determinant of an individual's risk of fracture later in life. Thus, study of the genetic basis of bone mass is of considerable interest in the etiology of fractures due to osteoporosis.

Recently, a strong interest in the genetic control of peak bone mass has developed in the field of osteoporosis. The interest has focused mainly on candidate genes with suitable polymorphisms to test for association with variation in bone mass within the normal range, or has focused on examination of genes and gene loci associated with low bone mass in the range found in patients with osteoporosis. The vitamin D receptor locus (VDR) (Morrison et al, *Nature*, 367:284-287 (1994)), PTH gene (Howard et al, *J. Clin. Endocrinol. Metab.*,

25

5

80:2800-2805 (1995); Johnson et al, *J. Bone Miner. Res.*, 8:11-17 (1995); Gong et al, *J. Bone Miner. Res.*, 10:S462 (1995)) and the estrogen receptor gene (Hosoi et al, *J. Bone Miner. Res.*, 10:S170 (1995); Morrison et al, *Nature*, 367:284-287 (1994)) have figured most prominently in this work. These studies are difficult because bone mass (the phenotype) is a continuous, quantitative, polygenic trait, and is confounded by environmental factors such as nutrition, co-morbid disease, age, physical activity, and other factors. Also, this type of study design requires large numbers of subjects. In particular, the results of VDR studies to date have been confusing and contradictory (Garnero et al, *J. Bone Miner. Res.*, 10:1283-1288 (1995); Eisman et al, *J. Bone. Miner. Res.*, 10:1289-1293 (1995); Peacock, *J. Bone Miner. Res.*, 10:1294-1297 (1995)). Furthermore, the work thus far has not shed much light on the mechanism(s) whereby the genetic influences might exert their effect on bone mass.

While it is well known that peak bone mass is largely determined by genetic rather than environmental factors, studies to determine the gene loci (and ultimately the genes) linked to variation in bone mass are difficult and expensive. Study designs which utilize the power of linkage analysis, e.g., sib-pair or extended family, are generally more informative than simple association studies, although the latter do have value. However, genetic linkage studies involving bone mass are hampered by two major problems. The first problem is the phenotype, as discussed briefly above. Bone mass is a continuous, quantitative trait, and establishing a discrete phenotype is difficult. Each anatomical site for measurement may be influenced by several genes, many of which may be different from site to site. The second problem is the age component of the phenotype. By the time an individual can be identified as having low bone mass, there is a high probability that their parents or other members of prior generations will be deceased and therefore unavailable for study, and younger generations may not have even reached peak bone mass, making their phenotyping uncertain for genetic analysis.

Regardless, linkage analysis can be used to find the location of a gene causing a

25

5

hereditary "disorder" and does not require any knowledge of the biochemical nature of the disorder, i.e., a mutated protein that is believed to cause the disorder does not need to be known. Traditional approaches depend on assumptions concerning the disease process that might implicate a known protein as a candidate to be evaluated. The genetic localization approach using linkage analysis can be used to first find the general chromosomal region in which the defective gene is located and then to gradually reduce the size of the region in order to determine the location of the specific mutated gene as precisely as possible. After the gene itself is discovered within the candidate region, the messenger RNA and the protein are identified and, along with the DNA, are checked for mutations.

The genetic localization approach has practical implications since the location of the disease can be used for prenatal diagnosis even before the altered gene that causes the disease is found. Linkage analysis can enable families, even many of those that do not have a sick child, to know whether they are carriers of a disease gene and to evaluate the condition of an unborn child through molecular diagnosis. The transmission of a disease within families, then, can be used to find the defective gene. As used herein, reference to "high bone mass" (HBM) is analogous to reference to a disease state, although from a practical standpoint high bone mass can actually help a subject avoid the disease known as osteoporosis.

Linkage analysis is possible because of the nature of inheritance of chromosomes from parents to offspring. During meiosis, the two parental homologues pair to guide their proper separation to daughter cells. While they are lined up and paired, the two homologues exchange pieces of the chromosomes, in an event called "crossing over" or "recombination." The resulting chromosomes are chimeric, that is, they contain parts that originate from both parental homologues. The closer together two sequences are on the chromosome, the less likely that a recombination event will occur between them, and the more closely linked they are. In a linkage analysis experiment, two positions on the chromosomes are followed from one generation to the next to determine the frequency of recombination between them. In a

25

5

study of an inherited disease, one of the chromosomal positions is marked by the disease gene or its normal counterpart, i.e., the inheritance of the chromosomal region can be determined by examining whether the individual displays symptoms of the disorder or not. The other position is marked by a DNA sequence that shows natural variation in the population such that the two homologues can be distinguished based on the copy of the "marker" sequence that they possess. In every family, the inheritance of the genetic marker sequence is compared to the inheritance of the disease state. If, within a family carrying an autosomal dominant disorder such as high bone mass, every affected individual carries the same form of the marker and all the unaffected individuals carry at least one different form of the marker, there is a great probability that the disease gene and the marker are located close to each other. In this way, chromosomes may be systematically checked with known markers and compared to the disease state. The data obtained from the different families is combined, and analyzed together by a computer using statistical methods. The result is information indicating the probability of linkage between the genetic marker and the disease allowing different distances between them. A positive result can mean that the disease is very close to the marker, while a negative result indicates that it is far away on that chromosome, or on an entirely different chromosome.

Linkage analysis is performed by typing all members of the affected family at a given marker locus and evaluating the co-inheritance of a particular disease state with the marker probe, thereby determining how often the two of them are co-inherited. The recombination frequency can be used as a measure of the genetic distance between two gene loci. A recombination frequency of 1% is equivalent to 1 map unit, or 1 centiMorgan (cM), which is roughly equivalent to 1,000 kb of DNA. This relationship holds up to frequencies of about 20% or 20 cM.

The entire human genome is 3,300 cM long. In order to find an unknown disease gene within 5-10 cM of a marker locus, the whole human genome can be searched with

10 mm 10 mm

20

25

5

roughly 330 informative marker loci spaced at approximately 10 cM intervals (Botstein et al, *Am. J. Hum. Genet.*, 32:314-331 (1980)). The reliability of linkage results is established by using a number of statistical methods. The method most commonly used for the analysis of linkage in humans is the LOD score method (Morton, *Prog. Clin. Biol. Res.*, 147:245-265 (1984), Morton et al, *Am. J. Hum. Genet.*, 38:868-883 (1986)) which was incorporated into the computer program LIPED by Ott, *Am. J. Hum. Genet.*, 28:528-529 (1976). LOD scores are the logarithm of the ratio of the likelihood that two loci are linked at a given distance to that they are not linked (>50 cM apart). The advantage of using logarithmic values is that they can be summed among families with the same disease. This becomes necessary given the relatively small size of human families.

By convention, a total LOD score greater than + 3.0 (that is, odds of linkage at the specified recombination frequency being 1000 times greater than odds of no linkage) is considered to be significant evidence for linkage at that particular recombination frequency. A total LOD score of less than - 2.0 (that is, odds of no linkage being 100 times greater than odds of linkage at the specified frequency) is considered to be strong evidence that the two loci under consideration are not linked at that particular recombination frequency. Until recently, most linkage analyses have been performed on the basis of two-point data, which is the relationship between the disorder under consideration and a particular genetic marker. However, as a result of the rapid advances in mapping the human genome over the last few years, and concomitant improvements in computer methodology, it has become feasible to carry out linkage analyses using multi-point data. Multi-point analysis provide a simultaneous analysis of linkage between the disease and several linked genetic markers, when the recombination distance among the markers is known.

Multi-point analysis is advantageous for two reasons. First, the informativeness of the pedigree is usually increased. Each pedigree has a certain amount of potential information, dependent on the number of parents heterozygous for the marker loci and the number of

25

5

affected individuals in the family. However, few markers are sufficiently polymorphic as to be informative in all those individuals. If multiple markers are considered simultaneously, then the probability of an individual being heterozygous for at least one of the markers is greatly increased. Second, an indication of the position of the disease gene among the markers may be determined. This allows identification of flanking markers, and thus eventually allows isolation of a small region in which the disease gene resides. Lathrop et al, *Proc. Natl. Acad. Sci. USA*, 81:3443-3446 (1984) have written the most widely used computer package, LINKAGE, for multi-point analysis.

There is a need in the art for identifying the gene associated with a high bone mass phenotype. The present invention is directed to this, as well as other, important ends.

SUMMARY OF THE INVENTION

The present invention describes the Zmax1 gene and the HBM gene on chromosome 11q13.3 by genetic linkage and mutation analysis. The use of additional genetic markers linked to the genes has aided this discovery. By using linkage analysis and mutation analysis, persons predisposed to HBM may be readily identified. Cloning methods using Bacterial Artificial Chromosomes have enabled the inventors to focus on the chromosome region of 11q13.3 and to accelerate the sequencing of the autosomal dominant gene. In addition, the invention identifies the Zmax1 gene and the HBM gene, and identifies the guanine-to-thymine polymorphism mutation at position 582 in the Zmax1 gene that produces the HBM gene and the HBM phenotype.

The present invention identifies the Zmax1 gene and the HBM gene, which can be used to determine if people are predisposed to HBM and, therefore, not susceptible to diseases characterized by reduced bone density, including, for example, osteoporosis, or are predisposed and susceptible to diseases characterized by abnormally high bone density, such as, for example, osteoporosis. Older individuals carrying the HBM gene express the HBM protein, and, therefore, do not develop osteoporosis. In other words, the HBM gene is a

25

5

suppressor of osteoporosis. This *in vivo* observation is a strong evidence that treatment of normal individuals with the HBM gene or protein, or fragments thereof, will ameliorate osteoporosis.

Moreover, such treatment will be indicated in the treatment of bone lesions, particularly bone fractures, for bone remodeling in the healing of such lesions. For example, persons predisposed to or suffering from stress fractures (i.e., the accumulation of stress-induced microfractures, eventually resulting in a true fracture through the bone cortex) may be identified and/or treated by means of the invention. Moreover, the methods and compositions of the invention will be of use in the treatment of secondary osteoporosis, where the course of therapy involves bone remodeling, such as endocrine conditions accompanying corticosteroid administration, hyperthyroidism, hypogonadism, hematologic malignancies, malabsorption and alcoholism, as well as disorders associated with vitamin D and/or phosphate metabolism, such as osteomalacia and rickets, and diseases characterized by abnormal or disordered bone remodeling, such as Paget's disease, and in neoplasms of bone, which may be benign or malignant.

In various embodiments, the present invention is directed to nucleic acids, proteins, vectors, and transformed hosts of HBM and Zmax1.

Additionally, the present invention is directed to applications of the above embodiments of the invention including, for example, gene therapy, pharmaceutical development, and diagnostic assays for bone development disorders. In preferred embodiments, the present invention is directed to methods for treating, diagnosing, preventing and screening for osteoporosis.

These and other aspects of the present invention are described in more detail below.

BRIEF DESCRIPTION OF THE FIGURES

Fig. 1 shows the pedigree of the individuals used in the genetic linkage studies.

25

5

Under each individual is an ID number, the z-score for spinal BMD, and the allele calls for the critical markers on chromosome 11. Solid symbols represent "affected" individuals. Symbols containing "N" are "unaffected" individuals. DNA from 37 individuals was genotyped. Question marks denote unknown genotypes or individuals who were not genotyped.

Fig. 2 depicts the BAC/STS content physical map of the HBM region in 11q13.3.

STS markers derived from genes, ESTs, microsatellites, random sequences, and BAC endsequences are denoted above the long horizontal line. For markers that are present in GDB the same nomenclature has been used. Locus names (D11S####) are listed in parentheses after the primary name if available. STSs derived from BAC endsequences are listed with the BAC name first followed by L or R for the left and right end of the clone, respectively. The two large arrows indicate the genetic markers that define the HBM critical region. The horizontal lines below the STSs indicate BAC clones identified by PCR-based screening of a nine-fold coverage BAC library. Open circles indicate that the marker did not amplify the corresponding BAC library address during library screening. Clone names use the following convention: B for BAC, the plate, row and column address, followed by -H indicating the HBM project (i.e., B36F16-H).

Figs. 3A-3F show the genomic structure of Zmax1 with flanking intron sequences. Translation is initiated by the underlined "ATG" in exon 1. The site of the polymorphism in the HBM gene is in exon 3 and is represented by the underlined "G," whereby this nucleotide is a "T" in the HBM gene. The 3' untranslated region of the mRNA is underlined within exon 23 (exon 1, SEQ ID NO:40; exon 2, SEQ ID NO:41; exon 3, SEQ ID NO:42; exon 4, SEQ ID NO:43; exon 5, SEQ ID NO:44; exon 6, SEQ ID NO:45; exon 7, SEQ ID NO:46; exon 8, SEQ ID NO:47; exon 9, SEQ ID NO:48; exon 10, SEQ ID NO:49; exon 11, SEQ ID NO:50; exon 12, SEQ ID NO:51; exon 13, SEQ ID NO:52; exon 14, SEQ ID NO:53; exon 15, SEQ ID NO:54; exon 16, SEQ ID NO:55; exon 17, SEQ ID NO:56; exon 18, SEQ ID NO:57;

20

25

5

exon 19, SEQ ID NO:58; exon 20, SEQ ID NO:59; exon 21, SEQ ID NO:60; exon 22, SEQ ID NO:61; and exon 23; SEQ ID NO:62).

Fig. 4 shows the domain organization of Zmax1, including the YWTD spacers, the extracellular attachment site, the binding site for LDL and calcium, the cysteine-rich growth factor repeats, the transmembrane region, the ideal PEST region with the CK-II phosphorylation site and the internalization domain. Fig. 4 also shows the site of the glycine to valine change that occurs in the HBM protein. The signal peptide is located at amino acids 1-22, the extracellular domain is located at amino acids 23-1385, the transmembrane segment is located at amino acids 1386-1413, and the cytoplasmic domain is located at amino acids 1414-1615.

Fig. 5 is a schematic illustration of the BAC contigs B527D12 and B200E21 in relation to the HBM gene.

Figs. 6A-6E are the nucleotide and amino acid sequences of the wild-type gene, Zmax1. The location for the base pair substitution at nucleotide 582, a guanine to thymine, is underlined. This allelic variant is the HBM gene. The HBM gene encodes for a protein with an amino acid substitution of glycine to valine at position 171. The 5' untranslated region (UTR) boundaries bases 1 to 70, and the 3' UTR boundaries bases 4916-5120.

Figs. 7A and 7B are northern blot analyses showing the expression of Zmax1 in various tissues.

Fig. 8 is a PCR product analysis.

Fig. 9 is allele specific oligonucleotide detection of the Zmax1 exon 3 mutation.

Fig. 10 is the cellular localization of mouse Zmax1 by *in situ* hybridization at 100X magnification using sense and antisense probes.

Fig. 11 is the cellular localization of mouse Zmax1 by *in situ* hybridization at 400X magnification using sense and antisense probes.

Fig. 12 is the cellular localization of mouse Zmax1 by in situ hybridization of

25

5

osteoblasts in the endosteum at 400X magnification using sense and antisense probes.

Fig. 13 shows antisense inhibition of Zmax1 expression in MC-3T3 cells.

DETAILED DESCRIPTION OF THE INVENTION

To aid in the understanding of the specification and claims, the following definitions are provided.

"Gene" refers to a DNA sequence that encodes through its template or messenger RNA a sequence of amino acids characteristic of a specific peptide. The term "gene" includes intervening, non-coding regions, as well as regulatory regions, and can include 5' and 3' ends.

"Gene sequence" refers to a DNA molecule, including both a DNA molecule which contains a non-transcribed or non-translated sequence. The term is also intended to include any combination of gene(s), gene fragment(s), non-transcribed sequence(s) or non-translated sequence(s) which are present on the same DNA molecule.

The sequences of the present invention may be derived from a variety of sources including DNA, cDNA, synthetic DNA, synthetic RNA or combinations thereof. Such sequences may comprise genomic DNA which may or may not include naturally occurring introns. Moreover, such genomic DNA may be obtained in association with promoter regions or poly (A) sequences. The sequences, genomic DNA or cDNA may be obtained in any of several ways. Genomic DNA can be extracted and purified from suitable cells by means well known in the art. Alternatively, mRNA can be isolated from a cell and used to produce cDNA by reverse transcription or other means.

"cDNA" refers to complementary or copy DNA produced from an RNA template by the action of RNA-dependent DNA polymerase (reverse transcriptase). Thus, a "cDNA clone" means a duplex DNA sequence complementary to an RNA molecule of interest, carried in a cloning vector or PCR amplified. This term includes genes from which the intervening sequences have been removed.

25

5

"Recombinant DNA" means a molecule that has been recombined by *in vitro* splicing cDNA or a genomic DNA sequence.

"Cloning" refers to the use of *in vitro* recombination techniques to insert a particular gene or other DNA sequence into a vector molecule. In order to successfully clone a desired gene, it is necessary to use methods for generating DNA fragments, for joining the fragments to vector molecules, for introducing the composite DNA molecule into a host cell in which it can replicate, and for selecting the clone having the target gene from amongst the recipient host cells.

"cDNA library" refers to a collection of recombinant DNA molecules containing cDNA inserts which together comprise the entire genome of an organism. Such a cDNA library can be prepared by methods known to one skilled in the art and described by, for example, Cowell and Austin, "cDNA Library Protocols," Methods in Molecular Biology (1997). Generally, RNA is first isolated from the cells of an organism from whose genome it is desired to clone a particular gene.

"Cloning vehicle" refers to a plasmid or phage DNA or other DNA sequence which is able to replicate in a host cell. The cloning vehicle is characterized by one or more endonuclease recognition sites at which such DNA sequences may be cut in a determinable fashion without loss of an essential biological function of the DNA, which may contain a marker suitable for use in the identification of transformed cells.

"Expression control sequence" refers to a sequence of nucleotides that control or regulate expression of structural genes when operably linked to those genes. These include, for example, the lac systems, the trp system, major operator and promoter regions of the phage lambda, the control region of fd coat protein and other sequences known to control the expression of genes in prokaryotic or eukaryotic cells. Expression control sequences will vary depending on whether the vector is designed to express the operably linked gene in a prokaryotic or eukaryotic host, and may contain transcriptional elements such as enhancer

10 Harth Harth Harth Harth words of the state of the stat

20

25

5

elements, termination sequences, tissue-specificity elements and/or translational initiation and termination sites.

"Expression vehicle" refers to a vehicle or vector similar to a cloning vehicle but which is capable of expressing a gene which has been cloned into it, after transformation into a host. The cloned gene is usually placed under the control of (i.e., operably linked to) an expression control sequence.

"Operator" refers to a DNA sequence capable of interacting with the specific repressor, thereby controlling the transcription of adjacent gene(s).

"Promoter" refers to a DNA sequence that can be recognized by an RNA polymerase.

The presence of such a sequence permits the RNA polymerase to bind and initiate transcription of operably linked gene sequences.

"Promoter region" is intended to include the promoter as well as other gene sequences which may be necessary for the initiation of transcription. The presence of a promoter region is sufficient to cause the expression of an operably linked gene sequence.

"Operably linked" means that the promoter controls the initiation of expression of the gene. A promoter is operably linked to a sequence of proximal DNA if upon introduction into a host cell the promoter determines the transcription of the proximal DNA sequence(s) into one or more species of RNA. A promoter is operably linked to a DNA sequence if the promoter is capable of initiating transcription of that DNA sequence.

"Prokaryote" refers to all organisms without a true nucleus, including bacteria.

"Eukaryote" refers to organisms and cells that have a true nucleus, including mammalian cells.

"Host" includes prokaryotes and eukaryotes, such as yeast and filamentous fungi, as well as plant and animal cells. The term includes an organism or cell that is the recipient of a replicable expression vehicle.

"Fragment" of a gene refers to any variant of the gene that possesses the biological

25

5

activity of that gene.

"Variant" refers to a gene that is substantially similar in structure and biological activity or immunological characteristics to either the entire gene or to a fragment of the gene. Provided that the two genes possess a similar activity, they are considered variant as that term is used herein even if the sequence of amino acid residues is not identical.

"Amplification of nucleic acids" refers to methods such as polymerase chain reaction (PCR), ligation amplification (or ligase chain reaction, LCR) and amplification methods based on the use of Q-beta replicase. These methods are well known in the art and described, for example, in U.S. Patent Nos. 4,683,195 and 4,683,202. Reagents and hardware for conducting PCR are commercially available. Primers useful for amplifying sequences from the HBM region are preferably complementary to, and hybridize specifically to sequences in the HBM region or in regions that flank a target region therein. HBM sequences generated by amplification may be sequenced directly. Alternatively, the amplified sequence(s) may be cloned prior to sequence analysis.

"Antibodies" may refer to polyclonal and/or monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof, that can bind to the HBM proteins and fragments thereof or to nucleic acid sequences from the HBM region, particularly from the HBM locus or a portion thereof. The term antibody is used both to refer to a homogeneous molecular entity, or a mixture such as a serum product made up of a plurality of different molecular entities. Proteins may be prepared synthetically in a protein synthesizer and coupled to a carrier molecule and injected over several months into rabbits. Rabbit sera is tested for immunoreactivity to the HBM protein or fragment. Monoclonal antibodies may be made by injecting mice with the proteins, or fragments thereof. Monoclonal antibodies will be screened by ELISA and tested for specific immunoreactivity with HBM protein or fragments thereof. Harlow et al, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1988). These antibodies will be useful in assays as

25

5

well as pharmaceuticals.

"HBM" refers to high bone mass.

"HBM protein" refers to a protein that is identical to a Zmax1 protein except that it contains an alteration of glycine 171 to valine. An HBM protein is defined for any organism that encodes a Zmax1 true homologue. For example, a mouse HBM protein refers to the mouse Zmax1 protein having the glycine 170 to valine substitution.

"HBM gene" refers to the genomic DNA sequence found in individuals showing the HBM characteristic or phenotype, where the sequence encodes the protein indicated by SEQ ID NO: 4. The HBM gene and the Zmax1 gene are allelic. The protein encoded by the HBM gene has the property of causing elevated bone mass, while the protein encoded by the Zmax1 gene does not. The HBM gene and the Zmax1 gene differ in that the HBM gene has a thymine at position 582, while the Zmax1 gene has a guanine at position 582. The HBM gene comprises the nucleic acid sequence shown as SEQ ID NO: 2. The HBM gene may also be referred to as an "HBM polymorphism."

"Normal," "wild-type," "unaffected" and "Zmax1" all refer to the genomic DNA sequence that encodes the protein indicated by SEQ ID NO: 3. The Zmax1 gene has a guanine at position 582. The Zmax1 gene comprises the nucleic acid sequence shown as SEQ ID NO: 1. "Normal," "wild-type," "unaffected" and "Zmax1" also refer to allelic variants of the genomic sequence that encodes proteins that do not contribute to elevated bone mass. The Zmax1 gene is common in the human population, while the HBM gene is rare.

"5YWT+EGF" refers to a repeat unit found in the Zmax1 protein, consisting of five YWT repeats followed by an EGF repeat.

"Bone development" generally refers to any process involved in the change of bone over time, including, for example, normal development, changes that occur during disease states, and changes that occur during aging. "Bone development disorder" particularly refers to any disorders in bone development including, for example, changes that occur during

20

25

5

disease states and changes that occur during aging. Bone development may be progressive or cyclical in nature. Aspects of bone that may change during development include, for example, mineralization, formation of specific anatomical features, and relative or absolute numbers of various cell types.

"Bone modulation" or "modulation of bone formation" refers to the ability to affect any of the physiological processes involved in bone remodeling, as will be appreciated by one skilled in the art, including, for example, bone resorption and appositional bone growth, by, inter alia, osteoclastic and osteoblastic activity, and may comprise some or all of bone formation and development as used herein.

"Normal bone density" refers to a bone density within two standard deviations of a Z score of 0.

A "Zmax1 system" refers to a purified protein, cell extract, cell, animal, human or any other composition of matter in which Zmax1 is present in a normal or mutant form.

A "surrogate marker" refers to a diagnostic indication, symptom, sign or other feature that can be observed in a cell, tissue, human or animal that is correlated with the HBM gene or elevated bone mass or both, but that is easier to measure than bone density. The general concept of a surrogate marker is well accepted in diagnostic medicine.

The present invention encompasses the Zmax1 gene and Zmax1 protein in the forms indicated by SEQ ID NOS: 1 and 3, respectively, and other closely related variants, as well as the adjacent chromosomal regions of Zmax1 necessary for its accurate expression. In a preferred embodiment, the present invention is directed to at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 1.

The present invention also encompasses the HBM gene and HBM protein in the forms indicated by SEQ ID NO: 2 and 4, respectively, and other closely related variants, as well as the adjacent chromosomal regions of the HBM gene necessary for its accurate expression. In a preferred embodiment, the present invention is directed to at least 15 contiguous nucleotides

25

5

of the nucleic acid sequence of SEQ ID NO: 2. More preferably, the present invention is directed to at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 2, wherein one of the 15 contiguous nucleotides is the thymine at nucleotide 582.

The invention also relates to the nucleotide sequence of the Zmax1 gene region, as well as the nucleotide sequence of the HBM gene region. More particularly, a preferred embodiment are the BAC clones containing segments of the Zmax1 gene region B200E21-H and B527D12-H. A preferred embodiment is the nucleotide sequence of the BAC clones consisting of SEQ ID NOS: 5-12.

The invention also concerns the use of the nucleotide sequence to identify DNA probes for the Zmax1 gene and the HBM gene, PCR primers to amplify the Zmax1 gene and the HBM gene, nucleotide polymorphisms in the Zmax1 gene and the HBM gene, and regulatory elements of the Zmax1 gene and the HBM gene.

This invention describes the further localization of the chromosomal location of the Zmax1 gene and HBM gene on chromosome 11q13.3 between genetic markers D11S987 and SNP_CONTIG033-6, as well as the DNA sequences of the Zmax1 gene and the HBM gene. The chromosomal location was refined by the addition of more genetic markers to the mapping panel used to map the gene, and by the extension of the pedigree to include more individuals. The pedigree extension was critical because the new individuals that have been genotyped harbor critical recombination events that narrow the region. To identify genes in the region on 11q13.3, a set of BAC clones containing this chromosomal region was identified. The BAC clones served as a template for genomic DNA sequencing, and also as a reagent for identifying coding sequences by direct cDNA selection. Genomic sequencing and direct cDNA selection were used to characterize more than 1.5 million base pairs of DNA from 11q13.3. The Zmax1 gene was identified within this region and the HBM gene was then discovered after mutational analysis of affected and unaffected individuals.

When a gene has been genetically localized to a specific chromosomal region, the

25

5

genes in this region can be characterized at the molecular level by a series of steps that include: cloning of the entire region of DNA in a set of overlapping clones (physical mapping), characterization of genes encoded by these clones by a combination of direct cDNA selection, exon trapping and DNA sequencing (gene identification), and identification of mutations in these genes by comparative DNA sequencing of affected and unaffected members of the HBM kindred (mutation analysis).

Physical mapping is accomplished by screening libraries of human DNA cloned in vectors that are propagated in *E. coli* or *S. cereviseae* using PCR assays designed to amplify unique molecular landmarks in the chromosomal region of interest. To generate a physical map of the HBM candidate region, a library of human DNA cloned in Bacterial Artificial Chromosomes (BACs) was screened with a set of Sequence Tagged Site (STS) markers that had been previously mapped to chromosome 11q12-q13 by the efforts of the Human Genome Project.

STSs are unique molecular landmarks in the human genome that can be assayed by PCR. Through the combined efforts of the Human Genome Project, the location of thousands of STSs on the twenty-two autosomes and two sex chromosomes has been determined. For a positional cloning effort, the physical map is tied to the genetic map because the markers used for genetic mapping can also be used as STSs for physical mapping. By screening a BAC library with a combination of STSs derived from genetic markers, genes, and random DNA fragments, a physical map comprised of overlapping clones representing all of the DNA in a chromosomal region of interest can be assembled.

BACs are cloning vectors for large (80 kilobase to 200 kilobase) segments of human or other DNA that are propagated in *E. coli*. To construct a physical map using BACs, a library of BAC clones is screened so that individual clones harboring the DNA sequence corresponding to a given STS or set of STSs are identified. Throughout most of the human genome, the STS markers are spaced approximately 20 to 50 kilobases apart, so that an

20

25

5

individual BAC clone typically contains at least two STS markers. In addition, the BAC libraries that were screened contain enough cloned DNA to cover the human genome six times over. Therefore, an individual STS typically identifies more than one BAC clone. By screening a six-fold coverage BAC library with a series of STS markers spaced approximately 50 kilobases apart, a physical map consisting of a series of overlapping BAC clones, i.e. BAC contigs, can be assembled for any region of the human genome. This map is closely tied to the genetic map because many of the STS markers used to prepare the physical map are also genetic markers.

When constructing a physical map, it often happens that there are gaps in the STS map of the genome that result in the inability to identify BAC clones that are overlapping in a given location. Typically, the physical map is first constructed from a set of STSs that have been identified through the publicly available literature and World Wide Web resources. The initial map consists of several separate BAC contigs that are separated by gaps of unknown molecular distance. To identify BAC clones that fill these gaps, it is necessary to develop new STS markers from the ends of the clones on either side of the gap. This is done by sequencing the terminal 200 to 300 base pairs of the BACs flanking the gap, and developing a PCR assay to amplify a sequence of 100 or more base pairs. If the terminal sequences are demonstrated to be unique within the human genome, then the new STS can be used to screen the BAC library to identify additional BACs that contain the DNA from the gap in the physical map. To assemble a BAC contig that covers a region the size of the HBM candidate region (2,000,000 or more base pairs), it is often necessary to develop new STS markers from the ends of several clones.

After building a BAC contig, this set of overlapping clones serves as a template for identifying the genes encoded in the chromosomal region. Gene identification can be accomplished by many methods. Three methods are commonly used: (1) a set of BACs selected from the BAC contig to represent the entire chromosomal region can be sequenced,

25

5

and computational methods can be used to identify all of the genes, (2) the BACs from the BAC contig can be used as a reagent to clone cDNAs corresponding to the genes encoded in the region by a method termed direct cDNA selection, or (3) the BACs from the BAC contig can be used to identify coding sequences by selecting for specific DNA sequence motifs in a procedure called exon trapping. The present invention includes genes identified by the first two methods.

To sequence the entire BAC contig representing the HBM candidate region, a set of BACs was chosen for subcloning into plasmid vectors and subsequent DNA sequencing of these subclones. Since the DNA cloned in the BACs represents genomic DNA, this sequencing is referred to as genomic sequencing to distinguish it from cDNA sequencing. To initiate the genomic sequencing for a chromosomal region of interest, several nonoverlapping BAC clones are chosen. DNA for each BAC clone is prepared, and the clones are sheared into random small fragments which are subsequently cloned into standard plasmid vectors such as pUC18. The plasmid clones are then grown to propagate the smaller fragments, and these are the templates for sequencing. To ensure adequate coverage and sequence quality for the BAC DNA sequence, sufficient plasmid clones are sequenced to yield six-fold coverage of the BAC clone. For example, if the BAC is 100 kilobases long, then phagemids are sequenced to yield 600 kilobases of sequence. Since the BAC DNA was randomly sheared prior to cloning in the phagemid vector, the 600 kilobases of raw DNA sequence can be assembled by computational methods into overlapping DNA sequences termed sequence contigs. For the purposes of initial gene identification by computational methods, six-fold coverage of each BAC is sufficient to yield ten to twenty sequence contigs of 1000 base pairs to 20,000 base pairs.

The sequencing strategy employed in this invention was to initially sequence "seed" BACs from the BAC contig in the HBM candidate region. The sequence of the "seed" BACs was then used to identify minimally overlapping BACs from the contig, and these were

25

5

subsequently sequenced. In this manner, the entire candidate region was sequenced, with several small sequence gaps left in each BAC. This sequence served as the template for computational gene identification. One method for computational gene identification is to compare the sequence of BAC contig to publicly available databases of cDNA and genomic sequences, e.g. unigene, dbEST, genbank. These comparisons are typically done using the BLAST family of computer algorithms and programs (Altschul et al, *J. Mol. Biol.*, 215:403-410 (1990)). The BAC sequence can also be translated into protein sequence, and the protein sequence can be used to search publicly available protein databases, using a version of BLAST designed to analyze protein sequences (Altschul et al, *Nucl. Acids Res.*, 25:3389-3402 (1997)). Another method is to use computer algorithms such as MZEF (Zhang, *Proc. Natl. Acad. Sci.*, 94:565-568 (1997)) and GRAIL (Uberbacher et al, *Methods Enzymol.*, 266:259-281 (1996)), which predict the location of exons in the sequence based on the presence of specific DNA sequence motifs that are common to all exons, as well as the presence of codon usage typical of human protein encoding sequences.

In addition to identifying genes by computational methods, genes were also identified by direct cDNA selection (Del Mastro et al, *Genome Res.* 5(2):185-194 (1995)). In direct cDNA selection, cDNA pools from tissues of interest are prepared, and the BACs from the candidate region are used in a liquid hybridization assay to capture the cDNAs which base pair to coding regions in the BAC. In the methods described herein, the cDNA pools were created from several different tissues by random priming the first strand cDNA from polyA RNA, synthesizing the second strand cDNA by standard methods, and adding linkers to the ends of the cDNA fragments. The linkers are used to amplify the cDNA pools. The BAC clones are used as a template for *in vitro* DNA synthesis to create a biotin labelled copy of the BAC DNA. The biotin labelled copy of the BAC DNA is then denatured and incubated with an excess of the PCR amplified, linkered cDNA pools which have also been denatured. The BAC DNA and cDNA are allowed to anneal in solution, and heteroduplexes between the

25

5

BAC and the cDNA are isolated using streptavidin coated magnetic beads. The cDNAs that are captured by the BAC are then amplified using primers complimentary to the linker sequences, and the hybridization/selection process is repeated for a second round. After two rounds of direct cDNA selection, the cDNA fragments are cloned, and a library of these direct selected fragments is created.

The cDNA clones isolated by direct selection are analyzed by two methods. Since a pool of BACs from the HBM candidate region is used to provide the genomic DNA sequence, the cDNAs must be mapped to individual BACs. This is accomplished by arraying the BACs in microtiter dishes, and replicating their DNA in high density grids. Individual cDNA clones are then hybridized to the grid to confirm that they have sequence identity to an individual BAC from the set used for direct selection, and to determine the specific identity of that BAC. cDNA clones that are confirmed to correspond to individual BACs are sequenced. To determine whether the cDNA clones isolated by direct selection share sequence identity or similarity to previously identified genes, the DNA and protein coding sequences are compared to publicly available databases using the BLAST family of programs.

The combination of genomic DNA sequence and cDNA sequence provided by BAC sequencing and by direct cDNA selection yields an initial list of putative genes in the region. The genes in the region were all candidates for the HBM locus. To further characterize each gene, Northern blots were performed to determine the size of the transcript corresponding to each gene, and to determine which putative exons were transcribed together to make an individual gene. For Northern blot analysis of each gene, probes were prepared from direct selected cDNA clones or by PCR amplifying specific fragments from genomic DNA or from the BAC encoding the putative gene of interest. The Northern blots gave information on the size of the transcript and the tissues in which it was expressed. For transcripts which were not highly expressed, it was sometimes necessary to perform a reverse transcription PCR assay using RNA from the tissues of interest as a template for the reaction.

25

5

Gene identification by computational methods and by direct cDNA selection provides unique information about the genes in a region of a chromosome. When genes are identified, then it is possible to examine different individuals for mutations in each gene.

I. Phenotyping using DXA Measurements

Spinal bone mineral content (BMC) and bone mineral density (BMD) measurements performed at Creighton University (Omaha, Nebraska) were made by DXA using a Norland Instruments densitometer (Norland XR2600 Densitometer, Dual Energy X-ray Absorptiometry, DXA). Spinal BMC and BMD at other locations used the machinery available. There are estimated to be 800 DXA machines currently operating in the U.S. Most larger cities have offices or imaging centers which have DXA capabilities, usually a Lunar or Hologic machine. Each location that provided spine BMC and BMD data included copies of the printouts from their machines to provide verification that the regions of interest for measurement of BMD have been chosen appropriately. Complete clinical histories and skeletal radiographs were obtained.

The HBM phenotype is defined by the following criteria: very high spinal BMD; a clinical history devoid of any known high bone mass syndrome; and skeletal radiographs showing a normal shape of the appendicular skeleton.

II. Genotyping of Microsatellite Markers

To narrow the genetic interval to a region smaller than that originally reported by Johnson et al, *Am. J. Hum. Genet.*, 60:1326-1332 (1997), additional microsatellite markers on chromosome 11q12-13 were typed. The new markers included: D11S4191, D11S1883, D11S1785, D11S4113, D11S4136, D11S4139, (Dib, et al, *Nature*, 380:152-154 (1996), FGF3 (Polymeropolous, et al, *Nucl. Acid Res.*, 18:7468 (1990)), as well as GTC_HBM_Marker_1, GTC_HBM_Marker_2, GTC_HBM_Marker_3, GTC_HBM_Marker_4, GTC_HBM_Marker_5, GTC_HBM_Marker_6, and GTC_HBM_Marker_7 (*See* Fig. 2).

25

5

Blood (20 ml) was drawn into lavender cap (EDTA containing) tubes by a certified phlebotomist. The blood was stored refrigerated until DNA extraction. DNA has been extracted from blood stored for up to 7 days in the refrigerator without reduction in the quality or quantity of yield. For those subjects that have blood drawn at distant sites, a shipping protocol was successfully used on more than a dozen occasions. Blood samples were shipped by overnight express in a styrofoam container with freezer packs to provide cooling. Lavender cap tubes were placed on individual plastic shipping tubes and then into "zip-lock" biohazard bags. When the samples arrived the next day, they were immediately processed to extract DNA.

The DNA extraction procedure used a kit purchased from Gentra Systems, Inc. (Minneapolis, Minnesota). Briefly, the procedure involved adding 3 volumes of a red blood cell lysis buffer to the whole blood. After incubations for 10 minutes at room temperature, the solution was centrifuged in a Beckman tabletop centrifuge at 2,000 X g for 10 minutes. The white blood cell pellet was resuspended in Cell Lysis Buffer. Once the pellet was completely resuspended and free of cell clumps, the solution was digested with RNase A for 15 minutes at 37 C. Proteins were precipitated by addition of the provided Protein Precipitation Solution and removed by centrifugation. The DNA was precipitated out of the supernatant by addition of isopropanol. This method was simple and fast, requiring only 1-2 hours, and allowed for the processing of dozens of samples simultaneously. The yield of DNA was routinely >8 mg for a 20 ml sample of whole blood and had a MW of >50 kb.

DNA was genotyped using one fluorescently labeled oligonucleotide primer and one unlabeled oligonucleotide primer. Labeled and unlabeled oligonucleotides were obtained from Integrated DNA Technologies, Inc. (Coralville, Iowa). All other reagents for microsatellite genotyping were purchased from Perkin Elmer-Applied Biosystems, Inc. ("PE-ABI") (Norwalk, Connecticut). Individual PCR reactions were performed for each marker, as

25

5

described by PE-ABI using AmpliTag DNA Polymerase. The reactions were added to 3.5 µl of loading buffer containing deionized formamide, blue dextran and TAMRA 350 size standards (PE-ABI). After heating at 95 C for 5 minutes to denature the DNA, the samples were loaded and electrophoresed as described in the operator's manual for the Model 377 DNA Sequencer (PE-ABI, Foster City, California). After gel electrophoresis, the data was analyzed using PE-ABI GENESCANTM and GENOTYPERTM software. First, within the GENESCANTM software, the lane tracking was manually optimized prior to the first step of analysis. After the gel lane data was extracted, the standard curve profiles of each lane were examined and verified for linearity and size calling. Lanes, which had problems with either of these parameters, were re-tracked and verified. Once all lanes were tracked and the size standards were correctly identified, the data were imported into GENOTYPERTM for allele identification To expedite allele calling (binning), the program Linkage Designer from the Internet web-site of Dr. Guy Van Camp (http://alt.www.uia.ac.be/u/dnalab/ld.html) was used. This program greatly facilitates the importing of data generated by GENOTYPERTM into the pedigree drawing program Cyrillic (Version 2.0, Cherwell Scientific Publishing Limited, Oxford, Great Britain) and subsequent linkage analysis using the program LINKAGE (Lathrop et al, Am. J. Hum. Genet., 37:482-498 (1985)).

III. Linkage Analysis

Fig. 1 demonstrates the pedigree of the individuals used in the genetic linkage studies for this invention. Specifically, two-point linkage analysis was performed using the MLINK and LINKMAP components of the program LINKAGE (Lathrop et al, *Am. J. Hum. Genet.*, 37:482-498 (1985)). Pedigree/marker data was exported from Cyrillic as a pre-file into the Makeped program and converted into a suitable ped-file for linkage analysis.

The original linkage analysis was performed using three models: (i) an autosomal dominant, fully penetrant model, (ii) an autosomal dominant model with reduced penetrance, and (iii) a quantitative trait model. The HBM locus was mapped to chromosome 11q12-13

20

25

5

by analyzing DNA for linked markers from 22 members of a large, extended kindred. A highly automated technology was used with a panel of 345 fluorescent markers which spanned the 22 autosomes at a spacing interval ranging from 6-22 cM. Only markers from this region of chromosome 11 showed evidence of linkage (LOD score ~3.0). The highest LOD score (5.74) obtained by two-point and multipoint analysis was D11S987 (map position 55 in Fig. 2). The 95% confidence interval placed the HBM locus between markers D11S905 and D11S937 (map position 41-71 in Fig. 2). Haplotype analysis also places the Zmax1 gene in this same region. Further descriptions of the markers D11S987, D11S905, and D11S937 can be found in Gyapay et al, Nature Genetics, Vol. 7, (1994).

In this invention, the inventors report the narrowing of the HBM interval to the region between markers D11S987 and GTC_HBM_Marker_5. These two markers lie between the delimiting markers from the original analysis (D11S11S905 and D11S937) and are approximately 3 cM from one another. The narrowing of the interval was accomplished using genotypic data from the markers D11S4191, D11S1883, D11S1785, D11S4113, D11S4136, D11S4139, (Dib et al, Nature, 380:152-154 (1996)), FGF3 (Polymeropolous et al, Nucl. Acid Res., 18:7468 (1990)) (information about the genetic markers can be found at the internet site of the Genome Database, http://gdbwww.gdb.org/), as well as the markers GTC_HBM_Marker_1, GTC_HBM_Marker_2, GTC_HBM_Marker_3, GTC_HBM_Marker_4, GTC_HBM_Marker_5, GTC_HBM_Marker_6, and GTC_HBM_Marker_7.

As shown in Fig. 1, haplotype analysis with the above genetic markers identifies recombination events (crossovers) in individuals 9019 and 9020 that significantly refine the interval of chromosome 11 to which the Zmax1 gene is localized. Individual 9019 is an HBM-affected individual that inherits a portion of chromosome 11 from the maternal chromosome with the HBM gene, and a portion from the chromosome 11 homologue. The portion inherited from the HBM gene-carrying chromosome includes markers D11S935,

5

D11S1313, GTC_HBM_Marker_4, D11S987, D11S1296, GTC_HBM_Marker_6, GTC_HBM_Marker_2, D11S970, GTC_HBM_Marker_3, D11S4113, GTC_HBM_Marker_1, GTC_HBM_Marker_7 and GTC_HBM_Marker_5. The portion from D11S4136 and continuing in the telomeric direction is derived from the non-HBM chromosome. This data places the Zmax1 gene in a location centromeric to the marker GTC_HBM_Marker_5. Individual 9020 is an unaffected individual who also exhibits a critical recombination event. This individual inherits a recombinant paternal chromosome 11 that includes markers D11S935, D11S1313, GTC_HBM_Marker_4, D11S987, D11S1296 and GTC_HBM_Marker_6 from her father's (individual 0115) chromosome 11 homologue that carries the HBM gene, and markers GTC_HBM_Marker_2, D11S970, GTC_HBM_Marker_3, GTC_HBM_Marker_1, GTC_HBM_Marker_7, GTC_HBM_Marker_5, D11S4136, D11S4139, D11S1314, and D11S937 from her father's chromosome 11 that does not carry the HBM gene. Marker D11S4113 is uninformative due to its homozygous nature in individual 0115. This recombination event places the centromeric boundary of the HBM region between markers D11S1296 and D11S987.

Two-point linkage analysis was also used to confirm the location of the Zmax1 gene on chromosome 11. The linkage results for two point linkage analysis under a model of full penetrance are presented in Table 1 below. This table lists the genetic markers in the first column and the recombination fractions across the top of the table. Each cell of the column shows the LOD score for an individual marker tested for linkage to the Zmax1 gene at the recombination fraction shown in the first row. For example, the peak LOD score of 7.66 occurs at marker D11S970, which is within the interval defined by haplotype analysis.

TABLE 1

Marker	0.0	0.05	0.1	0.15	0.2	0.25	0.3	0.35	0.4
				[i	ı	

				,					,
D11S935	- infinity	0.39	0.49	0.47	0.41	0.33	0.25	0.17	0.10
D11S1313	- infinity	2.64	2.86	2.80	2.59	2.30	1.93	1.49	1.00
D11S987	- infinity	5.49	5.18	4.70	4.13	3.49	2.79	2.03	1.26
D11S4113	4.35	3.99	3.62	3.24	2.83	2.40	1.94	1.46	0.97
D11S1337	2.29	2.06	1.81	1.55	1.27	0.99	0.70	0.42	0.18
D11S970	7.66	6.99	6.29	5.56	4.79	3.99	3.15	2.30	1.44
D11S4136	6.34	5.79	5.22	4.61	3.98	3.30	2.59	1.85	1.11
D11S4139	6.80	6.28	5.73	5.13	4.50	3.84	3.13	2.38	1.59
FGF3	0.59	3.23	3.15	2.91	2.61	2.25	1.84	1.40	0.92
D11S1314	6.96	6.49	5.94	5.34	4.69	4.01	3.27	2.49	1.67
D11S937	-infinity	4.98	4.86	4.52	4.06	3.51	2.88	2.20	1.47

A single nucleotide polymorphism (SNP) further defines the HBM region. This SNP is termed SNP_Contig033-6 and is located 25 kb centromeric to the genetic marker GTC_HBM_Marker_5. This SNP is telomeric to the genetic marker GTC_HBM_Marker_7. SNP_Contig033-6 is present in HBM-affected individual 0113. However, the HBM-affected individual 9019, who is the son of 0113, does not carry this SNP. Therefore, this indicates that the crossover is centromeric to this SNP. The primer sequence for the genetic markers GTC_HBM_Marker_5 and GTC_HBM_Marker_7 is shown in Table 2 below.

TABLE 2

	Marker	Primer (Forward)	Primer (Reverse)
t			

10

15

20

GTC_HBM_Marker	TTTTGGGTACACAATTCAGTC	AAAACTGTGGGTGCTTCT
_5	G	GG
GTC_HBM_Marker	GTGATTGAGCCAATCCTGAGA	TGAGCCAAATAAACCCCT
_7		TCT

The kindred described have several features of great interest, the most important being that their bones, while very dense, have an absolutely normal shape. The outer dimensions of the skeletons of the HBM-affected individuals are normal, and, while medullary cavities are present, there is no interference with hematopoiesis. The HBM-affected members seem to be resistant to fracture, and there are no neurologic symptoms, and no symptoms of impairment of any organ or system function in the members examined. HBM-affected members of the kindred live to advanced age without undue illness or disability. Furthermore, the HBM phenotype matches no other bone disorders such as osteoporosis, osteoporosis pseudoglioma, Engelmann's disease, Ribbing's disease, hyperphosphatasemia, Van Buchem's disease, melorheostosis, osteopetrosis, pycnodysostosis, sclerostenosis, osteopoikilosis, acromegaly, Paget's disease, fibrous dysplasia, tubular stenosis, osteogenesis imperfecta, hypoparathyroidism, pseudohypoparathyroidism, pseudopseudohypoparathyroidism, primary and secondary hyperparathyroidism and associated syndromes, hypercalciuria, medullary carcinoma of the thyroid gland, osteomalacia and other diseases. Clearly, the HBM locus in this family has a very powerful and substantial role in regulating bone density, and its identification is an important step in understanding the pathway(s) that regulate bone density and the pathogenesis of diseases such as osteoporosis.

In addition, older individuals carrying the HBM gene, and therefore expression of the HBM protein, do not show loss of bone mass characteristic of normal individuals. In other words, the HBM gene is a suppressor of osteoporosis. In essence, individuals carrying the

20

5

HBM gene are dosed with the HBM protein, and, as a result, do not develop osteoporosis. This in vivo observation is strong evidence that treatment of normal individuals with the HBM gene or protein, or a fragment thereof, will ameliorate osteoporosis.

Physical Mapping IV.

To provide reagents for the cloning and characterization of the HBM locus, the genetic mapping data described above were used to construct a physical map of the region containing Zmax1 on chromosome 11q13.3. The physical map consists of an ordered set of molecular landmarks, and a set of BAC clones that contain the Zmax1 gene region from chromosome 11q13.3.

Various publicly available mapping resources were utilized to identify existing STS markers (Olson et al, Science, 245:1434-1435 (1989)) in the HBM region. Resources included the GDB, the Whitehead Institute Genome Center, dbSTS and dbEST (NCBI), 11db, the University of Texas Southwestern GESTEC, the Stanford Human Genome Center, and several literature references (Courseaux et al, Genomics, 40:13-23 (1997), Courseaux et al, Genomics, 37:354-365 (1996), Guru et al, Genomics, 42:436-445 (1997), Hosoda et al, Genes Cells, 2:345-357 (1997), James et al, Nat. Genet., 8:70-76 (1994), Kitamura et al, DNA Research, 4:281-289 (1997), Lemmens et al, Genomics, 44:94-100 (1997), Smith et al, Genome Res., 7:835-842 (1997)). Maps were integrated manually to identify markers mapping to the region containing Zmax1.

Primers for existing STSs were obtained from the GDB or literature references are listed in Table 3 below. Thus, Table 3 shows the STS markers used to prepare the physical map of the Zmax1 gene region.

TABLE 3: HBM STS Table

STS Name	Locus Nam	Type	GDB Access.	Size (kb	Forward Primer	Reverse Primer	Gene Name
ACTN3		Gene	Gene GDB:197568	0.164	CTGGACTACGTGGCCTTCTC	TTCAGAAGCACTTGGCTGG	Actinin, alpha 3 - skeletal muscle
PC-B/PC-Y		Gene	GDB:197884	0.125	Ӹ	CAAGATCACTCGATCTCCAGG	Pyruvate Carboxylase
7,700	D1182161	Gene		0.322	~ jr	TICTGCAGGTTGCTGTTGAG	Adenosine Receptor (A2) Gene
ADKBK1		Cene	Gene GDB:4590179	0.117		GCCCTCTGTCTGACTTCAGG	Beta-adrenergic receptor kinase
PD4(4/2)/PD4(2/2)		OCCIONE CONTRACTOR	CDR-107568	802.0	GAGAMGAMA MAGGGGACC	ATACACCAACCACTICACAT	sim. to riuman endogenous retrovirus mikina long terminal repeat
GSTP1.PCR1		Gene	Gene GDB:270066	0.19		TCCCGGAGCTTGCACACCCGCTTCA	Guathione S-transferase it catalytic subutiti, alpha isotomi
NDUFV1		Gene		0.521		CAAGATTCTGTAGCTTCTGG	NADH dehydrogenase (ubiquinone) flavoprotein 1 (51kD)
PSANK2		GENE		0.157		ATCCTCTCACATCCCACACT	Aldehyde Dehydrogenase 8 (ALDH8)
PSANK1		EST			CAAGGCTAAAAGACGAAAAA	TCAGGAGCATTTCATCTTTT	Human ribosomal protein L37 (PSANK1) pseudogene.
UT5620	D11S1917	MSAT	MSAT GDB:314521	0.211	AAGTCGAGGCTGCAAGGAG	GCCCTGTGTTCCTTTCAGTA	
AF-MZ89ya9	D1151337	MSAT	MSAT GDB:199805			AGCTCATGGGGGCTATT	
GALN		Gene		0.322		ATGGCAGAGGACTTAGAACA	Preprogalanin (GAL1)
pMS51	D11S97	NTR.	GDB:177850			TCCACATTGAGGACTGTGGGAACG	
BCL1(1)/BCL1(2)		eleg C		0.205	GCIAAICACAGICIAACCGA	_	B-cell CLL/lymphoma 1 - Cyclin D1 (PRAD1 gene)
CCNU		e e	GDB:4590141	_	GCACAGC161AG1GGGG11C1AGGC		Cyclin D1
FGF4		ele Sele	Gene GDB:4590113	L	CACCGATGAGTGCACGTTCAAGGAG	CAGACAGAGGTCCCACGCCATAC	Fibroblast growth factor 4
rers.rcki	- 1	200 5	GDB: 186027	7		ACACAGI I GC I C I AAAGGGI	Fibrobiast growth factor 3
AFM 104ZF 1Z	0119813	MOM	GDB: 188151	0.22	CALLIGGGAAAICCAGAAGA	IAGGIGICITATITITIGITIC	
AFMATSUYUS		MSA	GDB 7.0000	0.275		CAACCCATACCAGGGATAAG	
9HGC-19289	01134089	212	GDB: 740600		GAACAGGGGIAAGI I GGC	I GAGGACACAGA I ACT GAT GGG	
SHGC-3004		010	GDB./40102	0.10	GAAG GIICCCICITAAAIICIIIG	GAACIAIIGIAGIIAGIGAGGAG	
STGC-1440/			GDB:/40516		CCIGINACCCCCAGICCC	TOTIGETTE	
SHGC-10946	D115432/	Cene	GDB:6/4522	0.311	ACICCAICCACCICAICACIG	IGCIGITIGCCI CALCIGAC	Choline Kinase
0515 AFM447VD40		010	GDB: 196290	0.0	4 GEACAGGCAI AGC I GAGG	IGH ICACHCH CHGCCHGCAG	
AFIM 147 AD 10	01151669	NO.	MSA1 GDB:30/895	0.183		CAAGAGC I GG I AGAAGG I G	
AFMANSONSO	- Io	TACA!	GDB-193002	7007	GACI CCAGICI GGGCAAI AAAAGC	GG GGCAGCA GACCI CI AAAG	
AFMISSOXAS	D1154170	TACAT	GDB-608115	0.23/	ACCTORCICION	CGIGICCAGAIGAAAGIG	THE THE PROPERTY OF THE PROPER
Mi.17803	2	FOT	GDB-4581644	0.48	TATTECTATECTE	AATCACTCTTTCCC	
SGC31923		EST	EST GDB:4578606	0.126	0.126 ACTITATIGICAGGGC	ACTCCCTCGATGGCTTCC	
WI-7741	D11S4364	GENE	GDB:677652	0.324	GAGCAGGGGAGAGAGGGC	CCCAACTGGCTTGTTTTATTG	Transformation sensistive protein IEE SSD 3501
SGC35223		EST	GDB:4582598	0.13	AGCCACTITATTGTTGATGC	AAGAGTGAACAAAAGCAAACATACC	ZNF162 - solicing factor 1
Wi-16754		EST	GDB:4578377	0.15	GTGGAGTGTGGGGA	TACTGTTCTTGATAAGTATGTCGGC	
WI-6315	D11S4418	EST	GDB:678804	0.224	ATGCTTTTGCATGATTCTAATTATT	TCCCCCAAAGAATGTAAAGG	
Wi-16915		EST	GDB:4584055	0.125	CTGGTCTTCCTTGTGTGCTG	ATCACCCAGGCCAGGGAT	Mitogen inducible gene (MIG-2)
SGC30608		EST			TCAGAAGCAGAA	CCTGCTTGAAAGTTCTAGAGCC	
WI-1 /663		EST	GDB:4583346	0.126	CAAGCCGGGTTTTATTGAAA	GATGCCAGGACCATGGAC	
WI-6383		Sena	GDB:1222237	0.199	0.199 GCATATAGAACAATTTATTGCCG	CTCTGAAGCAGGGACCAGAG	Human tat interactive protein (TIP60)
3GC3135/		Cene	GDB:45/6432	0.207	CIACCACACACACAGGC	CAAGCGAAAGCIGCCIIC	Calcium activated neutral protease large subunit, muCANP, calpain
SGC34590		FST	200000	0 0	O 13 GCGTGGGGATATAGAGGTCA	TACCTOCCAACAACCTACC	
SGC33927		EST	GDB:4582382	0.15	TAATATACCCCAGTCTAAGGCAT	AGCTTGCAGATGGAGCCC	
M-8671			GDB:1222235	0.124	TGGTTTTAAACCTTTAATGAGAAAA	TGTTGATCTATACCCTGTTTCCG	
WI-12334		1	GDB:1222257	0.127	AATTATTTAAAAGAGAAAGGCA	TGGCTGTGAACTTCCTCTGA	
WI-18402			GDB:4581874	0.113	GGTTACAGAAAACATTTGAGAGAT	TGAGCTTTAGTTCCCTTCTCTG	
WI-18671		EST	GDB:4584947	0.131	TTGAAAACCATTTATTTCACCG	TCTGCGGCTGTTGGATTT	Hlark
Wi-12856		•	GDB:4576606	0.209	TTGAAAAACCATTTATTTCACCG	TGTTCTCTCCCAGCAGG	Hlark
SGC33767		- 11	GDB:4581106	0.15	CTITATIGAAAACATIGAGTGCA	TTGTCAAATTCCCCCCAAAA	
AFM3437B5			GDB:1222332	0.181	AAACCACGACCNCCAA	CCCTGGAAAGGTAAGATGCT	
SGC33/44		EST	GDB:4575826	0.15	CTITIGGTAGAGACAAGGTCTCA	TATCTGTCTGTAGTGCTTCAAATGT	
SGC32272		- 1	GDB:4581592	0.135	GACGAAGGTGATTCAGGGC	ACTGAAGACTCTTGTCCT	
MA 18646		- 1	GDB:4563004	- C	TATTOATA ACCATTACTO ACCOO	TOCOLOCICACIIIGICCC	** ** ** ** ** ** ** ** ** ** ** ** **
SGC31103		FST	GDB-45/7265		CTATGCCCAGAGATGAACAGG	TCCACTAAGGGCTATGTCGC	numan 1.1 kb mkinA upregulated in retinoic acid treated HL-60 neutrophilic cells
SGC30028		100	GDB: 4580505			CACTGGAGACTACAAGTGGTGG	Himan parivate carbovylace pregineor
WI-2875	D11S4407	STS	GDB:678546			GGGGACTACAGATTTGA	
		Gene	GDB:4577182	0.223	AGACTACATTTTGGAACCAGTGG	TGAAAGGATATTTATAGCCTGGA	LAR-interacting protein 1b
	D11S4270	STS	GDB:626245	1	GAAC	TGAGGGTTGGGAAGATCATA	
WI-6504	D11S3974	EST	GDB:588142	7	CCTTCATAGCCACCCG	CAGCTAACTGTTGACATGCCA	
86031049		1	GDE:4580093	1	0.15 CII AC G GC ACAAC ICC	CAACAGTGCAGTCGGTATCG	

TABLE 3: HBM STS Table

TIGR-A002J17	Г	ᆫ	193	0.199 A(AGATCAGCAAGCAGATAG	CATTCCACATGGATAGAC	NDUFV1
	D11S2382	l. 1	GDB:458683	0.1 C	ATACCTATGAGGTGTGCTACAGG		ampiaxin (EMS1)
WI-16987		. 1.	848	0.15 T	ACAGCCACCAGGIIICC	AGGIGIGIGICCAGGIIGA	וארכובם ווווסווכ מהלמימות החיים ליינים היינים הייני
SGC31912		. I.	808	0.101	CACIGITATOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOT	CCAGTCACCTTTACTAGTCCTTTG	
	Τ.	121	GDB:4577693		ACCORD COORD IN THE	ACCAGGCATTGCACTAAAAG	
CHLC. GAAT 1801. P7933	01159/1	MSA	GUB:684255	0 134 6	GATGGGTCACACTAACCTGTCA	ACATTTATATTTGGACATGCAACC	LAR-interacting protein 1a mRNA
SGC35519		100	GDB-4377160	1080	AGCATCTTTAATGTCAGGCA	ATGTGCTGGGCTGGAAAG	Carnitine palmitoyl transferase 1
WI-119/4		١٥	GDB. 1222233		TCACATTCAAAATCGGCAA	стесстететевтетсес	Beta-adrenergic receptor kinase 1, ADRB1
WI-1544		٠l		0.131 T	TGTTTTATTTCTCAGTACAAAGCCA	GACCTCCTGTGACACCACG	AND THE PARTY NAMED IN COLUMN TWO IS NOT THE PAR
Wi-1/450	D1154381	FST	GDB:678144	0 111 0	CCACCAAATTATTATAGTTCTGCG	GTAAGATTCTCCACTGTTGCACC	FGF4
		1	GDB 1222250	0.175	CCTATAATGGGCTGGACCAA	ACTCCTCATGTGAAGTCACCG	
WI-4232		ı	GDB-4566789	0.161 C	CAGTGTGCACGTTTTCATTT	CAGCATCTTCAGCACTTACC	Human DNA helicase gen (SMBP2)
01100 H		1	GDR-4576938		CTGCATTTATTATGAGAATCAACAG	TGCTGCTGGGAGTCAGAGTC	
WI-14505		1	GDB-4585666		CAGGGCACTGAGATACACTTACC	AAGGATCAAGCAGGCATTTG	
WI-16597	0446070	15	CDB-101	0 15 0	ACACATCTCTTCTGTGCCCC	TGAACCCTGGAGGCAGAG	
RC2951CALLFURIRC2951CALL	0110970	TVON	CDB-108	0 362 0	CATTOCCCAGTTTGCAGAC	GTGCTGGGATTACAGGTGT	
6/6/0	04404060	5 5	2000		COACACACACACACACACACACACACACACACACACACA	CCATGCTAGAGGAGCACAAC	
2	60618110	2 3	GUB.333210	200	CHORDON OF TOTAL	CAGACAGATAGCCCTGGGTTC	
	D11S468	\neg		0.030	TOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTO	ACCCCCTGGGGATAATC	
	D115668		GDB:1/9349	0.143	CCCICALCCCCI IGICIGI	ACCATOCTATOCTATO	Aldebude dehydrogenese (ALDH8)
RH18048		Gene	GDB:4572853		GATGCTTACCTACCACGC	AGGALICCIALIGECTATE	Alderiyaa dariya uga rasa (Aldaba)
IGHMBP2		Gene	GDB:4590087		TGGCAGACCATGCTCCGCCT	GAGAAGGCCGGGAAGGCICIG	Nu close mitatio apparatus protein 1 NI MA
NUMA		Gene	Gene GDB:4590244	0.277 C	CTCCATCACAACCAGAIIIGAGGCI	-	High a habit toroits (DM)
KRN1		Gene	GDB:4590232	0.228 A	0.228 AGTGGGAAACCTCAGGTAGCTCCCG	-	HIGH SUIDTIAL RECAILLY, NAME
Cdatff06	D11S2302	EST	GDB:445887	0.091 C	CATTAAGTAGTGGGGGGGACAG	CAAAGCGACAGTGAGTTAGGG	* ODO * O
RH10753		Gene	GDB:4563588	0.194 G	GAGTAGACCATGATTACTG	CATGGTCTATTTATTCTCG	protein phosphatase ZA, PPZA
EMS1		Gene	GDB:459016	0.64 C	CGCCCTGGATCCTCACACTACA	GGGCATCAGGGGATGGGTAGA	Amplaxin
SHGC-11098	DXS9736	Gene	GDB:737674	0.137 G	GCTCCTATCTGTGTTTTGAATGG	CCGTGGCATAAGATAAGTAAACG	Androgen Keceptor
NPPI 1	4	Gene	GDB:4590093	0.382 C	CTTGGAGCGCTATGAGGAGGGC	ATGGCAACTGACCTTCCGTCCTG	51C protein, inositol polyphosphate phosphatase-like 1
RH18051		EST	GDB:4572859		TTGGAGTCACAGGGGC	CAGCACTATCCTTGGGG	NOF1
Cdatcc11	D11S2297	EST	GDB:445869	0.1 A	AACAAAGCTGCTTAGCACCTG	GATGAGGACCAACTGGTGAC	
1249/1250		EST	EST GDB:335210	0.247 T	TTTTCCAATAATGTGACTTC	CAATCCCAACCGTAACAGGC	
NDI IEVI	D11S2245	EST	GDB:445695	_	CTTGATCTCGCCCAGGAAC	GCTCGCTGAAGGATGAAGAC	NDUFVI
	D11S4136	MSAT	GDB:609546	0.19	GAATCGCTTGAACCCAG	CCAGGTGGTCTTAACGG	
AEMa059xn9	D11S4196	MSAT	GDB:614025	0.2	GAACGTTNTTCATGTAGGCGT	TAATGGTCGCTGTCCC	
	D11S2288	EST	GDB:445842		AGGGAAAATGGTATGTGGGGAG	GCAGTGTGTGAAGGCAGG	
SHGC-1364	D11S951E	EST	GDB:4562765	0.137	AGTGGACAAATGAGGAAAACAGG	CCAACACAGTTTGCTCACATGCC	
RH17410		EST	GDB:4571587	0.126	GACATCTTTGCATTATGGC	AGTTATCCCACCTGATACCG	
RH17414		١.	GDB:4571595	0.121	AGCTCTTGCTTCTCAGTCCA	CAAAAGTTGTTTCTGTGTTTGTTC	
RH17770		I	GDB:4572301	0.267	GCCTCTCAAAGTAGTTGGAACC	TGTGTATCCATAGTGCAAAACAG	
SEA		١.	GDB:4590169	0.13	CTCAAGGCCAGGCATCACT	GGACTCTTCCATGCCAGTG	S13 avian erythroblastosis oncogene nomolog
RH10689			GDB:4563460	0.107	AATGATCTCAACTCTG	ACTGAAGAACTCTTGTCCT	
TIGR-A006P20		١.	GDB:4587692		GACATCTGTTAGTCTCATAATTC	GGTAACAGTGTCTTGCTT	
TIGR-A007D15		0	GDB:4588398	0.24	CTATGTACAAACAGGAAGAG	ATCCTAGTTTCCTCTCTT	Menin gene (MEN1)
TIGR-A008B14		1	GDB:4588882	0.141	GTAAATGAGAAACAGACAAATGA	CTATTGGATGTGTTAIGG	
TIGR-A008K11	·	EST	GDB:4589094	0.2037	AAGTAGAAACAAAATGAGGGAC	CCTACCCCAGGIAACAG	
TIGR-A008P15		. 1	GDB:4589662	0.182/	ACTTCCTATAAATGGAGGTGAG	GAGGAGCIICAAGAGAA	
TIGR-A008T11			GDB:4589278		CATACTCCTAGACTCAAGGAATC	GAAIGAIGIACAIGAAIICIIIG	
TIGR-A008U48		EST	GDB:4589364	0.107	GTGTTGAGGAGAAAGCACT	CTCCCAGTAGTCACATICC	
TIGR-A008X45		EST	GDB:458	0.242	CAAGTTACAAATAACTTAAGCCG	CAAGACCCIAICICIACAAAAC	Felsis secretary (CDD2)
SHGC-11839	D11S4611	Gene	GDB:740339	0.151	TTTATTAGAAGTGACTCT1GGCCC	GACTACCTCCCTCAGCTTG	Foliate Tecapion 2 (For 2)
NIB1242	D11S4929	EST	GDB:3888276	0.149	TTCTCATGTACAAAGCGGTC	CCACIGGCIICICIIIII	COMP-Summated 3,3-cyclic Hadeonae prospinations and a company of the company of t
SHGC-13599	D22S1553	Gene	GDB:737	0.147	CACCAGAAGGTTGGGGTG	ACTATIACGACAIGAACGCGG	Macoprage migration minorely ractor
SHGC-11867	D11S4331	Gene	CDB:67	= 1	CTCATGCTGGATGACCCC	116CC111C11GAAAC11AA11CC	rzo railiodepio
SHGC-15349	D12S2124	EST	GDB:74	0.141	ICACAGCCI ICAGICAGG	ACATOMOST CONTOCONO	
Bda84a05	D11S2235	EST	GDB:445662	0.095	0.095 CCTGAGCTACTGCCACAG	CCC16AC116GACAG161CC	
Bda99d07	D11S2238	7	GDB:44		CAGAGICACICCIGCCC	CATALICAGECTECTECTORY	Folste recentor? (FBP2)
folr1	00,000	Sene	GDB: 19	0.3	GGGCAT I I CA I CCAGGAC	CTTAAGCCACTGTGTTTGG	
NIB1738	01154264	ES I	GDB-629200		CCTCCTACACCTGCAAAAGC	TGGAAGAACCCCAGAGGAC	Folate receptor3 (FBP3)
VVI-7331	20110	FST	GDB-45	0.132	AAAGCACAAAAGTAACAGCAACA	GTGTGTGGGCCACAATATTG	
VAI-14520		FST	GDB:45	0.15	0.15 AGAGCACCTTTCCTCAGCAC	AGAATCTCATCACAGGGGCG	
VVI-13132		1					

TABLE 3: HBM STS Table

EST	GDB.4577492 GDB.4567830 GDB.4566057 GDB.4576114 GDB.466786 GDB.466786 GDB.4578600 GDB.4578600 GDB.4578620 GDB.4578620 GDB.4578625 GDB.4578625 GDB.456415 GDB.456416	11164 200 200 200 200 200 200 200 200 200 20	AGG AGG	(DRES9 Human VEGF related factor isoform VRF186 precursor (VRF)
EST EST	CIDB 4657830 CIDB 4657820 CIDB 4657820 CIDB 4657920 CIDB 4657386 CIDB 4657386 CIDB 4657386 CIDB 4657386 CIDB 4657862 CIDB 46578625 CIDB 46578625 CIDB 46578625 CIDB 46578625 CIDB 46578625 CIDB 4657878 CIDB 46568613 CIDB 465689 CIDB 465689 CIDB 465689 CIDB 4656905 CIDB 4656905 CIDB 4656905 CIDB 4656905 CIDB 4656905 CIDB 4656905 CIDB 4656905	CALITAGGGAGTACAAGTGCGG CACTGATCATTGGGTGTGACC TIAAGATGCCATTAACTGAGG CGACTGTGTTTTCCAGGGTGG CGACTGTTTTTCAGGGTGG GGATTATTTCCAGGG TGTTGTTTTTTAGCGAATGCGA AGGCCTTAATTTAGCGAATCCCA TAGAATCTTAGCAGAATCCCA AAAGGCCTTAATTAGCTGGG GCTTCTAAGTGAGGGGGG TTGGTTAATGAGGGGGGG GCTTCTAAGTGATGCTGGG TAGAGGGGTGAGGTGGG TAGAGGGGGGGGGG	Signary Average Control of the Contr	DRES9 tuman VEGF related factor isoform VRF186 precursor (VRF)
EST	GDB.4578290 GDB.4778290 GDB.4578290 GDB.4567386 GDB.457386 GDB.4577800 GDB.4577802 GDB.4578427 GDB.456415 GDB.456416 GDB.456416 GDB.456416 GDB.456416 GDB.456416 GDB.456416 GDB.456416 GDB.4564116 GDB.45669061	2	SG STTACA AG TCATC C C C C C C C	DRES9 tuman VEGF related factor isoform VRF186 precursor (VRF)
EST EST	GOB 457 82 GOB 456 92 GOB 456 93 GOB 456 93	THAGAI CALA INACA CANGO COATCICITITATICAGGGTTGG CGACTCTGTATTTCACAGG GGACTCTGTATTTCAGGGGTTGG AGCTTAAGTTCCAACCATGG ATGAATCTTAAGTAGAGAATCCTCGAAAAAGGTTAAGAAGAATCCTTGAGGAATTCCCAAAAAGGTTAAGAGAAAGATCCTCTGGAATTCAGGAATCCTCTGGAATTCAGGAATCCTCTCAGGAATCCTCTCAGGAATCCTCTCAGGAATCCTCTCCGAAAGAAGATCAGTTGAAAAGATGGCGAAAAAAGTGGAAAAAAAGTGGAAAAAAAA		Tuman VEGF related factor isoform VR1196 precursof (VRT)
D1184067 Gene EST EST	GDB.4578 GDB.4578 GDB.4578 GDB.45784 GDB.45784 GDB.45784 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569 GDB.4569	CGACTOTION TO THE CONTROL GGACTTANACTIAGGACAACCATGG AGCTTANACTIAGGACAACCATGG TITITITITITITITACCACAG AAGGGCTTANTIATCCACAG AAGGGCTTANTIATCTGTGTGTG GATTGACAATTGTTAGGGAATTGCGG GATTGACAATGCTTAGGGCGGG GATTGACAGGAATGCCCAGA ACACAGCATTGCACAGGGGGGGGGG		
D113405/ EST E	GDB: 456786 GDB: 45786 GDB: 45746 GDB: 45746 GDB: 4564 GDB: 4564 GDB: 4564 GDB: 4566 GDB: 4566 GDB: 4566 GDB: 4566 GDB: 4566 GDB: 4566 GDB: 4566 GDB: 4566	1766 3466 3466 37076 60766 36 36	GGATGCTICACIACAGANG AGAGTGGCTGCAGGCCAG TGAGGAGTCCAGGGTGTGT GCCTCAGAGGTCTGT GCCTCAGAGCTGGTGGT AGCCCACAGTTAGCTAC TGGTCCAGAGTTAGCTAC AGCCCACAGTTAGGTGG TGGTCCTGACATCCC TGGTCCCAGAGTGGGTGGGT TGGTCCCAGAGTGGGTGGGGTG	
EST EST EST EST EST EST EST EST EST EST	GDB:45367 GDB:45272 GDB:4574 GDB:4578 GDB:4578 GDB:4564 GDB:4565 GDB:4565 GDB:4565 GDB:4569 GDB:4569 GDB:4569 GDB:4569	0.127 TGTTGTTTATTCCACCTGCC 0.15 TGTTGTTTATTCCACCTGCC 0.16 ANGAGGCCTTTATGCACGAATTCCAG 0.15 AANGAGCCTTATAGCAGAATCCCAG 0.15 AANGAGCCTTATATTATCTCTCTCTG 0.12 TGGTTAATGATCAGAGA 0.12 TGGTTAATGATCAGAGA 0.13 TGGTTAATGATCAGAGA 0.13 TACAGAGCTTCCTCTCGG 0.141 CCGTCCCCCCCACACAC 0.141 TACAGGCATCAGAGAG 0.141 CCGTCCCTCCACACACAC 0.141 TACAGGCATCAGAGAG 0.141 AGATAGGGGCAAACACTGG 0.141 TACAGGCATCAGAGAG 0.141 AGATAGGGGCAACAC 0.141 TACAGGCACACAC 0.141 TACAGGCACACAC 0.141 TACAGGCACACAC 0.141 TACAGGCACACAC 0.141 TACAGGCACACAC 0.141 TACAGGCCACACAC 0.141 TACAGGCCCTCCCACACAC 0.141 TACAGGCCCTCCCACACAC 0.141 TACAGAGCCCCCCCACACAC 0.141 TACAGAGCCCCCCCACACAC 0.141 TACAGAGCCCCCCCCACACAC 0.141 TACAGAGCCCCCCCCACACAC 0.141 TACAGAGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	AGAGTGGCTGCAGGCCAG TGAGGAGGTAACAGGGTCATC CACAGAGTCCCAGGGTCTGT GCCTCAGAGCTGGTGGGT AGCCCACAGTTCAGCCTAC TGGTCCCACAGTTCAGC TGGTCCACAGTTCAGCTAC TGGTCCCTGCAGTTCAGCTAGC TGGTCCCTGGTGGTTAGGTGG TGGTCCTGGTGGTTAGGTGG TGGTCGTGGTGGTTAGGTGG	
EST EST EST EST EST EST EST EST EST EST	GDB-4574 GDB-4574 GDB-4578 GDB-4578 GDB-4564 GDB-4564 GDB-4565 GDB-4569 GDB-4569 GDB-4569 GDB-4569	0.15 TITTITITITIACACGAATTTGAGG 0.15 TAAGGCCTTATTATTGTCTCTGTG 0.12 AAAGGCCTTATTATTGTCTCTCTGTG 0.12 TTGGTTAATGATGAGGGGGGG 0.12 TTGGTTAATGATGCTGAGGGGGG 0.13 TTGGTTAATGATGAGGAGAG 0.14 CCGGAAGTAGGGAGAG 0.14 TTACAGGAATAGAGTAATGAGTAGGGGGGGGGGGGGGGG	TGAGGAAGTAAAAACAGGTCATC GCACAGGGTCATG GCCTCAGAGTGGTGGGT AGCCCAGAGTGGTGGGT TGGTCCCACACTTACATCC TGGTCCCACTTACATCCC TGGTCCCTGGTGGTGGTGCC TGGTCCTGGTGGTGGTGCCC TGGTCCTGGTGGTGTGCCC TGGTGCTGGTGGTGCTGCCCCCCCC	
EST EST	GDB:45744 GDB:45786 GDB:4578 GDB:4564 GDB:4564 GDB:4564 GDB:4569 GDB:4569 GDB:4569 GDB:4569 GDB:4569	0.15 ATGAANTCTTAAGCAGAATCCCA 0.15 AAAGGCCTTAATTATCTCTCTCTG 0.127 TTGGTTAATGATGCCCAGA 0.127 TTGGTTAAATGATGCCCAGA 0.127 GACGGCATGCAGGGAAGG 0.137 GACGGCATGCAGGGAAGA 0.141 CCGGTGCTTGGAAGATG 0.141 CCTGCACCACACA 0.141 CCTGCACCACACAC 0.141 CCTTCACACACACAC 0.141 CCTTCACACACACACACACACACACACACACACACACAC	CACAGAGTCCCAGGGTCTG1 GCCTCAGAGCTGGCGT AGCCCACACGTGGCCTACC TGGTCCACTCACC ATCCTGGTGGCTTAGGTGG ATCCCTGGTGGTTAGGTGG GGAAGGCCAGCAGTACTACC	
EST EST	GDB.4578 GDB.4578 GDB.4564 GDB.4564 GDB.4564 GDB.4565 GDB.4565 GDB.4559 GDB.4573 GDB.4569	0.15 AAAGGCCTTTATTTATCTCTCTCTCTCTCTCTCTCTCTCT	GCCTCAGAGCTGGTGGGT AGCCCAGCTCAGCTCC TGGTCCACTCACATCC ATCCCTGGTCCTTAGGTGG GGAAGGCCAGCAAGTACTACC	
EST EST	GDB.457823 GDB.457823 GDB.4564415 GDB.456468 GDB.456590 GDB.465969 GDB.465969 GDB.465969 GDB.465969 GDB.4669051	0.125 GCTTCTAGETCTTAGAGTCAGCTGG 0.127 TTGGTTAATTGATGAGGGGAGAG 0.127 ACKGAGCATGCAGGGGAGGG 0.137 GATGGAAGTAGCTCTTGTGGG 0.141 CCGCTGCTTGGAAGATGCTCTTAGGG 0.141 TTACAGGCATGAGTCACTACGC 0.141 TTACAGGCATCAGAGGG 0.171 AGATAGGGGCAAAACACTGG 0.171 AGATAGGGGCAAAACACTGG 0.171 AGATAGGGGCAAAACACTGG 0.171 AGATAGGGGCAAAACACTGG 0.171 AGATAGGGGCATGAGTCAGAGCGC 0.171 AGATAGGGGTCAGGGCCACCCC 0.171 AGATAGGGGCTGAGCGCCCCCCCCCCCCCCCCCCCCCCC	AGCCCACAGTCAGCCTACC TGGTCCCACTCACATCCC ATCCCTGGTGTTAGGTGG GGAAGGCCAGCAAGTACTACC	
EST EST	GDB:456465 GDB:456466 GDB:456466 GDB:456466 GDB:456603 GDB:456603 GDB:4566051 GDB:4569053 GDB:4569053	0.127 TTGGTTAAATGATGCCCAGA 0.127 GALGGGCATGCAGGAGAGG 0.137 GALGGAGGAGAGGAGAGGAGAGGAGAGGAGAGGAGAGG	TGGTCCCACTCACATCCC ATCCCTGGTGCTTAGGTGG GGAAGGCCAGCAAGTACTACC	
EST EST	GDB:4564568 GDB:4564568 GDB:4565137 GDB:4559690 GDB:4559690 GDB:4569051 GDB:4569051		ATCCCTGGTGCTTAGGTGG GGAAGGCCAGCAAGTACTACC	
EST EST	GDB: 456468 GDB: 4565137 GDB: 4559690 GDB: 4553113 GDB: 4569063 GDB: 4569063		GGAAGGCCAGCAAGTACTACC	
EST EST	GDB-456900 GDB-456900 GDB-4573113 GDB-4569051 GDB-4569063			
EST EST	GDB:4559690 GDB:4559690 GDB:4569051 GDB:4569063	0.171 TTACAGGCATGAGTCACTACGC 0.141 CCCTCCCTCCACACACAC 0.171 AGATACGGCAAAACACTGG 0.171 AGATACGGGCAAAACACTGG 0.186 TTCTGAGGTCACACCC 0.17 ACTCAGGTCCCTCCACCC	GAAGTGTCTCTGTTGGGGGA	
EST EST	GDB:4559630 GDB:4569051 GDB:4569063 GDB:4569063		ACCACTCTCACAGCCCTTACA	
EST	GDB:4569051 GDB:4569051 GDB:4569063 CDB:4573437	0.141 AGATACGGGCAAAACACTGG 0.1166 TTCTGAGGTCAGGGCTGTCT 0.166 TTCTGAGGCTCCCCCC 0.17 AGATACCTCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	GCTCACTGAACTTTCAGGGC	
67 EST	GDB: 4569063 GDB: 4569063	0.17 ACTCAGGGCTCCTCCCCCCCCCCCCCCCCCCCCCCCCCC	GTTGAATATAGAGCAGGGCCC	
EST	GDB:4569063	0.17 ACTCAGTCCTCCACCC	AGCTTGGAAAATCTCGTGTCA	
EST EST	CCD-4573137	0.17/ACICAGICCCICCACCC	TCCTCTCACTCCTTCCCAGA	
EST Both B	300-451 5151		TEGAGGACTGCTTGAGCC	
D1154583 General Gen	GDB:4569999		TCAAAAGTGCTGGTGACAGC	Human protein kinase (MLK-3)
Gene Gare	GDB:740246	0.277 CIGCAGCIGCCICAGIIIC	CTTTAATGTTGTGACACAAAGC	FGF3
EST Gene EST EST	GDB:1231	U21 AI I I CCAGAGCCAGC I CAGA	TACATTIGAAACATTTAAAACCTGA	
Gene 16 EST Gene CENT D118579 STS D1185796 STS	GDB:4567878	0.125 GAI CAI GCACI GI I GACCAC	TGGAACAGTCTGGTCCTGATGG	FK506-Binding Protein Precursor (FKBP-13)
16 EST Gene Gene		0.064 AACI GAGCI GI AACCAGACI GGGA	TEGTCACCTGTATTTATTGCTAGG	
Gene D118579 STS	GDB:4585	0.20211AICCCTTATIGITIOSCTAC	CTCATCTCCAACCTGTCTAACC	4F2 CellL-Surface Antigen Heavy Chain (4F2HC)
D118579 STS	GDB:4590064	0.859 I CHICAAAGCCI CI GCAGIACC	CAGCAGAGACAATGGCGTAAGTCC	
1133866 STS	GDB:1962	0.108 G GGC GCAGC AA G AAGACAC	TAAAGCCCTATAACCTCTCC	
	GDB:547681	0.135 CIGALIGAGAACCAGAACAG	AGATGTTTGGTATGACTTGG	
D11S3830 STS	GTC:547609	0.118 I AG I AAGGGAACCI I CACCAC	GAGACAGCTAAGCACTCATG	
STS	GDB:459/28	0.123 GALGALIAMACICIOCO	AGAGGGGAGGAACACACCTT	Folate receptor2 (FBP2)
D11S1137	GDB:197824	0.190 GAGGIGGIGGIGGGGGGGGGGGGGGGGGGGGGGGGGGG	TCCCCAGCTCTATCCCAAC	Collagen binding protein 2, colligin-2 gene (CBP2)
323 D1154351	GDD-070	0.4 I GEAGGGATGGACAAGTCTGA	GTCCAGCTCGCTGACTATCC	Retinal outer segment membrarie protein 1, Norm
	GDB.07.01	-	GCAAAGGCTTTACCATATTG	ZNF126
2007	r CDB-603707	0 158	TCCCTGCTCGGGAAAC	
AFMa152yh1	GDB.003737	0.00	GAGAGCAACACTATTGCCC	
D1154162	1 600 600 1	0.454	CCTCTGTAGGATGCAGTTGG	
D11S4139	MSAI GDB:40000	O SOO TTGCTACG	GTGAAGGCAGGAAATGTGAC	
AFM212xe3 D11S1314 MSA1	1 GDB:199292	┸	CTCCCCCTGGTCCAGTTATT	Serine/threonine kinase
		O 252 AACTITICATITIGCCAAGGGA	AGCAGATCTGCTTTGCGAT	
		ACAGT	AAAAGTATGAATGGGATGGAGC	
	- 1	0.142	CCCTATATCTCCGTGTGCTCC	DRES9
33	GDB-120	0.274	GAATTCCAGGCTCTTGCTTG	Ultra high-sulphur Kerauri protein (MXN)
	200	0.273	CCAGTACATGGTGGTCACCA	Face conscipling death domain-containing protein. FADD
6,		0.293 GCTGCCTTGGAATTTCTGTT	GTGCTGTGGGGGAAAG	ras-associatily usatil domestic control of
WI-21134		0.25 ATTCAAGCTCATCCAGACCC	GGACTGGCCCTTTGAAACTC	
D44 C4567	CDDR-740192	0 225	AGACCTGGGAAAAGTGGAGAA	
SHGC-7373	2	0.125	TTAATCTTTTGTCAACTTCC1GA11	1 to target protein paymendocrine specific tx factor
			_	
	00000000	1	_	Chloride channel current Inducer, ICLIN gerie
	6DB:625		•	
		TOCTAGGGGAAAATGC	AATGGATGGGGATTATT	
B234C17-HR		CTCCACGTTATGTCTCC	AGAGGCCCAGTCACAGAT	
		ATOACTCTGAACTGCCACT	CCCTTCTGTTTTCTGTTTT	
		CANCETTEAAGAGAAGA	13	
B337H24-HL STS		CAAGCITIGAGGGGGGGG	ACTCTCCAAGACTGTGCG	
		GCICIGOAGIGGGAAGAT	GACCACCTGGGAGAGGAAC	
B382N10-HR		CCCTATGAGTCCCATCTG	GATCAGCTGCAATGAAGG	
		TTGAGTACACGGGGTGAC	CGCAGGACTGAAGATGA	
B180D17-HR STS		ACCTGTCTCCTCTGG	TGCTTTTCTTGTGGGA	

TABLE 3: HBM STS Table

1	B278E22-HR B312F21-HR	0.00	ATGACCAGCAAGCATIGT	GTACTGGGATTACAGGCG	
15.15	B312F21-HR		TACOLLEGE		
STREET COLORADIA COLORAD	B312F21-HK	STS	GCAGAAGGTCC111GGA1	111GCAGGAIICAIGCII	
STREET CACACTICCHECK SCHOLLINGWACCONG		OT O	CGACATTCTTTCTGGAGG	ACCITICCALGITIC	
15.15 ACACATICOTROPA 6517 651	333/H24-HK	STS	GCACTTTCCTTCCTTCC	TGCTTTGCTTTCTTGGG	
Sign	3358H9-HR	010	ACAGCTCCAGAGAGGA	GCAGTCACTTGAAACCAGA	
15.5 GIGGGETGGAATH TOCC GARMATCOCTT GARMATCOCT GARMATCOCTT G	3148N18-HL	STS STS	AGGCATCAAGCTTTCCTT	GGTTTAGAGAACUGAGUU	
STORY	3172N12-HL	STS	GTGGTGCTGCAAGTTACC	GGAATCCCTITCTITCCA	
Fig. Troughandscription Geological Planting Geological Pla	3172N12-HR	ore	GACCATTTGTTACGCAGC	GATGGGTGTGAALAA	
STR	3215J11-HR	010	CTCAAGCTTCTGTTCATGC	GCTGTGAGTGTC116GC1	
STATE	B223E5-HR	010	TACAGAAAACCGCAGCTC	GCCACCAAAGGAAAGAII	
15.15	B312B3-HR	213	AAAAGGGGAATCATGG	TCACTTAGCAGGAGGCAG	
STS	B328G19-HL	SIS	CTCACCATCGATGAGAC	GTGCAAAATGAGCAGCTT	
11.5	R328G19-HR	STS	TOTAL CONTINUE OF THE PROPERTY	TCCTCAAACTGGGAATGA	
15.5	R32910-HI	STS	ICI AACCCCI IACI GCC	ATCTCCCCCACTCAGAAG	
STS GIGGARAMATHANTICA GIGGGARAMATHANTICA GIGGGARAMATHANTICA GIGGGARAMATHANTICA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGCARAMAGGARAMATHANTICAGA GIGGGARAMATHANTICAGA GIGGCARAMAGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGGARAMATHANTICACA GIGGARAMATHANTICACA GIGGARAMA	0220110 HB	STS	TITACACAGGACCAGGGA	TOACCATAAATTTCATTAGCTG	
STS	PoscoC to HI	STS	GTCCACGGGCIIIAIICI	COTOCACACATICAT	
STS	B300G19-TIL	STS	GGAAGAGCAAAATAAAICCA	GGI GCACCACTO ACCACTO	
15.5	B368619-FIR	STS	AGCACGCTTATTTCATGG	GIARCACCAGONA	
15.5	B36F16-HL	STS	TCCTGCTGCATTATGGAT	GGGGGIGAGAAGIAGGAA	
STS	B250K11-HR	oto	ATGGGGATTAAATACGGG	AGCTAGCAIIGGGCICII	
STS	B338D17-HR	010	CTGAGGAGAGAGGCTGG	CGCCTTACAAGGCAAGIA	
STS GGTCGGGGGCCTTTA ACACCCACCACCACATAGA STS ACACCCCACCACACACACACACACACACACACACACA	B268123-HL	818	AGGATGCTTGCTAGGGTT	CACAAGTGTCTGGAAGGC	
STS	B268[23-HR	STS	ACCAPACACACACACACACACACACACACACACACACAC	ACATGCCACTCTTCTCACTAA	
STS	R371F15-HR	STS	000000000000000000000000000000000000000	CAACCCACGAGCATAAGA	
1515	0010E01-H	STS	ACT TAACCAAGGAT GGGG	ACCORDEGAGTCTCTCTC	
15.5 TANGEGGGATATION CITGGGATATION CITGGATATION CITGGA	00000147 HI	STS	TAGGCICIGCACICIIGG	TATACACTATAGGCT	
115 TIGGGGGAGAMATHOUT CITCH TITLEST 118	5330U I - FIL	STS	TAAAGGCGGTGAAGTGAG	CINCOCIONOS	
STS	3369H19-HL	STS	TGGGGCCAGATACTT	Clegicities	
STS	B369H19-HK	ere	AAGGAAGAGGTCACCAGG	CACAAAIICCAIIICCCA	
STS	344M11-HR	STS	TCAATAGGTGATCCAACATTT	AAAGTCCCACAAAGGGTC	
STEE GEOGRAPHICAGE TORGORGETORICAGE	3269L23-HL	910	GGGTAGGGGGATCTTTT	TGTGGAACATICALIGGC	
STS	3250K11-HL	010	GTCCTGGGAAAGATGGAA	TCAAAGCGTCTCCCAIAA	
STS	3269L23-HR	213	TCTTTCGCTGTACTTGGC	TGGGAGGTCAGAGTGATG	
STS	3364H4-HL	010	GGACAGTGTATGTGTTGGG	AGGCAGCTGTTTTGTGA	
STS	3364H4-HR	818	CTTCTTGAGTCCCGTGTG	CAACCGAGAATCCTCTAGC	
STS AGGIGGACAGT GGAGGATGCTAAGGCA	847303-HR	SIS	COTOCOGOGOATCACAA	GCTTTGCAGAGAGCCA	
STS	8180D17-HL	STS	ACCIDENTAGE TO ACT	GGAGGATGCTCAGGTGAT	
15	R200F21-HL	STS	TACGCIGICACOTOTAL	GAGCAATTTGAAAAGCCA	
STS	R200F21-HR	STS	TOTOTOTOTOTOTOTOT	ATAGAGCACCCATCTCC	
STS ATGAGNIGGAGG TOTOTGGGGGCANGTIGATOC STS ATGAGNIGGAGG TOTOTGGGGGCANGTIGAACC STS GAGGAGAAGATCCACAAGCG TOTOTGGGGGCANATCTGAACC STS TOTOTGGGGGCT TOTOTGGGGAATAT STS TOTOTGGGGGACT TOTOTGGGGAATAT STS TOTOTGGGGACT TOTOTGGGGGAATAT STS TOTOTGGGGACT TOTOTGGGGGAATAT STS TOTOTGGGGACT TOTOTGGGTGCAT STS TOTOTGGGGACT TOTOTGGTGGGTT STS TOTOTGGGGAGT TOTOTGGTGGGTAACC STS TOTOTGGGGAGT TOTOTGGTCAAGCAACC STS TOTOTGGGGAGT TOTOTGGTCAAGCAACC STS TOTOTGGGGAATAT STS TOTOTGGGGAATAGGTAACC STS TOTOTGGGGAATAGGAAATACC STGGGTGAAGAATACC STGGGGAATAGGGAATAGGAAATACC STGGGGTGAATACC STGGGGTGAATACC STGGGGAATAGGAATACC STGGGGTCAAGGAATACC STGGGGTCAAGGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC STGGGGTCAAGAATACC	B441 45_HR	STS	AlgelccAgolccicial	GCAATCGAAACAGCAITC	
STS	DIACIONE UD	STS	AACAHGCHGHAGCCCA	AATCAACGTCTTGCCTCC	
Gene 0.007 GAGGAGAAGH CCARAGGG CTGCTRGGTGAGGGAGG STS	B44ZFO-TIN	STS		CC	
STS	B188NZ1-HK	Gene		2	
TGTATGAGTCTGGAGGGTGT ACAGGTGGTGT ACAGGTGGTGTGT ACAGGTGGTGTGT ACAGGTGGTGTGT ACAGGTGGTGTGT ACAGGTGGGTGTGT ACAGGTGGATGGTGT ACAGGTGGATGGTGT ACAGGTGGATGGTGT ACAGGTGGATGGTGGTGT ACAGGTGGATGGTGT ACGTGGGATGGTGT ACGTGGGATGGTGT ACGTGGGATGGTGT ACGTGGGATGGTGT ACGTGGGTGGATGGTGT ACGTGGGTGGATGGTGT ACGTGGTGGTGTGT ACGTGGTGGTGGTGT ACGTGGTGGTGGTGGTGGTGT ACGTGGTGGTGGTGGTGT ACGTGGTGGTGGTGGTGT ACGTGGTGTGAATGGATGGTGT ACGTGGTGTGAATGGATGGTGT ACGTGGTGTGAATGGATGGATGGTGT ACGTGGTGTGAATGGATGGATGGTGT ACGTGGTGAATGGATGGATGGTGT ACGTGGGTGAATGGATGGATGGATGGATGGATGGATGGAT	GTC-ARRB1	ore ore		CTGCTAGGIGALAGCHGG	
STS GCAGGGGACGTGATAR 1	B508A5-HI.	010	TGTATGAGTCTGGAGGGTGT	ACACCTGGCTGAGGAAAT	
S15 AWATTGGACCCTCC STS GCATCGACCTCC STS GCATCGACCTTCC STS GCATCGATTGCATACTTTG STS CCATCGATTGCATACTTTG STS CCATCGATTGCATACT STS CCATCGATTGCATCCT STS CATCGTTCACCAA STS GCCTCCAAGTTCACAA STS GTCGCATTGGTTCACAA STS GTCGCATTGGTTCACAA STS GTCGCATTGGTTCCTCACAA STS CTTAATGCTTCTCAA STS CCTGGCTGGTTGTTCAAA STS GGCACGTTGCTTCAAA STS GGCACGTTGCTTCAAA STS GGCACGTACTTCCTAAA STS GGCACGTTGGTTCAAAAGAACAAA STS GGCACGTACTTCAAAAGAACAAAA STS GGCACGTACTTCAAAAAAAAAAAAAAAAAAAAAAAAAAA	B36F16-HR	010	COACCGCCGTGATAATA	TITTGCTTCCTACCATGC	
STS ACCAGGAGINE STS CACCGANICOCACGINE STS CCACCGANGCOCACGINE STS CACCCCCACGING STS CACCCCCACGING STS CACCCCCCACGING STS CTCGANICOCACCINC STS TCCACCTCCACGINE STS TCCACCTCCACGINE STS TCCACCTCCACGINE STS TCCACCTCCACGINE STS TCCACCTCCACCT STS TCCACCTCCACCC CCTCACTCCCTCCACCC STS TCCACCTCCTACCCACCCCCACCTACCCACCCCCCCCCC	B117N18-HL	STS	CONTROL OF THE PROPERTY OF THE	TITATATTTAAAGTGGCTTTGTT	
STS GLGAAGUCAGATH	R14! 15-HI	STS	AAAAI IGI GAGGAGGAGTAT	AGGAAAATGCAAGAGCAG	
STS COCCUTGAT I I I I I I I I I I I I I I I I I I I	1017E10	STS	GIGCAAAGCCCACAGIAI	Trregaticagicia	
STS AGAITTICGGGGAAGITAGGG STS AGCCTCCAAAGTAGTCA STS AGCCTTCCAAGGTAGTACC STS AGCCTTCCAAGGTAGTACC STS AGCCTTCCAAGGTAGTACC STS AGCCTTCCAAGGTAGTACC STS AGCCTTCCAAAATGGT STS CCTTAATGCCTCCTAATGGT STS CCTTAATGCCTTCCAA STS CCTTAATGCCTTCCAA STS GGCACGTAGTTC STS GGCACGTAGTAGGAT STS GGCACGTAGTTTCAAAATAGGAT STS AGCCTTCAACAAATAGGAT STS AGCCTTCAAAAAGGAT STS AGCCTTCAAAAAAGAT STS AGCCTTCAAAAAAACAA STS AGCCTTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	D2 IN22715	STS	CCACTGAALIGCAIACIIIG	COCOTO A A TTCTC	
STS AGGEGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	D2 IN22-1111	STS	AGATTTGGGGAGICAGG	ACCANOSTA COLLOSOS	
STS AGCTICAGGITGACTACC STS AGCTICAGGATITICG STS ATGCITTCAGATITICG STS ATGCITTCAGATITICG STS STGCTTCAGGATITICG STS STGCTTCAGGATICCTAGT STS STGCTTCAGTICCTAGT STS STGCTTCAGTICCTAGAT STS STGCTTCAGTTCAGAT STS STGCTTCAGAT STS STGCTTCAGT STS STGCTTCAGATICCTAGAT STS STGCTTCAGAGAT STS STGCTTCAGAGAT STS STGCTTCAGAGAT STS STGCTTCAGAGAT STS STGCTTCAGAGAT STS STGCTTCAGAGAT STGCTTCAGAT STGCTTCAGAGAT STGCTTCAGAT	8223E5-HL	CTS	CAAGCCCCAAAGTAGTCA	GAAICAAICCAACAA	
110 ATGCITICAGCATITICG 110 STS	B278E22-HL	ore ore	AGCCTCCAGGTGACTACC	GAAGGACAIGGICAGCAG	
STS GTGGGATTGGTTTCACAA STS TTGGAAAGAACGAAATGT STS CCTTAATGCCCTTGATTC STS CCTTAATGCCCTTGAT STS CCTGGCTGGAGATGGGAT STS CCTGGCTGGAGATGGGAT STS CCTGGCTGGAGATGGGAT STS CCTGGCTGGAGTAGGAT STS CGTGCTGCTGTGT STS TCAAGGTTCAACGAGGAGA STS TGAGGTTCAACGAGGAGA STS TGAGGTTTCAACGAGGAATGT STS TGTTGTCCAGGGGAATGT STS TGTTGTCCAGGGGAATGT STS TGTTGTCCAGGGGAATGT STS TGTTGTCCCAGGGGAATGT STS TGTTGTCCCAGGGGAATGT STS TGTTGTCCCAGGGGAATGT STS TGTTGTCCCAGGGGAATGT STS TGTTGTCCCAGGGGAATGT STS STGTCCTTAATTGTGAATGT STGTCCTTAATTGTGAATGT STGTCTTAATTGTAA	B444M11-HL	010	ATGCTTTCAGCATITICG	TGATCCGTGGTAGGGIIA	
STS TTGGGAAAGAAATGT STS TTGGGAAAGAAAGAAATGT STS CCTTAATGCCCCTGATC STS CCTGGCTGGAGATAGGAT STS CCTGGCTGGAGATAGGAT STS CCTGGCTGGTGTT STS ACCAGGCTGGTTGT STS TGAGCTTCAACAGAGAGAGAGAGAGAGAGAGAGAGAGAGA	B543019-HR	212	CTCCCATTGGTTTCACAA	TTTTATGGGAATTTCAGCC	
118 CCTTANTICCOCCITATION STS	B117N18-HR	SIS	THEORYAGAAGAAATGT	GGCTAGTCTTTCCTGAACC	
STS CUT I AND CUCULOUS	B543019-HI	STS	TIT VOTO CONTRACTOR	GCGTTTACAAGCTGAGGA	
12 COTGGCTGGAGATAGGAT STS	B442D6.HI	STS	CCITARIGCCCCIGALIC	GTAGCCCAGCAAGTGTCT	
STS CCTGGCT IGAGATA IN COLOGGCT IT COLOGGGGAT IT COLOGGGGGAT IT COLOGGGGAT IT COLOGGGGGAT IT COLOGGGGGGAT IT COLOGGGGGAT IT COLOGGGGGAT IT COLOGGGGGGAT IT COLOGGGGGGAT IT COLOGGGGGGAT IT COLOGGGGGGAT IT COLOGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	B367H4_HR	STS	TCAAGCI IGUI I CI CAA	CTTCCCTCTGCCTATGT	
STS GGGACGITLLCANCCA STS GACCAGGGTGGTGT STS GATGCATTTTGCTTCACC STS TCAAGCTTCAAAGAGCAGA STS TGGTGCTTTTAATTCCAGA STS TGTTCTCCCAGGGAATCT STS TGTTCTCCCAGGGAATCT STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS STS S	DOEOE01-HP	STS	CCIGGCIGGAIAGGAI	GETECTTETACAGGCAA	
STS ACCCAGGIGSTIGNET	B250E21 HI	STS	GGCACGTACIACCA	ACTGAGTTAATTATCACTCCCCT	
STS GATGCATTTIGCTICACC INTEGRAL INTE	DANGER III	STS	ACCCAGGCTGG1G1	TOTOTTTAGAGCTGTTAGC	
TCAAGCTTCAAAGAGAGA GAGAGA GAGAGAGA	8240C10-FIR	STS	GATGCATTITGCTTCACC	TOTACTA TOTACTA CONTRACTOR CONTRA	
16616C11TIAATICAGA 17671CC1TICAGATCT	BZ48C16-HL	STS	TCAAGCTTCAAAGAGCAGA	GGAGIACAL COCAGGAGG	
STS TOTTCTCCCAGGAATCT	B160D8-HR	STS	TGGTGCTTTTAAATCCAGA	CICCCIPACITACITACION	
A 1 TO CT GGCTATCT GAATC	8539L/-HK	STS	TCTTCTCCCAGGGAATCT	A G CCCC GAGCAC	
20100 010 010 010 010 010 010 010 010 01	B47303-HL	SOB-BOS	REAL DISSITCCTGGCTATCTTGAATC	CTTGACTGGGTCCACG	

TABLE 3: HBM STS Table

ARTICLE STR ARTICLE AND STREET CONTROLLED AND STREET						
STS STS		ere		ICGAGACGCCAGTAGATACCA	CATCCTCCATGCCTTTCAGT	
STS GDB:6054146 STS GDB:6054146 STS GDB:6054141 STS GDB:6054141 STS GDB:6054151 STS GDB:6054151 STS GDB:6054151 STS STS STS STS STS		STS		AGTTCCAGAGAACGAGACGC	CTTGTCATCCTCCATGCC11	
STS GDB:605414 STS GDB:605414 STS GDB:605414 STS GDB:605414 STS GDB:605415 STS GDB:605415 STS GDB:605415 STS ST		т		CARCETGAGAGATTGAGGAG	AAACAAACTCCAGACGCACC	
STS GDB:6054148 STS GDB:6054148 STS GDB:6054148 STS GDB:6054151 STS GDB:6054151			2 9	O 2008 CTGAACCACTACCTGTATGACCTG	CTAACTACTTACTCCTACAGGGCCC	
STS GDB:6054149			9 1	O SO OA A CO A TET CANTA A CITTA A CITA	CCACTCCAGTGCACCCAATC	
STS GDB:6054148 STS GDB:6054148 STS GDB:6054151 STS GDB:6054151 STS STS STS STS		\neg	4/	U.Z.S GAMGCALLICONIACION	GGTTTACCTTTGCAATGCCAGC	
STS GDB:6054150 STS GDB:6054150 STS GDB:6054151 STS STS STS		_	8	0.239 CHCICCI GGCCACICIGAC	THE TOTAL CATTGAGTAGG	
STS CDB:6054151			6	0.271 TGAGGATGAATGAGCALAGG	TITELOCATION CONTROL TO THE PROPERTY OF THE PR	
STS GDB:6054151 STS STS STS			20	0.221 AGGGGAAGGAATGTGCT IGG		
Control Cont			51	0 168 ATTGAAGGTCCTCCAAAAGAATGCTC	G AGAACGI CAACATATCI I I I I I I I I I I I I I I I I I I	
STS			+	TTGTATTTGAGGACTTTGCTCG	CGGTACCATCCTCTTTCC	
15 17 17 17 17 17 17 17		al della		O 422 TTTTTCCTCATCTATGCCC	GGGTGACAGACACACCC	
STS		SIS		TTCCTCAACTICTGG	ACCTTGTTTTGAGGGGAG	
STS		SIS		CONTRACTOR OF THE CONTRACTOR O	GGGCATTTACTCACTTGC	
STS CCAGGARGET		STS		CLIGGCIALLIGGACACO	TGGAATTGTGTGTGTG	
STS CCGG11CGACI1GGALIT 1515 STS CCGG11CGACICGAT 1515 STS CAACACGICTGACATCCAT 1515 STS CAACACGICTGACATCCAT 1515 STS CACGCTCATCATCCCTGTGT 1515 STS CACGCTCATCATCCTGTGT 1515 STS CACGCTCATATCATCCTGTGT 1515 STS CACGCTCATATCATCCTGT 1515 STS CACGCTCATATCATCCTGT 1515 STS CACGCTCATATCATCCTGT 1515 STS CACGCTCATATCATCATCATCATCATCATCATCATCATCATCAT		STS		CITGIGICAGI	ATCOCATATOTOTOTO	
STS CTGCCTGGACT STS ST		STS		CCAGIICCACIGGAIGII	ACTIVICATION	
STS CAACACTICACATION STS STS		STS		CTGCCTATCCCTGGACII	AGITATIONOMORY	
19901051ACTATIOLICCAT 19901051ACTATIOLICCCAT 1918 19001051ACTATIOLICCCTOTOLICAT 1918 1919 191		STS		CAACACGTCTGACATCCAT	GGATACI CACACACA	
STS GGCGACTATCATCCUTGTGT STS TACAGTGACACTGGGGACGGG STS TACAGTGACACTGGGGACGGG STS GCTGTTGGCACACTATATCCACC STS GCTGTTGTGACACATATCCCC STS GCAGGGTTGCGACTCACTAGG STS GCAGGGTTTGCGCC STS TACATTGTTGTGCGCACTCACTAGG STS TACATTGTTGTGCGAGGATC STS TACATTGTTGTGCGAGGATC STS TACATTGTTGTGCGAGGATC STS TACATTGTTGTGCGAGGATC STS TACATTGTTGTGCAGGATC GGGGACGAGGTTGCCAAGATC STS TACATTGTTGTGCAAGATC GGGGACGATGTTAGAAGATC STS TACATTGTTGTGCAAGATC GGGTGGTGCTAGAAGATC GGGTGGTGCTAGAAGATC GGGTGGTGCTAGAAGATC STS TACATTGTTGTGCAAGATC GGGTGGTGCTAGAAGTTTGCAAGATC GGGTGGTAGAGTTTGCAAGATC GGGTGGTAGAGTTTTGTATTTGCAAGATC GGGTGCTACTTTGCAAGATTCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATC GGGTGCTACTTTCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCCAAGATCAAGAACAAAGAAACAAAGAAACAAAGAAACAAAAAAAA		STS		TGGGTGGTACTATTGTTCCCAL	AGI I CURCUCUCI I MUCAGO	
ST NCAGTGGACGGGGACGGGG ST NCAGTGGACGACGGGG ST ST CCTGTGGGACGACGGGG ST ST CCTGTGGGACACATATACC ST CCTGTGGACACATATACC ST CCTGTGGACACACATATACC ST CCTGTGGACACACGACGC ST CCTGTTGTACACACACGC ST CTGTCTGTTACGCTTCCCCAGC ST ST CAGGGACACACTCACACGAT ST CTGTCTGTTACACGCTTCCCAGCC ST ST CAGGCACCTTCACACGAT ST CAGGCACCTTCACACGAT ST CAGGCACCTTCACACGAT ST CAGGCACCTTCACACGAT CG ST ST CAGGCACCTTCACACGAT CG CG CAGGCACCTTCACACGAT CAGGCACCTTCACACCTTCACACTTCACACGACTCACACCTTCACACTTCACACCTTCACACTACACACACACACACACACACACACACACACACACACACAC		STS		GGCCACTATCATCCCIGIGI	I I LACATI GOGGANGANGA	
ST\$ CCTGTGGAACACATATCACC ST\$ TGGTGGTGAACACATATCACC ST\$ TGGTGGTGCACCACATATCACCC ST\$ TGGTGGTGCGACTCACTAGG ST\$ TGTGTGTTAACGTTCACCCCCCCCCCCCCCCCCCCCCCC	190	STS		ACAGTGACACTAGGGACGGG	TGCCAGGALGGAGALAACAA	
STE TGCTGTGTGTACAAGTCCCCA STE GCAGGGTCCCCACTAAG STE GCAGGGTCCCACTAAG STE TCTTCTGTTAAGATTCCCCC STE TCTTCTGTTAAGATTCCCCC STE ACACTATTCCTCCCAGCC STE ACACTATTCCTCCCAGCC STE GCGAACGACGACCAGCC STE ACACTATTCCTCACAAGATC STE GCGAACGACGACCAGCC STE CAGGCATCTTCTATGTGCCA STE GCGTGCATCTTCTATGTGCCA STE GCGTGCATCTTCTATGTGCA STE TCACCTACTTCCAGGTTCCCAGCTACCACCACCACCACCACCACCACCACCACCACCACCAC	100	STS		CCTGTGGCACACATATCACC	ACAACCAAGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	
STS GCAGGGTCCGACTAAGS STS GCAGGGTCCGACTAAGS STS ACAGTGGGACAAGACAGG STS ACAGTGGGACAAGACAGG STS ACAGTGGGACAAGACAGG STS ACAGTATTCCTCCCCAGCC STS CTCTCTCTCATGGGAATC STS CAGGACACGTCCAAGAATC STS CAGGACACGTTCACAAGAT STS CAGGACACGTTCACAAGAT STS CAGGCATCTTCTATGTGCCA STS ACTTCGTGGACACGTTCACAAGAT STS ACTTCGTGGCACTAGATGTG STS ACTTCGTGGCACTAGATGTG STS ACTTCGTGGCACTAGATGTG STS ACTTCGTGGCTGAAGTTTCCAAGTTCAAGTT	(0)	STS		TGCTGTGTAACAAGTCCCCA	1GAACGGAGGACC IACAAG	
STS ACGGGGACAAGGCCCC STS TOTTC/GTTAAGGTTTCCCCC STS TOTTC/GTTAAGGTTTCCCCC STS TOTTC/GTCATTCCCCCC STS CTCC/TCCA/TGGGAAA/CCC STS CTCC/TCCA/TGGGAAA/CCC STS CAGGCA/CTC/TCA/TGGGAAA/CCC STS CAGGCA/TCT/TCA/TGGAAA/CCC CGS STS GGCT/GTGGCAC/TGA/TGCA/TCCA/TGCA/TCCA/TCC	(80)	STS		GCAGGGTCCGACTCACTAAG	GCTGTGAGTTCCCTTTACGC	
10	(2)	STS	-	ACAGTGGGGACAAAGACAGG	TACAGGGCACCICCCAGIAG	
STS AACATATTCCTCCCCAGCC STS CTCCTCTCCCAGCGAGATC STS CTCCTCTCCACAGATC STS CTCCTCTCTCACAAGATC STS CAGGCATCTTCTATGTCCA STS CAGGCATCTTCTATGTCCA STS ACTTCGTGGCACTTCAAGTTG STS TCACCTACTTCTAATGTGATCA STS TCACCTACTTCCAACTTCCAATGTGATC STS TCACCTACTTCCAACTTCAACTTCCAACTTCCAACTTCCAACTTCCAACTTCCAACTTCAAC		STS		TCTTCTGTTAAGGTTTCCCCC		
STS CTCCTGCATGGGAGATC STS GGGAGACGTCAAGAT STS CAGGCATCTGTATGCCA STS CAGGCATCTGTATGCCA STS CAGGCATCTTGTATGCCA STS CAGGCATCTGATGTGT STS GGCTGCTGAGCTCTTGTAT STS TCACCTACTTCCAGCTTCC STS CTCCTGCAGCTTCC STS CTCCTGCAGATC CTCCTTGCAGATC CTCCTTGCAGATC CTCCTTGCAGATC CTCCTTGCAGATC CTCCTTGCAGATC CTCCTTGCAGATC CTCCTTGCATGCAGATC CTCCTTGCATGCAGAATC CTCCTTGCATGCAGAATC CTCCTTGCATGCAGAATC CTCCTTGCATGCAGAATC CTCCTTGCATGCATGCAGAATC CTCCTTGCATGCATGCAGAATC CTCCTTGCATGCATGCAGAATC CTCCTTGCATGCATGCATGCATCATC CTCCTTGCATGCATGCATCATCATCATCATCATCATCATCATCATCATCATCATC		STS		AACATATTICCTCCCCAGCC	CAGTCCCAGCCAA GAGAAC	
STS GGGAGGCGTCACAAGAT STS GGGAGGCGCTCACAAGAT STS CAGGCATCTTCTATGTGCCA STS ACTTCGTGCGCACTGAGTGTG STS GGCTGCTGCTGCTGTGTG STS TCACCTACTTCCAGCTTCCG STS TCACCTACTTCCAGCTTCCG STS CTCCTTGCAGCTTCCG STS CTCCTTGCAGATC STS CTCCTTGCAGATC STS CTCCTTGCAGATC STS CTCCTTGCAGGAGAATC STS CTCCTTGCATGGGAGAATC STCCTTGCATGGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTGCATGGAGAATC STCCTTTGCATGGAGAATC STCCTTTGCATGGAGAATC STCCTTTTCTTTTTTTTTTTTTTTTTTTTTTTTTT		ore		CTCCTCTGCATGGGAGAATC	AGACCIGGGACCAGICIGIG	
STS CAGGCATCTTCTATGEGCA STS CAGGCATCTTCTATGEGCA STS CAGGCATCTTCTATGEGCA STS CAGCTGATGTTCTTCTATGEGCATGGATGTGATGGATGGATGGATGGATGGATGGATGGA	(SS)	010		GGGAGGACGTCACAAGAT	TGATGTTGGGAGATGGTGA	
STS ACTICGEGGACTGAGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	(88)	213	+	CAGGGATCTTCTATGTGCGA	GGGAGGCACAAGTTCTTTCA	
STS CALLOCITOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOT		SIS		A DITOCIO CACTOR TO A DITO	CCTTTCTTACGGATGAGGCA	
S18	GS)	STS		COCTOTOROGOTOTOTO	TGGGTCTCTGCCTGACTT	
STS ILCACUTATION STS CTCCTCTGCATGGGAATC	(89)	STS		TO A COLUMNIA TO	AGACCTGGGACCAGTCTGTG	
STS	(89)	STS		OTOPIC LOCATOR AND COLOR OF A PARTY	AATTCAGGAGACTGGGACC	
	(SS)	STS		CICCICIOCAIGCACACA		

10

15

20

25

Novel STSs were developed either from publicly available genomic sequence or from sequence-derived BAC insert ends. Primers were chosen using a script which automatically performs vector and repetitive sequence masking using Cross_match (P. Green, U. of Washington) and subsequent primer picking using Primer3 (Rozen, Skaletsky (1996, 1997).

Primer3 is available at www.genome.wi.mit.edu/genome_software/other/primer3.html.

Polymerase chain reaction (PCR) conditions for each primer pair were initially optimized with respect to MgCl₂ concentration. The standard buffer was 10 mM Tris-HCl (pH 8.3), 50 mM KCl, MgCl $_2$, 0.2 mM each dNTP, 0.2 μ M each primer, 2.7 ng/ μ l human DNA, 0.25 units of AmpliTaq (Perkin Elmer) and MgCl₂ concentrations of 1.0 mM, 1.5 mM, 2.0 mM or 2.4 mM. Cycling conditions included an initial denaturation at 94 C for 2 minutes followed by 40 cycles at 94 C for 15 seconds, 55 C for 25 seconds, and 72 C for 25 seconds followed by a final extension at 72 C for 3 minutes. Depending on the results from the initial round of optimization the conditions were further optimized if necessary. Variables included increasing the annealing temperature to 58 C or 60 C, increasing the cycle number to 42 and the annealing and extension times to 30 seconds, and using AmpliTaqGold (Perkin Elmer).

BAC clones (Kim et al, Genomics, 32:213-218 (1996), Shizuya et al, Proc. Natl. Acad. Sci. USA, 89:8794-8797 (1992)) containing STS markers of interest were obtained by PCR-based screening of DNA pools from a total human BAC library purchased from Research Genetics. DNA pools derived from library plates 1-596 were used corresponding to nine genomic equivalents of human DNA. The initial screening process involved PCR reactions of individual markers against superpools, i.e., a mixture of DNA derived from all BAC clones from eight 384-well library plates. For each positive superpool, plate (8), row (16) and column (24) pools were screened to identify a unique library address. PCR products were electrophoresed in 2% agarose gels (Sigma) containing 0.5 μg/ml ethidium bromide in 1X TBE at 150 volts for 45 min. The electrophoresis units used were the Model A3-1 systems from Owl Scientific Products. Typically, gels contained 10 tiers of lanes with 50

10

15

20

25

wells/tier. Molecular weight markers (100 bp ladder, Life Technologies, Bethesda, MD) were loaded at both ends of the gel. Images of the gels were captured with a Kodak DC40 CCD camera and processed with Kodak 1D software. The gel data were exported as tab delimited text files; names of the files included information about the library screened, the gel image files and the marker screened. These data were automatically imported using a customized Perl script into Filemaker PRO (Claris Corp.) databases for data storage and analysis. In cases where incomplete or ambiguous clone address information was obtained, additional experiments were performed to recover a unique, complete library address.

Recovery of clonal BAC cultures from the library involved streaking out a sample from the library well onto LB agar (Maniatis et al, *Molecular Cloning: A Laboratory Manual.*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1982)) containing 12.5 μg/ml chloramphenicol (Sigma). Two individual colonies and a portion of the initial streak quadrant were tested with appropriate STS markers by colony PCR for verification. Positive clones were stored in LB broth containing 12.5 μg/ml chloramphenicol and 15% glycerol at -70 C.

Several different types of DNA preparation methods were used for isolation of BAC DNA. The manual alkaline lysis miniprep protocol listed below (Maniatis et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1982)) was successfully used for most applications, i.e., restriction mapping, CHEF gel analysis, FISH mapping, but was not successfully reproducible in endsequencing. The Autogen and Qiagen protocols were used specifically for BAC DNA preparation for endsequencing purposes.

Bacteria were grown in 15 ml Terrific Broth containing 12.5 μ g/ml chloramphenicol in a 50 ml conical tube at 37 C for 20 hrs with shaking at 300 rpm. The cultures were centrifuged in a Sorvall RT 6000 D at 3000 rpm (~1800 g) at 4 C for 15 min. The supernatant was then aspirated as completely as possible. In some cases cell pellets were frozen at -20 C

20

25

5

at this step for up to 2 weeks. The pellet was then vortexed to homogenize the cells and minimize clumping. 250 µl of P1 solution (50 mM glucose, 15 mM Tris-HCl, pH 8, 10 mM EDTA, and 100 μg/ml RNase A) was added and the mixture pipetted up and down to mix. The mixture was then transferred to a 2 ml Eppendorf tube. 350 µl of P2 solution (0.2 N NaOH, 1% SDS) was then added, the mixture mixed gently and incubated for 5 min. at room temperature. 350 µl of P3 solution (3M KOAc, pH 5.5) was added and the mixture mixed gently until a white precipitate formed. The solution was incubated on ice for 5 min. and then centrifuged at 4 C in a microfuge for 10 min. The supernatant was transferred carefully (avoiding the white precipitate) to a fresh 2 ml Eppendorf tube, and 0.9 ml of isopropanol was added, the solution mixed and left on ice for 5 min. The samples were centrifuged for 10 min., and the supernatant removed carefully. Pellets were washed in 70% ethanol and air dried for 5 min. Pellets were resuspended in 200 µl of TE8 (10 mM Tris-HCl, pH 8.0, 1.0 mM EDTA), and RNase A (Boehringer Mannheim) added to 100 µg/ml. Samples were incubated at 37 C for 30 min., then precipitated by addition of C₂H₃O₂Na 3H₂O to 0.5 M and 2 volumes of ethanol. Samples were centrifuged for 10 min., and the pellets washed with 70% ethanol followed by air drying and dissolving in 50 µl TE8. Typical yields for this DNA prep were 3-5 μ g/15 ml bacterial culture. Ten to 15 μ l were used for HindIII restriction analysis; 5 μl was used for NotI digestion and clone insert sizing by CHEF gel electrophoresis.

BACs were inoculated into 15 ml of 2X LB Broth containing 12.5 μg/ml chloramphenicol in a 50 ml conical tube. 4 tubes were inoculated for each clone. Cultures were grown overnight (~16 hr) at 37 C with vigorous shaking (>300 rpm). Standard conditions for BAC DNA isolation were followed as recommended by the Autogen 740 manufacturer. 3 ml samples of culture were placed into Autogen tubes for a total of 60 ml or 20 tubes per clone. Samples were dissolved finally in 100 μl TE8 with 15 seconds of shaking as part of the Autogen protocol. After the Autogen protocol was finished DNA solutions were transferred from each individual tube and pooled into a 2 ml Eppendorf tube. Tubes

20

25

5

with large amounts of debris (carry over from the pelleting debris step) were avoided. The tubes were then rinsed with 0.5 ml of TE8 successively and this solution added to the pooled material. DNA solutions were stored at 4 C; clumping tended to occur upon freezing at -20 C. This DNA was either used directly for restriction mapping, CHEF gel analysis or FISH mapping or was further purified as described below for use in endsequencing reactions.

The volume of DNA solutions was adjusted to 2 ml with TE8, samples were then mixed gently and heated at 65 C for 10 min. The DNA solutions were then centrifuged at 4 C for 5 min. and the supernatants transferred to a 15 ml conical tube. The NaCl concentration was then adjusted to 0.75 M (~0.3 ml of 5 M NaCl to the 2 ml sample). The total volume was then adjusted to 6 ml with Qiagen column equilibration buffer (Buffer QBT). The supernatant containing the DNA was then applied to the column and allowed to enter by gravity flow. Columns were washed twice with 10 ml of Qiagen Buffer QC. Bound DNA was then eluted with four separate 1 ml aliquots of Buffer QF kept at 65 C. DNA was precipitated with 0.7 volumes of isopropanol (~2.8 ml). Each sample was then transferred to 4 individual 2.2 ml Eppendorf tubes and incubated at room temperature for 2 hr or overnight. Samples were centrifuged in a microfuge for 10 min. at 4 C. The supernatant was removed carefully and 1 ml of 70% ethanol was added. Samples were centrifuged again and because the DNA pellets were often loose at this stage, the supernatant removed carefully. Samples were centrifuged again to concentrate remaining liquid which was removed with a micropipet tip. DNA pellets were then dried in a desiccator for 10 min. 20 µl of sterile distilled and deionized H₂O was added to each tube which was then placed at 4 C overnight. The four 20 µl samples for each clone were pooled and the tubes rinsed with another 20 μl of sterile distilled and deionized H₂O for a final volume of 100 µl. Samples were then heated at 65 C for 5 min. and then mixed gently. Typical yields were 2-5 μ g/60 ml culture as assessed by NotI digestion and comparison with uncut lambda DNA.

3 ml of LB Broth containing 12.5 $\mu g/ml$ of chloramphenicol was dispensed into

20

25

5

autoclaved Autogen tubes. A single tube was used for each clone. For inoculation, glycerol stocks were removed from -70 C storage and placed on dry ice. A small portion of the glycerol stock was removed from the original tube with a sterile toothpick and transferred into the Autogen tube; the toothpick was left in the Autogen tube for at least two minutes before discarding. After inoculation the tubes were covered with tape making sure the seal was tight. When all samples were inoculated, the tube units were transferred into an Autogen rack holder and placed into a rotary shaker at 37 C for 16-17 hours at 250 rpm. Following growth, standard conditions for BAC DNA preparation, as defined by the manufacturer, were used to program the Autogen. Samples were not dissolved in TE8 as part of the program and DNA pellets were left dry. When the program was complete, the tubes were removed from the output tray and 30 μ l of sterile distilled and deionized H_2O was added directly to the bottom of the tube. The tubes were then gently shaken for 2-5 seconds and then covered with parafilm and incubated at room temperature for 1-3 hours. DNA samples were then transferred to an Eppendorf tube and used either directly for sequencing or stored at 4 C for later use.

BAC Clone Characterization for Physical Mapping V.

DNA samples prepared either by manual alkaline lysis or the Autogen protocol were digested with HindIII for analysis of restriction fragment sizes. This data were used to compare the extent of overlap among clones. Typically 1-2 µg were used for each reaction. Reaction mixtures included: 1X Buffer 2 (New England Biolabs), 0.1 mg/ml bovine serum albumin (New England Biolabs), 50 µg/ml RNase A (Boehringer Mannheim), and 20 units of HindIII (New England Biolabs) in a final volume of 25 µl. Digestions were incubated at 37 C for 4-6 hours. BAC DNA was also digested with NotI for estimation of insert size by CHEF gel analysis (see below). Reaction conditions were identical to those for HindIII except that 20 units of NotI were used. Six µl of 6X Ficoll loading buffer containing bromphenol blue and xylene cyanol was added prior to electrophoresis.

10

15

20

25

HindIII digests were analyzed on 0.6% agarose (Seakem, FMC Bioproducts) in 1X TBE containing 0.5 μg/ml ethidium bromide. Gels (20 cm X 25 cm) were electrophoresed in a Model A4 electrophoresis unit (Owl Scientific) at 50 volts for 20-24 hrs. Molecular weight size markers included undigested lambda DNA, HindIII digested lambda DNA, and HaeIII digested _X174 DNA. Molecular weight markers were heated at 65 C for 2 min. prior to loading the gel. Images were captured with a Kodak DC40 CCD camera and analyzed with Kodak 1D software.

NotI digests were analyzed on a CHEF DRII (BioRad) electrophoresis unit according to the manufacturer's recommendations. Briefly, 1% agarose gels (BioRad pulsed field grade) were prepared in 0.5X TBE, equilibrated for 30 minutes in the electrophoresis unit at 14 C, and electrophoresed at 6 volts/cm for 14 hrs with circulation. Switching times were ramped from 10 sec to 20 sec. Gels were stained after electrophoresis in 0.5 µg/ml ethidium bromide. Molecular weight markers included undigested lambda DNA, HindIII digested lambda DNA, lambda ladder PFG ladder, and low range PFG marker (all from New England Biolabs).

BAC DNA prepared either by the manual alkaline lysis or Autogen protocols were labeled for FISH analysis using a Bioprime labeling kit (BioRad) according to the manufacturer's recommendation with minor modifications. Approximately 200 ng of DNA was used for each 50 μl reaction. 3 μl were analyzed on a 2% agarose gel to determine the extent of labeling. Reactions were purified using a Sephadex G50 spin column prior to *in situ* hybridization. Metaphase FISH was performed as described (Ma et al, *Cytogenet. Cell Genet.*, 74:266-271 (1996)).

VI. BAC Endsequencing

The sequencing of BAC insert ends utilized DNA prepared by either of the two methods described above. The DYEnamic energy transfer primers and Dynamic Direct cycle sequencing kits from Amersham were used for sequencing reactions. Ready made

10

15

20

25

sequencing mix including the M13 -40 forward sequencing primer was used (Catalog # US79730) for the T7 BAC vector terminus; ready made sequencing mix (Catalog # US79530) was mixed with the M13 -28 reverse sequencing primer (Catalog # US79339) for the SP6 BAC vector terminus. The sequencing reaction mixes included one of the four fluorescently labeled dye-primers, one of the four dideoxy termination mixes, dNTPs, reaction buffer, and Thermosequenase. For each BAC DNA sample, 3 µl of the BAC DNA sample was aliquoted to 4 PCR strip tubes. 2 µl of one of the four dye primer/termination mix combinations was then added to each of the four tubes. The tubes were then sealed and centrifuged briefly prior to PCR. Thermocycling conditions involved a 1 minute denaturation at 95 C, 15 second annealing at 45 C, and extension for 1 minute at 70 C for 35 total cycles. After cycling the plates were centrifuged briefly to collect all the liquid to the bottom of the tubes. 5 µl of sterile distilled and deionized H₂O was then added into each tube, the plates sealed and centrifuged briefly again. The four samples for each BAC were then pooled together. DNA was then precipitated by adding 1.5 μl of 7.5 M NH₄OAc and 100 μl of -20 C 100% ethanol to each tube. Samples were mixed by pipetting up and down once. The plates were then sealed and incubated on ice for 10 minutes. Plates were centrifuged in a table top Haraeus centrifuge at 4000 rpm (3,290 g) for 30 minutes at 4 C to recover the DNA. The supernatant was removed and excess liquid blotted onto paper towels. Pellets were washed by adding 100 μ l of -20 C 70% ethanol into each tube and recentrifuging at 4000 rpm (3,290 g) for 10 minutes at 4 C. The supernatant was removed and excess liquid again removed by blotting on a paper towel. Remaining traces of liquid were removed by placing the plates upside down over a paper towel and centrifuging only until the centrifuge reached 800 rpm. Samples were then air dried at room temperature for 30 min. Tubes were capped and stored dry at -20 C until electrophoresis. Immediately prior to electrophoresis the DNA was dissolved in 1.5 μ l of Amersham loading dye. Plates were then sealed and centrifuged at 2000 rpm (825 g). The plates were then vortexed on a plate shaker for 1-2 minutes. Samples

10

15

20

25

were then recentrifuged at 2000 rpm (825 g) briefly. Samples were then heated at 65 C for 2 min. and immediately placed on ice. Standard gel electrophoresis was performed on ABI 377 fluorescent sequencers according to the manufacturer's recommendation.

VII. Sub-cloning and Sequencing of HBM BAC DNA

The physical map of the Zmax1 gene region provides a set of BAC clones that contain within them the Zmax1 gene and the HBM gene. DNA sequencing of several of the BACs from the region has been completed. The DNA sequence data is a unique reagent that includes data that one skilled in the art can use to identify the Zmax1 gene and the HBM gene, or to prepare probes to identify the gene(s), or to identify DNA sequence polymorphisms that identify the gene(s).

BAC DNA was isolated according to one of two protocols, either a Qiagen purification of BAC DNA (Qiagen, Inc. as described in the product literature) or a manual purification which is a modification of the standard alkaline lysis/Cesium Chloride preparation of plasmid DNA (see e.g., Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)). Briefly for the manual protocol, cells were pelleted, resuspended in GTE (50 mM glucose, 25 mM Tris-Cl (pH 8), 10 mM EDTA) and lysozyme (50 mg/ml solution), followed by NaOH/SDS (1% SDS/.2N NaOH) and then an ice-cold solution of 3M KOAc (pH 4.5-4.8). RnaseA was added to the filtered supernatant, followed by Proteinase K and 20% SDS. The DNA was then precipitated with isopropanol, dried and resuspended in TE (10 mM Tris, 1 mM EDTA (pH 8.0)). The BAC DNA was further purified by Cesium Chloride density gradient centrifugation (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)).

Following isolation, the BAC DNA was sheared hydrodynamically using an HPLC (Hengen, *Trends in Biochem. Sci.*, 22:273-274 (1997)) to an insert size of 2000-3000 bp. After shearing, the DNA was concentrated and separated on a standard 1% agarose gel. A single fraction, corresponding to the approximate size, was excised from the gel and purified

10

15

20

25

by electroelution (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring, NY (1989)).

The purified DNA fragments were then blunt-ended using T4 DNA polymerase. The

blunt-ended DNA was then ligated to unique BstXI-linker adapters (5' GTCTTCACCACGGGG and 5' GTGGTGAAGAC in 100-1000 fold molar excess). These linkers were complimentary to the BstXI-cut pMPX vectors (constructed by the inventors), while the overhang was not self-complimentary. Therefore, the linkers would not concatemerize nor would the cut-vector religate itself easily. The linker-adapted inserts were separated from the unincorporated linkers on a 1% agarose gel and purified using GeneClean (BIO 101, Inc.). The linker-adapted insert was then ligated to a modified pBlueScript vector to construct a "shotgun" subclone library. The vector contained an out-of-frame lacZ gene at the cloning site which became in-frame in the event that an adapter-dimer is cloned, allowing these to be avoided by their blue-color.

All subsequent steps were based on sequencing by ABI377 automated DNA sequencing methods. Only major modifications to the protocols are highlighted. Briefly, the library was then transformed into DH5 competent cells (Life Technologies, Bethesda, MD, DH5 transformation protocol). It was assessed by plating onto antibiotic plates containing ampicillin and IPTG/Xgal. The plates were incubated overnight at 37 C. Successful transformants were then used for plating of clones and picking for sequencing. The cultures were grown overnight at 37 C. DNA was purified using a silica bead DNA preparation (Ng et al, *Nucl. Acids Res.*, 24:5045-5047 (1996)) method. In this manner, 25 μg of DNA was obtained per clone.

These purified DNA samples were then sequenced using ABI dye-terminator chemistry. The ABI dye terminator sequence reads were run on ABI377 machines and the data was directly transferred to UNIX machines following lane tracking of the gels. All reads were assembled using PHRAP (P. Green, Abstracts of DOE Human Genome Program

10

15

20

25

Contractor-Grantee Workshop V, Jan. 1996, p.157) with default parameters and quality scores. The initial assembly was done at 6-fold coverage and yielded an average of 8-15 contigs. Following the initial assembly, missing mates (sequences from clones that only gave one strand reads) were identified and sequenced with ABI technology to allow the identification of additional overlapping contigs. Primers for walking were selected using a Genome Therapeutics program Pick_primer near the ends of the clones to facilitate gap closure. These walks were sequenced using the selected clones and primers. Data were reassembled with PHRAP into sequence contigs.

VIII. Gene Identification by Computational Methods

Following assembly of the BAC sequences into contigs, the contigs were subjected to computational analyses to identify coding regions and regions bearing DNA sequence similarity to known genes. This protocol included the following steps.

- 1. Degap the contigs: the sequence contigs often contain symbols (denoted by a period symbol) that represent locations where the individual ABI sequence reads have insertions or deletions. Prior to automated computational analysis of the contigs, the periods were removed. The original data was maintained for future reference.
- 2. BAC vector sequences were "masked" within the sequence by using the program cross match (Phil Green, http://chimera.biotech.washington.edu/UWGC). Since the shotgun libraries construction detailed above leaves some BAC vector in the shotgun libraries, this program was used to compare the sequence of the BAC contigs to the BAC vector and to mask any vector sequence prior to subsequent steps. Masked sequences were marked by an "X" in the sequence files, and remained inert during subsequent analyses.
- 3. E. coli sequences contaminating the BAC sequences were masked by comparing the BAC contigs to the entire E. coli DNA sequence.
- 4. Repetitive elements known to be common in the human genome were masked using cross match. In this implementation of crossmatch, the BAC sequence was compared

15

25

to a database of human repetitive elements (Jerzy Jerka, Genetic Information Research Institute, Palo Alto, CA). The masked repeats were marked by X and remained inert during subsequent analyses.

- The location of exons within the sequence was predicted using the MZEF
 computer program (Zhang, *Proc. Natl. Acad. Sci.*, 94:565-568 (1997)).
 - 6. The sequence was compared to the publicly available unigene database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using the blastn2 algorithm (Altschul et al, *Nucl. Acids Res.*, 25:3389-3402 (1997)). The parameters for this search were: E=0.05, v=50, B=50 (where E is the expected probability score cutoff, V is the number of database entries returned in the reporting of the results, and B is the number of sequence alignments returned in the reporting of the results (Altschul et al, *J. Mol. Biol.*, 215:403-410 (1990)).
 - 7. The sequence was translated into protein for all six reading frames, and the protein sequences were compared to a non-redundant protein database compiled from Genpept Swissprot PIR (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov). The parameters for this search were E=0.05, V=50, B= 50, where E, V, and B are defined as above.
- 20 8. The BAC DNA sequence was compared to the database of the cDNA clones derived from direct selection experiments (described below) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=250, B=250, where E, V, and B are defined as above.
 - 9. The BAC sequence was compared to the sequences of all other BACs from the HBM region on chromosome 11q12-13 using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V,

10

15

20

25

and B are defined as above.

- 10. The BAC sequence was compared to the sequences derived from the ends of BACs from the HBM region on chromosome 11q12-13 using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.
- 11. The BAC sequence was compared to the Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.
- 12. The BAC sequence was compared to the STS division of Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, 1997). The parameters for this search were E=0.05, V=50, B= 50, where E, V, and B are defined as above.
- 13. The BAC sequence was compared to the Expressed Sequence (EST) Tag Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=250, B=250, where E, V, and B are defined as above.

IX. Gene Identification by Direct cDNA Selection

Primary linkered cDNA pools were prepared from bone marrow, calvarial bone, femoral bone, kidney, skeletal muscle, testis and total brain. Poly (A) + RNA was prepared from calvarial and femoral bone tissue (Chomczynski et al, *Anal. Biochem.*, 162:156-159 (1987); D'Alessio et al, *Focus*, 9:1-4 (1987)) and the remainder of the mRNA was purchased from Clontech (Palo Alto, California). In order to generate oligo(dT) and random primed

10

15

20

40

cDNA pools from the same tissue, 2.5 µg mRNA was mixed with oligo(dT) primer in one reaction and 2.5 µg mRNA was mixed with random hexamers in another reaction, and both were converted to first and second strand cDNA according to manufacturers recommendations (Life Technologies, Bethesda, MD). Paired phosphorylated cDNA linkers (see sequence below) were annealed together by mixing in a 1:1 ratio (10 µg each) incubated at 65 C for five minutes and allowed to cool to room temperature.

Paired linkers oligo 1/2

OLIGO 1: 5'CTG AGC GGA ATT CGT GAG ACC3' (SEQ ID NO:12)

OLIGO 2: 5'TTG GTC TCA CGT ATT CCG CTC GA3' (SEQ ID NO:13)

Paired linkers oligo3/4

OLIGO 3: 5'CTC GAG AAT TCT GGA TCC TC3' (SEQ ID NO:14)

OLIGO 4: 5'TTG AGG ATC CAG AAT TCT CGA G3' (SEQ ID NO:15)

Paired linkers oligo5/6

OLIGO 5: 5'TGT ATG CGA ATT CGC TGC GCG3' (SEQ ID NO:16)

25 OLIGO 6: 5'TTC GCG CAG CGA ATT CGC ATA CA3' (SEQ ID NO:17)

Paired linkers oligo7/8

OLIGO 7: 5'GTC CAC TGA ATT CTC AGT GAG3' (SEQ ID NO:18)

OLIGO 8: 5'TTG TCA CTG AGA ATT CAG TGG AC3' (SEQ ID NO:19)

35 Paired linkers oligo11/12

OLIGO 11: 5'GAA TCC GAA TTC CTG GTC AGC3' (SEQ ID NO:20)

OLIGO 12: 5'TTG CTG ACC AGG AAT TCG GAT TC3' (SEQ ID NO:21)

Linkers were ligated to all oligo(dT) and random primed cDNA pools (see below) according

10

15

20

25

to manufacturers instructions (Life Technologies, Bethesda, MD).

Oligo 1/2 was ligated to oligo(dT) and random primed cDNA pools prepared from bone marrow. Oligo 3/4 was ligated to oligo(dT) and random primed cDNA pools prepared from calvarial bone. Oligo 5/6 was ligated to oligo(dT) and random primed cDNA pools prepared from brain and skeletal muscle. Oligo 7/8 was ligated to oligo(dT) and random primed cDNA pools prepared from kidney. Oligo 11/12 was ligated to oligo(dT) and random primed cDNA pools prepared from kidney. Oligo 11/12 was ligated to oligo(dT) and random primed cDNA pools prepared from femoral bone.

The cDNA pools were evaluated for length distribution by PCR amplification using 1 μl of a 1:1, 1:10, and 1:100 dilution of the ligation reaction, respectively. PCR reactions were performed in a Perkin Elmer 9600, each 25 μl volume reaction contained 1 μl of DNA, 10 mM Tris-HCl (pH 8.3), 50 mM KCl, 1.5 mM MgCl2, 0.001% gelatin, 200 mM each dNTPs, 10 μM primer and 1 unit Taq DNA polymerase (Perkin Elmer) and was amplified under the following conditions: 30 seconds at 94 C, 30 seconds at 60 C and 2 minutes at 72 C for 30 cycles. The length distribution of the amplified cDNA pools were evaluated by electrophoresis on a 1% agarose gel. The PCR reaction that gave the best representation of the random primed and oligo(dT) primed cDNA pools was scaled up so that ~2-3 μg of each cDNA pool was produced. The starting cDNA for the direct selection reaction comprised of 0.5 μg of random primed cDNAs mixed with 0.5 μg of oligo(dT) primed cDNAs.

The DNA from the 54 BACs that were used in the direct cDNA selection procedure was isolated using Nucleobond AX columns as described by the manufacturer (The Nest Group, Inc.).

The BACs were pooled in equimolar amounts and 1 µg of the isolated genomic DNA was labelled with biotin 16-UTP by nick translation in accordance with the manufacturers instructions (Boehringer Mannheim). The incorporation of the biotin was monitored by methods that could be practiced by one skilled in the art (Del Mastro and Lovett, *Methods in Molecular Biology*, Humana Press Inc., NJ (1996)).

10

15

Direct cDNA selection was performed using methods that could be practiced by one skilled in the art (Del Mastro and Lovett, *Methods in Molecular Biology*, Humana Press Inc., NJ (1996)). Briefly, the cDNA pools were multiplexed in two separate reactions: In one reaction cDNA pools from bone marrow, calvarial bone, brain and testis were mixed, and in the other cDNA pools from skeletal muscle, kidney and femoral bone were mixed.

Suppression of the repeats, yeast sequences and plasmid in the cDNA pools was performed to a Cot of 20. 100 ng of biotinylated BAC DNA was mixed with the suppressed cDNAs and hybridized in solution to a Cot of 200. The biotinylated DNA and the cognate cDNAs was captured on streptavidin-coated paramagnetic beads. The beads were washed and the primary selected cDNAs were eluted. These cDNAs were PCR amplified and a second round of direct selection was performed. The product of the second round of direct selection is referred to as the secondary selected material. A Galanin cDNA clone, previously shown to map to 11q12-13 (Evans, *Genomics*, 18:473-477 (1993)), was used to monitor enrichment during the two rounds of selection.

The secondary selected material from bone marrow, calvarial bone, femoral bone, kidney, skeletal muscle, testis and total brain was PCR amplified using modified primers of oligos 1, 3, 5, 7 and 11, shown below, and cloned into the UDG vector pAMP10 (Life Technologies, Bethesda, MD), in accordance with the manufacturer's recommendations. Modified primer sequences:

- 20 Oligo1-CUA: 5'CUA CUA CUA CUA CTG AGC GGA ATT CGT GAG ACC3' (SEQ ID NO:22)
 - Oligo3-CUA: 5'CUA CUA CUA CUA CTC GAG AAT TCT GGA TCC TC3' (SEQ ID NO:23)
- Oligo5-CUA: 5'CUA CUA CUA CUA TGT ATG CGA ATT CGC TGC GCG3' (SEQ ID NO:24)
- Oligo7-CUA: 5'CUA CUA CUA CUA GTC CAC TGA ATT CTC AGT GAG3' (SEQ ID NO:25)

20

25

5

10

Oligo11-CUA: 5'CUA CUA CUA CUA GAA TCC GAA TTC CTG GTC AGC3' (SEQ ID NO:26)

The cloned secondary selected material, from each tissue source, was transformed into MAX Efficiency DH5a Competent Cells (Life Technologies, Bethesda, MD) as recommended by the manufacturer. 384 colonies were picked from each transformed source and arrayed into four 96 well microtiter plates.

All secondarily selected cDNA clones were sequenced using M13 dye primer terminator cycle sequencing kit (Applied Biosystems), and the data collected by the ABI 377 automated fluorescence sequencer (Applied Biosystems).

All sequences were analyzed using the BLASTN, BLASTX and FASTA programs (Altschul et al, *J. Mol. Biol.*, 215:403-410 (1990), Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The cDNA sequences were compared to a database containing sequences derived from human repeats, mitochondrial DNA, ribosomal RNA, *E. coli* DNA to remove background clones from the dataset using the program cross_match. A further round of comparison was also performed using the program BLASTN2 against known genes (Genbank) and the BAC sequences from the HBM region. Those cDNAs that were >90% homologous to these sequences were filed according to the result and the data stored in a database for further analysis. cDNA sequences that were identified but did not have significant similarity to the BAC sequences from the HBM region or were eliminated by cross_match were hybridized to nylon membranes which contained the BACs from the HBM region, to ascertain whether they hybridized to the target.

Hybridization analysis was used to map the cDNA clones to the BAC target that selected them. The BACs that were identified from the HBM region were arrayed and grown into a 96 well microtiter plate. LB agar containing 25 μ g/ml kanamycin was poured into 96 well microtiter plate lids. Once the agar had solidified, pre-cut Hybond N+ nylon membranes

10

15

20

25

(Amersham) were laid on top of the agar and the BACs were stamped onto the membranes in duplicate using a hand held 96 well replica plater (V&P Scientific, Inc.). The plates were incubated overnight at 37 C. The membranes were processed according to the manufacturers recommendations.

The cDNAs that needed to be mapped by hybridization were PCR amplified using the relevant primer (oligos 1, 3, 5, 7 and 11) that would amplify that clone. For this PCR amplification, the primers were modified to contain a linkered digoxigenin molecule at the 5' of the oligonucleotide. The PCR amplification was performed under the same conditions as described in Preparation of cDNA Pools (above). The PCR products were evaluated for quality and quantity by electrophoresis on a 1% agarose gel by loading 5 µl of the PCR reaction. The nylon membranes containing the stamped BACs were individually prehybridized in 50 ml conical tubes containing 10 ml of hybridization solution (5x SSPE, 0.5x Blotto, 2.5% SDS and 1 mM EDTA (pH 8.0)). The 50 ml conical tubes were placed in a rotisserie oven (Robbins Scientific) for 2 hours at 65 C. 25 ng of each cDNA probe was denatured and added into individual 50 ml conical tubes containing the nylon membrane and hybridization solution. The hybridization was performed overnight at 65 C. The filters were washed for 20 minutes at 65 C in each of the following solutions: 3x SSPE, 0.1% SDS; 1x SSPE, 0.1% SDS and 0.1x SSPE, 0.1% SDS.

The membranes were removed from the 50 ml conical tubes and placed in a dish. Acetate sheets were placed between each membrane to prevent them from sticking to each other. The incubation of the membranes with the Anti-DIG-AP and CDP-Star was performed according to manufacturers recommendations (Boehringer Mannheim). The membranes were wrapped in Saran wrap and exposed to Kodak Bio-Max X-ray film for 1 hour.

X. cDNA Cloning and Expression Analysis

To characterize the expression of the genes identified by direct cDNA selection and genomic DNA sequencing in comparison to the publicly available databases, a series of

10

15

20

25

experiments were performed to further characterize the genes in the HBM region. First, oligonucleotide primers were designed for use in the polymerase chain reaction (PCR) so that portions of a cDNA, EST, or genomic DNA could be amplified from a pool of DNA molecules (a cDNA library) or RNA population (RT-PCR and RACE). The PCR primers were used in a reaction containing genomic DNA to verify that they generated a product of the size predicted based on the genomic (BAC) sequence. A number of cDNA libraries were then examined for the presence of the specific cDNA or EST. The presence of a fragment of a transcription unit in a particular cDNA library indicates a high probability that additional portions of the same transcription unit will be present as well.

A critical piece of data that is required when characterizing novel genes is the length, in nucleotides, of the processed transcript or messenger RNA (mRNA). One skilled in the art primarily determines the length of an mRNA by Northern blot hybridization (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). Groups of ESTs and direct-selected cDNA clones that displayed significant sequence similarity to sequenced BACs in the critical region were grouped for convenience into approximately 30 kilobase units. Within each 30 kilobase unit there were from one up to fifty ESTs and direct-selected cDNA clones which comprised one or more independent transcription units. One or more ESTs or direct-selected cDNAs were used as hybridization probes to determine the length of the mRNA in a variety of tissues, using commercially available reagents (Multiple Tissue Northern blot; Clontech, Palo Alto, California) under conditions recommended by the manufacturer.

Directionally cloned cDNA libraries from femoral bone, and calvarial bone tissue were constructed by methods familiar to one skilled in the art (for example, Soares in *Automated DNA Sequencing and Analysis*, Adams, Fields and Venter, Eds., Academic Press, NY, pages 110-114 (1994)). Bones were initially broken into fragments with a hammer, and the small pieces were frozen in liquid nitrogen and reduced to a powder in a tissue pulverizer

10

15

20

25

(Spectrum Laboratory Products). RNA was extracted from the powdered bone by homogenizing the powdered bone with a standard Acid Guanidinium Thiocyanate-Phenol-Chloroform extraction buffer (e.g. Chomczynski and Sacchi, *Anal. Biochem.*, 162:156-159 (1987)) using a polytron homogenizer (Brinkman Instruments). Additionally, human brain and lung total RNA was purchased from Clontech. PolyA RNA was isolated from total RNA using dynabeads-dT according to the manufacturer's recommendations (Dynal, Inc.).

First strand cDNA synthesis was initiated using an oligonucleotide primer with the sequence: 5'-AACTGGAAGAATTCGCGGCCGCAGGAATTTTTTTTT TTTTTTTT-3' (SEQ ID NO:27). This primer introduces a NotI restriction site (underlined) at the 3' end of the cDNA. First and second strand synthesis were performed using the "one-tube" cDNA synthesis kit as described by the anufacturer (Life Technologies, Bethesda, MD). Double stranded cDNAs were treated with T4 polynucleotide kinase to ensure that the ends of the molecules were blunt (Soares in Automated DNA Sequencing and Analysis, Adams, Fields and Venter, Eds., Academic Press, NY, pages 110-114 (1994)), and the blunt ended cDNAs were then size selected by a Biogel column (Huynh et al in DNA Cloning, Vol. 1, Glover, Ed., IRL Press, Oxford, pages 49-78 (1985)) or with a size-sep 400 sepharose column (Pharmacia, catalog # 27-5105-01). Only cDNAs of 400 base pairs or longer were used in subsequent steps. EcoRI adapters (sequence: 5' OH-AATTCGGCACGAG-OH 3' (SEQ ID NO:28), and 5' p-CTCGTGCCG-OH 3' (SEQ ID NO:29)) were then ligated to the double stranded cDNAs by methods familiar to one skilled in the art (Soares, 1994). The EcoRI adapters were then removed from the 3' end of the cDNA by digestion with NotI (Soares, 1994). The cDNA was then ligated into the plasmid vector pBluescript II KS+ (Stratagene, La Jolla, California), and the ligated material was transformed into E. coli host DH10B or DH12S by electroporation methods familiar to one skilled in the art (Soares, 1994). After growth overnight at 37 C, DNA was recovered from the E. coli colonies after

10

15

20

25

scraping the plates by processing as directed for the Mega-prep kit (Qiagen, Chatsworth, California). The quality of the cDNA libraries was estimated by counting a portion of the total numbers of primary transformants and determining the average insert size and the percentage of plasmids with no cDNA insert. Additional cDNA libraries (human total brain, heart, kidney, leukocyte, and fetal brain) were purchased from Life Technologies, Bethesda, MD.

cDNA libraries, both oligo (dT) and random hexamer (N6) primed, were used for isolating cDNA clones transcribed within the HBM region: human bone, human brain, human kidney and human skeletal muscle (all cDNA libraries were made by the inventors, except for skeletal muscle (dT) and kidney (dT) cDNA libraries). Four 10 x 10 arrays of each of the cDNA libraries were prepared as follows: the cDNA libraries were titered to 2.5 x 106 using primary transformants. The appropriate volume of frozen stock was used to inoculate 2 L of LB/ampicillin (100 mg/ml). This inoculated liquid culture was aliquotted into 400 tubes of 4 ml each. Each tube contained approximately 5000 cfu. The tubes were incubated at 30 C overnight with gentle agitation. The cultures were grown to an OD of 0.7-0.9. Frozen stocks were prepared for each of the cultures by aliquotting 100 μl of culture and 300 μl of 80% glycerol. Stocks were frozen in a dry ice/ethanol bath and stored at -70 C. The remaining culture was DNA prepared using the Qiagen (Chatsworth, CA) spin miniprep kit according to the manufacturer's instructions. The DNAs from the 400 cultures were pooled to make 80 column and row pools. The cDNA libraries were determined to contain HBM cDNA clones of interest by PCR. Markers were designed to amplify putative exons. Once a standard PCR optimization was performed and specific cDNA libraries were determined to contain cDNA clones of interest, the markers were used to screen the arrayed library. Positive addresses indicating the presence of cDNA clones were confirmed by a second PCR using the same markers.

Once a cDNA library was identified as likely to contain cDNA clones corresponding

10

15

20

25

to a specific transcript of interest from the HBM region, it was manipulated to isolate the clone or clones containing cDNA inserts identical to the EST or direct-selected cDNA of interest. This was accomplished by a modification of the standard "colony screening" method (Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). Specifically, twenty 150 mm LB+ampicillin agar plates were spread with 20,000 colony forming units (cfu) of cDNA library and the colonies allowed to grow overnight at 37 C. Colonies were transferred to nylon filters (Hybond from Amersham, or equivalent) and duplicates prepared by pressing two filters together essentially as described (Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). The "master" plate was then incubated an additional 6-8 hours to allow the colonies to grow back. The DNA from the bacterial colonies was then affixed to the nylon filters by treating the filters sequentially with denaturing solution (0.5 N NaOH, 1.5 M NaCl) for two minutes, neutralization solution (0.5 M Tris-Cl pH 8.0, 1.5 M NaCl) for two minutes (twice). The bacterial colonies were removed from the filters by washing in a solution of 2X SSC/0.1% SDS for one minute while rubbing with tissue paper. The filters were air dried and baked under vacuum at 80 C for 1-2 hours.

A cDNA hybridization probe was prepared by random hexamer labeling (Fineberg and Vogelstein, *Anal. Biochem.*, 132:6-13 (1983)) or by including gene-specific primers and no random hexamers in the reaction (for small fragments). Specific activity was calculated and was >5X10⁸ cpm/10⁸ μg of cDNA. The colony membranes were then prewashed in 10 mM Tris-Cl pH 8.0, 1 M NaCl, 1 mM EDTA, 0.1% SDS for 30 minutes at 55 °C. Following the prewash, the filters were prehybridized in > 2 ml/filter of 6X SSC, 50 % deionized formamide, 2% SDS, 5X Denhardt's solution, and 100 mg/ml denatured salmon sperm DNA, at 42 °C for 30 minutes. The filters were then transferred to hybridization solution (6X SSC, 2% SDS, 5X Denhardt's, 100 mg/ml denatured salmon sperm DNA) containing denatured

10

15

20

25

³²P-dCTP-labelled cDNA probe and incubated at 42 C for 16-18 hours.

After the 16-18 hour incubation, the filters were washed under constant agitation in 2X SSC, 2% SDS at room temperature for 20 minutes, followed by two washes at 65 C for 15 minutes each. A second wash was performed in 0.5 X SSC, 0.5% SDS for 15 minutes at 65 C. Filters were then wrapped in plastic wrap and exposed to radiographic film for several hours to overnight. After film development, individual colonies on plates were aligned with the autoradiograph so that they could be picked into a 1 ml solution of LB Broth containing ampicillin. After shaking at 37 C for 1-2 hours, aliquots of the solution were plated on 150 mm plates for secondary screening. Secondary screening was identical to primary screening (above) except that it was performed on plates containing ~250 colonies so that individual colonies could be clearly identified for picking.

After colony screening with radiolabeled probes yielded cDNA clones, the clones were characterized by restriction endonuclease cleavage, PCR, and direct sequencing to confirm the sequence identity between the original probe and the isolated clone. To obtain the full-length cDNA, the novel sequence from the end of the clone identified was used to probe the library again. This process was repeated until the length of the cDNA cloned matches that estimated to be full-length by the northern blot analysis.

RT-PCR was used as another method to isolate full length clones. The cDNA was synthesized and amplified using a "Superscript One Step RT-PCR" kit (Life Technologies, Gaithersburg, MD). The procedure involved adding 1.5 μ g of RNA to the following: 25 μ l of reaction mix provided which is a proprietary buffer mix with MgSO₄ and dNTP's, 1 μ l sense primer (10 μ M) and 1 μ l anti-sense primer (10 μ M), 1 μ l reverse transcriptase and Taq DNA polymerase mix provided and autoclaved water to a total reaction mix of 50 μ l. The reaction was then placed in a thermocycler for 1 cycle at 50 C for 15 to 30 minutes, then 94 C for 15 seconds, 55-60 C for 30 seconds and 68-72 C for 1 minute per kilobase of anticipated product and finally 1 cycle of 72 C for 5-10 minutes. The sample was analyzed on an agarose gel.

10

15

20

25

The product was excised from the gel and purified from the gel (GeneClean, Bio 101). The purified product was cloned in pCTNR (General Contractor DNA Cloning System, 5 Prime - 3 Prime, Inc.) and sequenced to verify that the clone was specific to the gene of interest.

Rapid Amplification of cDNA ends (RACE) was performed following the manufacturer's instructions using a Marathon cDNA Amplification Kit (Clontech, Palo Alto, CA) as a method for cloning the 5' and 3' ends of candidate genes. cDNA pools were prepared from total RNA by performing first strand synthesis, where a sample of total RNA sample was mixed with a modified oligo (dT) primer, heated to 70 C, cooled on ice and followed by the addition of: 5x first strand buffer, 10 mM dNTP mix, and AMV Reverse Transcriptase (20 $U/\mu l$). The tube was incubated at 42 C for one hour and then the reaction tube was placed on ice. For second strand synthesis, the following components were added directly to the reaction tube: 5x second strand buffer, 10 mM dNTP mix, sterile water, 20x second strand enzyme cocktail and the reaction tube was incubated at 16 C for 1.5 hours. T4 DNA Polymerase was added to the reaction tube and incubated at 16 C for 45 minutes. The second-strand synthesis was terminated with the addition of an EDTA/Glycogen mix. The sample was subjected to a phenol/chloroform extraction and an ammonium acetate precipitation. The cDNA pools were checked for quality by analyzing on an agarose gel for size distribution. Marathon cDNA adapters (Clontech) were then ligated onto the cDNA ends. The specific adapters contained priming sites that allowed for amplification of either 5' or 3' ends, depending on the orientation of the gene specific primer (GSP) that was chosen. An aliquot of the double stranded cDNA was added to the following reagents: $10~\mu M$ Marathon cDNA adapter, 5x DNA ligation buffer, T4 DNA ligase. The reaction was incubated at 16 C overnight. The reaction was heat inactivated to terminate the reaction. PCR was performed by the addition of the following to the diluted double stranded cDNA pool: 10x cDNA PCR reaction buffer, $10~\mu M$ dNTP mix, $10~\mu M$ GSP, $10~\mu M$ AP1 primer (kit), 50x Advantage cDNA Polymerase Mix. Thermal Cycling conditions were 94 C for 30

10

15

20

25

seconds, 5 cycles of 94 C for 5 seconds, 72 C for 4 minutes, 5 cycles of 94 C for 5 seconds, 70 C for 4 minutes, 23 cycles of 94 C for 5 seconds, 68 C for 4 minutes. After the first round of PCR was performed using the GSP to extend to the end of the adapter to create the adapter primer binding site, exponential amplification of the specific cDNA of interest was observed.

Usually a second nested PCR is performed to confirm the specific cDNA. The RACE product was analyzed on an agarose gel and then excised and purified from the gel (GeneClean, BIO 101). The RACE product was then cloned into pCTNR (General Contractor DNA Cloning System, 5' - 3', Inc.) and the DNA sequence determined to verify that the clone is specific to the gene of interest.

XI. Mutation Analysis

Comparative genes were identified using the above procedures and the exons from each gene were subjected to mutation detection analysis. Comparative DNA sequencing was used to identify polymorphisms in HBM candidate genes from chromosome 11q12-13. DNA sequences for candidate genes were amplified from patient lymphoblastoid cell lines.

The inventors developed a method based on analysis of direct DNA sequencing of PCR products amplified from candidate regions to search for the causative polymorphism. The procedure consisted of three stages that used different subsets of HBM family to find segregating polymorphisms and a population panel to assess the frequency of the polymorphisms. The family resources result from a single founder leading to the assumption that all affected individuals will share the same causative polymorphism.

Candidate regions were first screened in a subset of the HBM family consisting of the proband, daughter, and her mother, father and brother. Monochromosomal reference sequences were produced concurrently and used for comparison. The mother and daughter carried the HBM polymorphism in this nuclear family, providing the ability to monitor polymorphism transmission. The net result is that two HBM chromosomes and six non-HBM chromosomes were screened. This allowed exclusion of numerous frequent alleles. Only

10

15

20

25

alleles exclusively present in the affected individuals passed to the next level of analysis.

Polymorphisms that segregated exclusively with the HBM phenotype in this original family were then re-examined in an extended portion of the HBM pedigree consisting of two additional nuclear families. These families consisted of five HBM and three unaffected individuals. The HBM individuals in this group included the two critical crossover individuals, providing the centromeric and telomeric boundaries of the critical region. Tracking the heredity of polymorphisms between these individuals and their affected parents allowed for further refining of the critical region. This group brought the total of HBM chromosomes screened to seven and the total of non-HBM chromosomes to seventeen.

When a given polymorphism continued to segregate exclusively with the HBM phenotype in the extended group, a population panel was then examined. This panel of 84 persons consisted of 42 individuals known to have normal bone mineral density and 42 individuals known to be unrelated but with untyped bone mineral density. Normal bone mineral density is within two standard deviations of BMD Z score 0. The second group was from the widely used CEPH panel of individuals. Any segregating polymorphisms found to be rare in this population were subsequently examined on the entire HBM pedigree and a larger population.

Polymerase chain reaction (PCR) was used to generate sequencing templates from the HBM family's DNA and monochromosomal controls. Enzymatic amplification of genes within the HBM region on 11q12-13 was accomplished using the PCR with oligonucleotides flanking each exon as well as the putative 5' regulatory elements of each gene. The primers were chosen to amplify each exon as well as 15 or more base pairs within each intron on either side of the splice. All PCR primers were made as chimeras to facilitate dye primer sequencing. The M13-21F (5'- GTA CGA CGG CCA GT -3') (SEQ ID NO:30) and -28REV (5'- AAC AGC TAT GAC CAT G -3') (SEQ ID NO:31) primer binding sites were built on to the 5' end of each forward and reverse PCR primer, respectively, during synthesis. 150 ng of

10

15

20

25

genomic DNA was used in a 50 μ l PCR with 2UAmpliTaq, 500 nM primer and 125 μ M dNTP. Buffer and cycling conditions were specific to each primer set. TaqStart antibody (Clontech) was used for hot start PCR to minimize primer dimer formation. 10% of the product was examined on an agarose gel. The appropriate samples were diluted 1:25 with deionized water before sequencing.

Each PCR product was sequenced according to the standard Energy Transfer primer (Amersham) protocol. All reactions took place in 96 well trays. 4 separate reactions, one each for A, C, G and T were performed for each template. Each reaction included 2 μl of the sequencing reaction mix and 3 μl of diluted template. The plates were then heat sealed with foil tape and placed in a thermal cycler and cycled according to the manufacturer's recommendation. After cycling, the 4 reactions were pooled. 3 μl of the pooled product was transferred to a new 96 well plate and 1 μl of the manufacturer's loading dye was added to each well. All 96 well pipetting procedures occurred on a Hydra 96 pipetting station (Robbins Scientific, USA). 1 μl of pooled material was directly loaded onto a 48 lane gel running on an ABI 377 DNA sequencer for a 10 hour, 2.4 kV run.

Polyphred (University of Washington) was used to assemble sequence sets for viewing with Consed (University of Washington). Sequences were assembled in groups representing all relevant family members and controls for a specified target region. This was done separately for each of the three stages. Forward and reverse reads were included for each individual along with reads from the monochromosomal templates and a color annotated reference sequence. Polyphred indicated potential polymorphic sites with a purple flag. Two readers independently viewed each assembly and assessed the validity of the purple-flagged sites.

A total of 23 exons present in the mature mRNA and several other portions of the primary transcript were evaluated for heterozygosity in the nuclear family of two HBM-affected and two unaffected individuals. 25 SNPs were identified, as shown in the table

below.

TABLE 4: Single Nucleotide Polymorphisms in the Zmax1 Gene and Environs

Exon Name	Location	Base Change
b200e21-h_Contig1_1.nt	69169 (309G)	C/A
b200e21-h_Contig4_12.nt	27402 (309G)	A/G
b200e21-h_Contig4_13.nt	27841 (309G)	T/C
b200e21-h_Contig4_16.nt	35600 (309G)	A/G
b200e21-h_Contig4_21.nt	45619 (309G)	G/A
b200e21-h_Contig4_22.nt-a	46018 (309G)	T/G
b200e21-h_Contig4_22.nt-b	46093 (309G)	T/G
b200e21-h_Contig4_22.nt-c	46190 (309G)	A/G
b200e21-h_Contig4_24.nt-a	50993 (309G)	T/C
b200e21-h_Contig4_24.nt-b	51124 (309G)	C/T
b200e21-h_Contig4_25.nt	55461 (309G)	C/T
b200e21-h_Contig4_33.nt-a	63645 (309G)	C/A
b200e21-h_Contig4_33.nt-b	63646 (309G)	A/C
b200e21-h_Contig4_61.nt	24809 (309G)	T/G
b200e21-h_Contig4_62.nt	27837 (309G)	T/C
b200e21-h_Contig4_63.nt-a	31485 (309G)	C/T

10

b200e21-h_Contig4_63.nt-b	31683 (309G)	A/G
b200e21-h_Contig4_9.nt	24808 (309G)	T/G
b527d12-h_Contig030g_1.nt-a	31340 (308G)	T/C
b527d12-h_Contig030g_1.nt-b	32538 (308G)	A/G
b527d12-h_Contig080C_2.nt	13224 (308G)	A/G
b527d12-h_Contig087C_1.nt	21119 (308G)	C/A
b527d12-h_Contig087C_4.nt	30497 (308G)	G/A
b527d12-h_Contig088C_4.nt	24811 (309G)	A/C
b527d12-h_Contig089_1HP.nt	68280 (309G)	G/A

In addition to the polymorphisms presented in **Table 4**, two additional polymorphisms can also be present in SEQ ID NO:2. These is a change at position 2002 of SEQ ID NO:2. Either a guanine or an adenine can appear at this position. This polymorphism is silent and is not associated with any change in the amino acid sequence. The second change is at position 4059 of SEQ ID NO:2 corresponding in a cytosine (C) to thymine (T) change. This polymorphism results in a corresponding amino acid change from a valine (V) to an alanine (A). Other polymorphisms were found in the candidate gene exons and adjacent intron sequences. Any one or combination of the polymorphisms listed in Table 4 or the two discussed above could also have a minor effect on bone mass when present in SEQ ID NO:2.

The present invention encompasses the nucleic acid sequences having the nucleic acid sequence of SEQ ID NO: 1 with the above-identified point mutations.

10

15

20

25

Preferably, the present invention encompasses the nucleic acid of SEQ ID NO: 2. Specifically, a base-pair substitution changing G to T at position 582 in the coding sequence of Zmax1 (the HBM gene) was identified as heterozygous in all HBM individuals, and not found in the unaffected individuals (i.e., b527d12-h_Contig087C_1.nt). Fig. 5 shows the order of the contigs in B527D12. The direction of transcription for the HBM gene is from left to right. The sequence of contig308G of B527D12 is the reverse complement of the coding region to the HBM gene. Therefore, the relative polymorphism in contig 308G shown in Table 4 as a base change substitution of C to A is the complement to the G to T substitution in the HBM gene. This mutation causes a substitution of glycine 171 with valine (G171V).

The HBM polymorphism was confirmed by examining the DNA sequence of different groups of individuals. In all members of the HBM pedigree (38 individuals), the HBM polymorphism was observed in the heterozygous form in affected (i.e., elevated bone mass) individuals only (N=18). In unaffected relatives (N=20) (BMDZ<2.0) the HBM polymorphism was never observed. To determine whether this gene was ever observed in individuals outside of the HBM pedigree, 297 phenotyped individuals were characterized at the site of the HBM gene. None were heterozygous at the site of the HBM polymorphism. In an unphenotyped control group, 1 of 42 individuals was observed to be heterozygous at position 582. Since this individual is deceased, their bone mineral density could not be obtained. Taken together, these data prove that the polymorphism observed in the kindred displaying the high bone mass phenotype is strongly correlated with the G T polymorphism at position 582 of Zmax1. Taken together, these results establish that the HBM polymorphism genetically segregates with the HBM phenotype, and that both the HBM polymorphism and phenotype are rare in the general population.

XII. Allele Specific Oligonucleotide (ASO) Analysis

The amplicon containing the HBM1 polymorphism was PCR amplified using primers

10

15

20

25

specific for the exon of interest. The appropriate population of individuals was PCR amplified in 96 well microtiter plates as follows. PCR reactions (20 μl) containing 1X Promega PCR buffer (Cat. # M1883 containing 1.5 mM MgCl₂), 100 M dNTP, 200 nM PCR primers (1863F: CCAAGTTCTGAGAAGTCC and 1864R: AATACCTGAAACCATAC CTG), 1 U Amplitaq, and 20 ng of genomic DNA were prepared and amplified under the following PCR conditions: 94°C., 1 minute, (94°C, 30 sec.; 58°C, 30 sec.; 72°C, 1 min.) X35 cycles), 72°C, 5', 4°C, hold. Loading dye was then added and 10 μl of the products was electrophoresed on 1.5% agarose gels containing 1 μg/ml ethidium bromide at 100-150 V for 5-10 minutes. Gels were treated 20 minutes in denaturing solution (1.5 M NaCl, 0.5 N NaOH), and rinsed briefly with water. Gels were then neutralized in 1 M Tris-HCl, pH 7.5, 1.5 M NaCl, for 20 minutes and rinsed with water. Gels were soaked in 10 X SSC for 20 minutes and blotted onto nylon transfer membrane (Hybond N+- Amersham) in 10X SSC overnight. Filters were the rinsed in 6X SSC for 10 minutes and UV crosslinked.

The allele specific oligonucleotides (ASO) were designed with the polymorphism approximately in the middle. Oligonucleotides were phosphate free at the 5'end and were purchased from Gibco BRL. Sequences of the oligonucleotides are:

2326 Zmax1.ASO.g: AGACTGGGGTGAGACGC

2327 Zmax1.ASO.t: CAGACTGGGTTGAGACGCC

The polymorphic nucleotides are underlined. To label the oligos, 1.5 μ l of 1 μ g/ μ l ASO oligo (2326.Zmax1.ASO.g or 2327.Zmax1.ASO.t), 11 μ l ddH₂O, 2 μ l 10X kinase forward buffer, 5 μ l γ -³²P-ATP (6000 Ci/mMole), and 1 μ l T4 polynucleotide kinase (10 U/ μ l) were mixed, and the reaction incubated at 37°C for 30-60 minutes. Reactions were then placed at 95°C for 2 minutes and 30 1 H₂O was added. The probes were purified using a G25 microspin column (Pharmacia).

Blots were prehybridized in 10 ml 5X SSPE, 5X Denhardt's, 2% SDS, and 100 μ g/ml, denatured, sonicated salmon sperm DNA at 40°C for 2 hr. The entire reaction mix of kinased

10

15

20

25

oligo was then added to $10\,\mathrm{ml}$ fresh hybridization buffer (5X SSPE, 5X Denhardts, 2% SDS) and hybridized at $40^{\circ}\mathrm{C}$ for at least 4 hours to overnight.

All washes done in 5X SSPE, 0.1 % SDS. The first wash was at 45°C for 15 minutes; the solution was then changed and the filters washed 50°C for 15 minutes. Filters were then exposed to Kodak biomax film with 2 intensifying screens at –70°C for 15 minutes to 1 hr. If necessary the filters were washed at 55°C for 15 minutes and exposed to film again. Filters were stripped by washing in boiling 0.1X SSC, 0.1% SDS for 10 minutes at least 3 times.

The two films that best captured the allele specific assay with the 2 ASOs were converted into digital images by scanning them into Adobe PhotoShop. These images were overlaid against each other in Graphic Converter and then scored and stored in FileMaker Pro 4.0 (see Fig. 9).

XIII. Cellular Localization of Zmax1

A. Gene Expression in Rat tibia by non isotopic In Situ Hybridization

In situ hybridization was conducted by Pathology Associates International (PAI), Frederick, MD. This study was undertaken to determine the specific cell types that express the Zmax1 gene in rat bone with particular emphasis on areas of bone growth and remodeling. Zmax1 probes used in this study were generated from both human (HuZmax1) and mouse (MsZmax1) cDNAs, which share an 87% sequence identity. The homology of human and mouse Zmax1 with rat Zmax1 is unknown.

For example, gene expression by non-isotopic *in situ* hybridization was performed as follows, but other methods would be known to the skilled artisan. Tibias were collected from two 6 to 8 week old female Sprague Dawley rats euthanized by carbon dioxide asphyxiation. Distal ends were removed and proximal tibias were snap frozen in OCT embedding medium with liquid nitrogen immediately following death. Tissues were stored in a -80° C freezer.

Probes for amplifying PCR products from cDNA were prepared as follows. The primers to amplify PCR products from a cDNA clone were chosen using published sequences

10

20

25

of both human LRP5 (Genbank Accession No. ABO17498) and mouse LRP5 (Genbank Accession No. AFO64984). In order to minimize cross reactivity with other genes in the LDL receptor family, the PCR products were derived from an intracellular portion of the protein coding region. PCR was performed in a 50 μl reaction volume using cDNA clone as template. PCR reactions contained 1.5 mM MgCl₂, 1 unit Amplitaq, 200 μM dNTPs and 2 μM each primer. PCR cycling conditions were 94°C for 1 min., followed by 35 cycles of 94°C for 30 seconds, 55°C for 30 seconds, 72°C for 30 seconds; followed by a 5 minute extension at 72°C. The reactions were then run on a 1.5 % agarose Tris-Acetate gel. DNA was eluted from the agarose, ethanol precipitated and resuspended in 10 mM Tris, pH 8.0. Gel purified PCR products were prepared for both mouse and human cDNAs and supplied to Pathology Associates International for *in situ* hybridizations.

The sequence of the human and mouse PCR primers and products were as follows:

Human Zmax 1 sense primer (HBM1253)

CCCGTGTGCTCCGCCGCCCAGTTC

15 <u>Human Zmax 1 antisense primer (HBM1465)</u>

GGCTCACGGAGCTCATCATGGACTT

Human Zmax1 PCR product

Atty. Dkt. No.: 032796-014

CGTGAGCC

Mouse Zmax

AGCGAGGC

5

10

15

20

25

THE PART THE THE PART OF THE P

Mouse Zmax 1 Sense primer (HBM1655)

ouse Zmax 1 Sense primer (HBM1033)

Mouse zmax 1 antisense primer (HBM1656)

AGCGAGGCCACCATCCACAGG

TCGCTGGTCGGCATAATCAAT

Mouse Zmax1 PCR product

GTTCCCAGCATGGCCCCTTCACAGGCATCGCATGCGGAAAGTCCATGATGAGCTC

Riboprobes were synthesized as follows. The PCR products were reamplified with chimeric primers designed to incorporate either a T3 promoter upstream, or a T7 promoter downstream of the reamplification products. The resulting PCR products were used as template to synthesize digoxigenin-labeled riboprobes by *in vitro* transcription (IVT). Antisense and sense riboprobes were synthesized using T7 and T3 RNA polymerases, respectively, in the presence of digoxigenin-11-UTP (Boehringer-Mannheim) using a MAXIscript IVT kit (Ambion) according to the manufacturer. The DNA was then degraded with Dnase-1, and unincorporated digoxigenin was removed by ultrafiltration. Riboprobe integrity was assessed by electrophoresis through a denaturing polyacrylamide gel.

10

15

20

25

Molecular size was compared with the electrophoretic mobility of a 100–1000 base pair (bp) RNA ladder (Ambion). Probe yield and labeling was evaluated by blot immunochemistry. Riboprobes were stored in 5 μ l aliquots at -80° C.

The *in situ* hybridization was performed as follows. Frozen rat bone was cut into 5 μM sections on a Jung CM3000 cryostat (Leica) and mounted on adhesive slides (Instrumedics). Sections were kept in the cryostat at –20°C until all the slides were prepared in order to prevent mRNA degradation prior to post-fixation for 15 minutes in 4% paraformaldehyde. Following post-fixation, sections were incubated with 1 ng/μl of either antisense or sense riboprobe in Pathology Associates International (PAI) customized hybridization buffer for approximately 40 hours at 58°C. Following hybridization, slides were subjected to a series of post-hybridization stringency washes to reduce nonspecific probe binding. Hybridization was visualized by immunohistochemistry with an anti-digoxigenin antibody (FAB fragment) conjugated to alkaline phosphatase. Nitroblue tetrazolium chloride/bromochloroindolyl phosphate (Boehringer-Mannheim), a precipitating alkaline phosphatase substrate, was used as the chromogen to stain hybridizing cells purple to nearly black, depending on the degree of staining. Tissue sections were counter-stained with nuclear fast red. Assay controls included omission of the probe, omission of probe and anti-digoxigenin antibody.

Specific cell types were assessed for demonstration of hybridization with antisense probes by visualizing a purple to black cytoplasmic and/or peri-nuclear staining indicating a positive hybridization signal for mRNA. Each cell type was compared to the replicate sections, which were hybridized with the respective sense probe. Results were considered positive if staining was observed with the antisense probe and no staining or weak background with the sense probe.

The cellular localization of the hybridization signal for each of the study probes is summarized in **Table 5**. Hybridization for Zmax1 was primarily detected in areas of bone

involved in remodeling, including the endosteum and trabecular bone within the metaphysis. Hybridization in selected bone lining cells of the periosteum and epiphysis were also observed. Positive signal was also noted in chondrocytes within the growth plate, particularly in the proliferating chondrocytes. See **Figs. 10, 11** and **12** for representative photomicrographs of *in situ* hybridization results.

TABLE 5
Summary of Zmax1 *in situ* hybridization in rat tibia

PROBE	SITE	ISH SIGNAL
Hu Zmax1	Epiphysis	
	Osteoblasts	+
	Osteoclasts	_
	Growth Plate	
	resting chondrocytes	-
	proligferating chondrocytes	+
	hypertrophic chondrocytes	-
	Metaphysis	
	osteoblasts	+
	osteoclasts	+
	Diaphysis	
	Endosteum	
	osteoblasts	+
	osteoclasts	+
	Periosteum	-
MsZmax1	<u>Epiphysis</u>	
	Osteoblasts	+
	Osteoclasts	-
	Growth Plate	
	resting chondrocytes	-
	proligferating chondrocytes	+
	hypertrophic chondrocytes	+
	Metaphysis	
	osteoblasts	+
	osteoclasts	+
	Diaphysis	

15

20

5

Endosteum	
 osteoblasts	+
osteoclasts	+
 Periosteum	+

Legend: "+" = hybridization signal detected "-" = no hybridization signal detected "ISH" – *In situ* hybridization

These studies confirm the positional expression of Zmax1 in cells involved in bone remodeling and bone formation. Zmax1 expression in the zone of proliferation and in the osteoblasts and osteoclasts of the proximal metaphysis, suggests that the Zmax1 gene is involved in the process of bone growth and mineralization. The activity and differentiation of osteoblasts and osteoclasts are closely coordinated during development as bone is formed and during growth as well as in adult life as bone undergoes continuous remodeling. The formation of internal bone structures and bone remodeling result from the coupling of bone resorption by activated osteoclasts with subsequent deposition of new material by osteoblasts. Zmax1 is related to the LDL receptor gene, and thus may be a receptor involved in mechanosensation and subsequent signaling in the process of bone remodeling. Therefore, changes in the level of expression of this gene could impact on the rate of remodeling and degree of mineralization of bone.

XIV. Antisense

Antisense oligonucleotides are short synthetic nucleic acids that contain complementary base sequences to a targeted RNA. Hybridization of the RNA in living cells with the antisense oligonucleotide interferes with RNA function and ultimately blocks protein expression. Therefore, any gene for which the partial sequence is known can be targeted by an antisense oligonucleotide.

Antisense technology is becoming a widely used research tool and will play an increasingly important role in the validation and elucidation of therapeutic targets identified

10

15

20

25

by genomic sequencing efforts.

Antisense technology was developed to inhibit gene expression by utilizing an oligonucleotide complementary to the mRNA that encodes the target gene. There are several possible mechanisms for the inhibitory effects of antisense oligonucleotides. Among them, degradation of mRNA by RNase H is considered to be the major mechanism of inhibition of protein function. This technique was originally used to elucidate the function of a target gene, but may also have therapeutic applications, provided it is designed carefully and properly.

An example of materials and methods for preparing antisense oligonucleotides can be performed as follows. Preliminary studies have been undertaken in collaboration with Sequiter (Natick, MA) using the antisense technology in the osteoblast-like murine cell line, MC3T3. These cells can be triggered to develop along the bone differentiation sequence. An initial proliferation period is characterized by minimal expression of differentiation markers and initial synthesis of collagenous extracellular matrix. Collagen matrix synthesis is required for subsequent induction of differentiation markers. Once the matrix synthesis begins, osteoblast marker genes are activated in a clear temporal sequence: alkaline phosphatase is induced at early times while bone sialoprotien and osteocalcin appear later in the differentiation process. This temporal sequence of gene expression is useful in monitoring the maturation and mineralization process. Matrix mineralization, which does not begin until several days after maturation has started, involves deposition of mineral on and within collagen fibrils deep within the matrix near the cell layer-culture plate interface. The collagen fibril—associated mineral formed by cultured osteoblasts resembles that found in woven bone in vivo and therefore is used frequently as a study reagent.

MC3T3 cells were transfected with antisense oligonucleotides for the first week of the differentiation, according to the manufacturer's specifications (U.S. Patent No. 5,849,902).

The oligonucleotides designed for Zmax1 are given below:

10

15

20

25

10875: AGUACAGCUUCUUGCCAACCCAGUC

10876: UCCUCCAGGUCGAUGGUCAGCCCAU

10877: GUCUGAGUCCGAGUUCAAAUCCAGG

Figure 13 shows the results of antisense inhibition of Zmax1 in MC3T3 cells. The three oligonucleotides shown above were transfected into MC3T3 and RNA was isolated according to standard procedures. Northern analysis clearly shows markedly lower steady state levels of the Zmax1 transcript while the control gene GAPDH remained unchanged. Thus, antisense technology using the primers described above allows for the study of the role of Zmax1 expression on bone biology.

The protein encoded by Zmax1 is related to the Low Density Lipoprotein receptor (LDL receptor). See, Goldstein et al, Ann. Rev. Cell Biology, 1:1-39 (1985); Brown et al, Science, 232:34-47 (1986). The LDL receptor is responsible for uptake of low density lipoprotein, a lipid-protein aggregate that includes cholesterol. Individuals with a defect in the LDL receptor are deficient in cholesterol removal and tend to develop artherosclerosis. In addition, cells with a defective LDL receptor show increased production of cholesterol, in part because of altered feedback regulation of cholesterol synthetic enzymes and in part because of increased transcription of the genes for these enzymes. In some cell types, cholesterol is a precursor for the formation of steroid hormones.

Thus, the LDL receptor may, directly or indirectly, function as a signal transduction protein and may regulate gene expression. Because Zmax1 is related to the LDL receptor, this protein may also be involved in signaling between cells in a way that affects bone remodeling.

The glycine 171 amino acid is likely to be important for the function of Zmax1 because this amino acid is also found in the mouse homologue of Zmax1. The closely related LRP6 protein also contains glycine at the corresponding position (Brown et al, *Biochemical and Biophysical Research Comm.*, 248:879-888 (1988)). Amino acids that are important in a

10

15

20

25

protein's structure or function tend to be conserved between species, because natural selection prevents mutations with altered amino acids at important positions from arising.

In addition, the extracellular domain of Zmax1 contains four repeats consisting of five YWT motifs followed by an EFG motif. This 5YWT+EGF repeat is likely to form a distinct folded protein domain, as this repeat is also found in the LDL receptor and other LDL receptor-related proteins. The first three 5YWT+EGF repeats are very similar in their structure, while the fourth is highly divergent. Glycine 171 occurs in the central YWT motif of the first 5YWT+EGF repeat in Zmax1. The other two similar 5YWT+EGF repeats of Zmax1 also contain glycine at the corresponding position, as does the 5YWT+EGF repeat in the LDL receptor protein. However, only 17.6% of the amino acids are identical among the first three 5YWT+EGF repeats in Zmax1 and the single repeat in the LDL receptor. These observations indicate that glycine 171 is essential to the function of this repeat, and mutation of glycine 171 causes a functional alteration of Zmax1. The cDNA and peptide sequences are shown in Figs. 6A-6E. The critical base at nucleotide position 582 is indicated in bold and is underlined.

Northern blot analysis (**Figs. 7A-B**) reveals that Zmax1 is expressed in human bone tissue as well as numerous other tissues. A multiple-tissue Northern blot (Clontech, Palo Alto, CA) was probed with exons from Zmax1. As shown in **Fig. 7A**, the 5.5 kb Zmax1 transcript was highly expressed in heart, kidney, lung, liver and pancreas and is expressed at lower levels in skeletal muscle and brain. A second northern blot, shown in **Fig. 7B**, confirmed the transcript size at 5.5 kb, and indicated that Zmax1 is expressed in bone, bone marrow, calvaria and human osteoblastic cell lines.

Taken together, these results indicate that the HBM polymorphism in the Zmax1 gene is responsible for the HBM phenotype, and that the Zmax1 gene is important in bone development. In addition, because mutation of Zmax1 can alter bone mineralization and development, it is likely that molecules that bind to Zmax1 may usefully alter bone

10

15

20

25

development. Such molecules may include, for example, small molecules, proteins, RNA aptamers, peptide aptamers, and the like.

XV. Preparation of Nucleic Acids, Vectors, Transformations and Host Cells

Large amounts of the nucleic acids of the present invention may be produced by replication in a suitable host cell. Natural or synthetic nucleic acid fragments coding for a desired fragment will be incorporated into recombinant nucleic acid constructs, usually DNA constructs, capable of introduction into and replication in a prokaryotic or eukaryotic cell. Usually the nucleic acid constructs will be suitable for replication in a unicellular host, such as yeast or bacteria, but may also be intended for introduction to (with and without integration within the genome) cultured mammalian or plant or other eukaryotic cell lines. The purification of nucleic acids produced by the methods of the present invention is described, for example, in Sambrook et al, *Molecular Cloning. A Laboratory Manual*, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, *Current Protocols in Molecular Biology*, J. Wiley and Sons, NY (1992).

The nucleic acids of the present invention may also be produced by chemical synthesis, e.g., by the phosphoramidite method described by Beaucage et al, *Tetra. Letts.*, 22:1859-1862 (1981) or the triester method according to Matteucci, et al, J. *Am. Chem. Soc.*, 103:3185 (1981), and may be performed on commercial, automated oligonucleotide synthesizers. A double-stranded fragment may be obtained from the single-stranded product of chemical synthesis either by synthesizing the complementary strand and annealing the strands together under appropriate conditions or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

Nucleic acid constructs prepared for introduction into a prokaryotic or eukaryotic host may comprise a replication system recognized by the host, including the intended nucleic acid fragment encoding the desired protein, and will preferably also include transcription and translational initiation regulatory sequences operably linked to the protein encoding segment.

10

15

20

25

Expression vectors may include, for example, an origin of replication or autonomously replicating sequence (ARS) and expression control sequences, a promoter, an enhancer and necessary processing information sites, such as ribosome-binding sites, RNA splice sites, polyadenylation sites, transcriptional terminator sequences, and mRNA stabilizing sequences. Secretion signals may also be included where appropriate, whether from a native HBM or Zmax1 protein or from other receptors or from secreted proteins of the same or related species, which allow the protein to cross and/or lodge in cell membranes, and thus attain its functional topology, or be secreted from the cell. Such vectors may be prepared by means of standard recombinant techniques well known in the art and discussed, for example, in Sambrook et al, *Molecular Cloning. A Laboratory Manual*, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, *Current Protocols in Molecular Biology*, J. Wiley and Sons, NY (1992).

An appropriate promoter and other necessary vector sequences will be selected so as to be functional in the host, and may include, when appropriate, those naturally associated with Zmax1 or HBM genes. Examples of workable combinations of cell lines and expression vectors are described in Sambrook et al, *Molecular Cloning. A Laboratory Manual*, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, *Current Protocols in Molecular Biology*, J. Wiley and Sons, NY (1992). Many useful vectors are known in the art and may be obtained from such vendors as Stratagene, New England BioLabs, Promega Biotech, and others. Promoters such as the trp, lac and phage promoters, tRNA promoters and glycolytic enzyme promoters may be used in prokaryotic hosts. Useful yeast promoters include promoter regions for metallothionein, 3-phosphoglycerate kinase or other glycolytic enzymes such as enolase or glyceraldehyde-3-phosphate dehydrogenase, enzymes responsible for maltose and galactose utilization, and others. Vectors and promoters suitable for use in yeast expression are further described in EP 73,675A. Appropriate nonnative mammalian promoters might include the early and late promoters from SV40 (Fiers et

10

15

20

25

al, *Nature*, 273:113 (1978)) or promoters derived from murine Moloney leukemia virus, mouse tumor virus, avian sarcoma viruses, adenovirus II, bovine papilloma virus or polyoma. In addition, the construct may be joined to an amplifiable gene (e.g., DHFR) so that multiple copies of the gene may be made. For appropriate enhancer and other expression control sequences, see also *Enhancers and Eukaryotic Gene Expression*, Cold Spring Harbor Press, Cold Spring Harbor, NY (1983).

While such expression vectors may replicate autonomously, they may also replicate by being inserted into the genome of the host cell, by methods well known in the art.

Expression and cloning vectors will likely contain a selectable marker, a gene encoding a protein necessary for survival or growth of a host cell transformed with the vector. The presence of this gene ensures growth of only those host cells which express the inserts. Typical selection genes encode proteins that a) confer resistance to antibiotics or other toxic substances, e.g. ampicillin, neomycin, methotrexate, etc.; b) complement auxotrophic deficiencies, or c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for Bacilli. The choice of the proper selectable marker will depend on the host cell, and appropriate markers for different hosts are well known in the art.

The vectors containing the nucleic acids of interest can be transcribed *in vitro*, and the resulting RNA introduced into the host cell by well-known methods, e.g., by injection (see, Kubo et al, *FEBS Letts*. 241:119 (1988)), or the vectors can be introduced directly into host cells by methods well known in the art, which vary depending on the type of cellular host, including electroporation; transfection employing calcium chloride, rubidium chloride, calcium phosphate, DEAE-dextran, or other substances; microprojectile bombardment; lipofection; infection (where the vector is an infectious agent, such as a retroviral genome); and other methods. See generally, Sambrook et al., 1989 and Ausubel et al., 1992. The introduction of the nucleic acids into the host cell by any method known in the art, including those described above, will be referred to herein as "transformation." The cells into which

10

15

20

25

have been introduced nucleic acids described above are meant to also include the progeny of such cells.

Large quantities of the nucleic acids and proteins of the present invention may be prepared by expressing the Zmax1 or HBM nucleic acids or portions thereof in vectors or other expression vehicles in compatible prokaryotic or eukaryotic host cells. The most commonly used prokaryotic hosts are strains of *Escherichia coli*, although other prokaryotes, such as *Bacillus subtilis* or *Pseudomonas* may also be used.

Mammalian or other eukaryotic host cells, such as those of yeast, filamentous fungi, plant, insect, or amphibian or avian species, may also be useful for production of the proteins of the present invention. Propagation of mammalian cells in culture is per se well known. See, Jakoby and Pastan (eds.), *Cell Culture. Methods in Enzymology*, volume 58, Academic Press, Inc., Harcourt Brace Jovanovich, NY, (1979)). Examples of commonly used mammalian host cell lines are VERO and HeLa cells, Chinese hamster ovary (CHO) cells, and WI38, BHK, and COS cell lines, although it will be appreciated by the skilled practitioner that other cell lines may be appropriate, e.g., to provide higher expression desirable glycosylation patterns, or other features.

Clones are selected by using markers depending on the mode of the vector construction. The marker may be on the same or a different DNA molecule, preferably the same DNA molecule. In prokaryotic hosts, the transformant may be selected, e.g., by resistance to ampicillin, tetracycline or other antibiotics. Production of a particular product based on temperature sensitivity may also serve as an appropriate marker.

Prokaryotic or eukaryotic cells transformed with the nucleic acids of the present invention will be useful not only for the production of the nucleic acids and proteins of the present invention, but also, for example, in studying the characteristics of Zmax1 or HBM proteins.

Antisense nucleic acid sequences arc useful in preventing or diminishing the

10

15

20

25

expression of Zmax1 or HBM, as will be appreciated by one skilled in the art. For example, nucleic acid vectors containing all or a portion of the Zmax1 or HBM gene or other sequences from the Zmax1 or HBM region may be placed under the control of a promoter in an antisense orientation and introduced into a cell. Expression of such an antisense construct within a cell will interfere with Zmax1 or HBM transcription and/or translation and/or replication.

The probes and primers based on the Zmax1 and HBM gene sequences disclosed herein are used to identify homologous Zmax1 and HBM gene sequences and proteins in other species. These Zmax1 and HBM gene sequences and proteins are used in the diagnostic/prognostic, therapeutic and drug screening methods described herein for the species from which they have been isolated.

XVI. Protein Expression and Purification

essentially as outlined below. To facilitate the cloning, expression and purification of membrane and secreted protein from the HBM gene, a gene expression system, such as the pET System (Novagen), for cloning and expression of recombinant proteins in *E. coli* was selected. Also, a DNA sequence encoding a peptide tag, the His-Tap, was fused to the 3' end of DNA sequences of interest to facilitate purification of the recombinant protein products. The 3' end was selected for fusion to avoid alteration of any 5' terminal signal sequence.

Nucleic acids chosen, for example, from the nucleic acids set forth in SEQ ID NOS: 1, 3 and 5-12 for cloning HBM were prepared by polymerase chain reaction (PCR). Synthetic oligonucleotide primers specific for the 5' and 3' ends of the HBM nucleotide sequence were designed and purchased from Life Technologies (Gaithersburg, MD). All forward primers (specific for the 5' end of the sequence) were designed to include an NcoI cloning site at the 5' terminus. These primers were designed to permit initiation of protein translation at the methionine residue encoded within the NcoI site followed by a valine residue and the protein

10

15

20

25

encoded by the HBM DNA sequence. All reverse primers (specific for the 3' end of the sequence) included an EcoRI site at the 5' terminus to permit cloning of the HBM sequence into the reading frame of the pET-28b. The pET-28b vector provided a sequence encoding an additional 20 carboxyl-terminal amino acids including six histidine residues (at the C-terminus), which comprised the histidine affinity tag.

Genomic DNA prepared from the HBM gene was used as the source of template DNA for PCR amplification (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1994)). To amplify a DNA sequence containing the HBM nucleotide sequence, genomic DNA (50 ng) was introduced into a reaction vial containing 2 mM MgCl₂, 1 M synthetic oligonucleotide primers (forward and reverse primers) complementary to and flanking a defined HBM, 0.2 mM of each of deoxynucleotide triphosphate, dATP, dGTP, dCTP, dTTP and 2.5 units of heat stable DNA polymerase (Amplitaq, Roche Molecular Systems, Inc., Branchburg, NJ) in a final volume of 100 microliters.

Upon completion of thermal cycling reactions, each sample of amplified DNA was purified using the Qiaquick Spin PCR purification kit (Qiagen, Gaithersburg, MD). All amplified DNA samples were subjected to digestion with the restriction endonucleases, e.g., NcoI and EcoRI (New England BioLabs, Beverly, MA) (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). DNA samples were then subjected to electrophoresis on 1.0% NuSeive (FMC BioProducts, Rockland, ME) agarose gels. DNA was visualized by exposure to ethidium bromide and long wave UV irradiation. DNA contained in slices isolated from the agarose gel was purified using the Bio 101 GeneClean Kit protocol (Bio 101, Vista, CA).

The pET-28b vector was prepared for cloning by digestion with restriction endonucleases, e.g., NcoI and EcoRI (New England BioLabs, Beverly, MA) (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). The pET-28a vector, which encodes the histidine affinity tag that can be fused to the 5' end of an inserted

10

15

20

25

gene, was prepared by digestion with appropriate restriction endonucleases.

Following digestion, DNA inserts were cloned (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)) into the previously digested pET-28b expression vector. Products of the ligation reaction were then used to transform the BL21 strain of *E. coli* (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)) as described below.

Competent bacteria, *E. coli* strain BL21 or *E. coli* strain BL21 (DE3), were transformed with recombinant pET expression plasmids carrying the cloned HBM sequence according to standard methods (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). Briefly, 1 1 of ligation reaction was mixed with 50 1 of electrocompetent cells and subjected to a high voltage pulse, after which samples were incubated in 0.45 ml SOC medium (0.5% yeast extract, 2.0% tryptone, 10 mM NaCl, 2.5 mM KCl, 10 mM MgCl₂, 10 mM MgSO₄ and 20 mM glucose) at 37 C with shaking for 1 hour. Samples were then spread on LB agar plates containing 25 μg/ml kanamycin sulfate for growth overnight. Transformed colonies of BL21 were then picked and analyzed to evaluate cloned inserts, as described below.

Individual BL21 clones transformed with recombinant pET-28b HBM nucleotide sequences were analyzed by PCR amplification of the cloned inserts using the same forward and reverse primers specific for the HBM sequences that were used in the original PCR amplification cloning reactions. Successful amplification verifies the integration of the HBM sequence in the expression vector (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)).

Individual clones of recombinant pET-28b vectors carrying properly cloned HBM nucleotide sequences were picked and incubated in 5 ml of LB broth plus 25 μ g/ml kanamycin sulfate overnight. The following day plasmid DNA was isolated and purified using the Qiagen plasmid purification protocol (Qiagen Inc., Chatsworth, CA).

10

15

20

25

The pET vector can be propagated in any *E. coli* K-12 strain, e.g., HMS174, HB101, JM109, DH5 and the like, for purposes of cloning or plasmid preparation. Hosts for expression include *E. coli* strains containing a chromosomal copy of the gene for T7 RNA polymerase. These hosts were lysogens of bacteriophage DE3, a lambda derivative that carries the lacI gene, the lacUV5 promoter and the gene for T7 RNA polymerase. T7 RNA polymerase was induced by addition of isopropyl-β-D-thiogalactoside (IPTG), and the T7 RNA polymerase transcribes any target plasmid containing a functional T7 promoter, such as pET-28b, carrying its gene of interest. Strains include, for example, BL21(DE3) (Studier et al, *Meth. Enzymol.*, 185:60-89 (1990)).

To express the recombinant HBM sequence, 50 ng of plasmid DNA are isolated as described above to transform competent BL21(DE3) bacteria as described above (provided by Novagen as part of the pET expression kit). The lacZ gene (β -galactosidase) is expressed in the pET-System as described for the HBM recombinant constructions. Transformed cells were cultured in SOC medium for 1 hour, and the culture was then plated on LB plates containing 25 µg/ml kanamycin sulfate. The following day, the bacterial colonies were pooled and grown in LB medium containing kanamycin sulfate (25 µg/ml) to an optical density at 600 nM of 0.5 to 1.0 O.D. units, at which point 1 mM IPTG was added to the culture for 3 hours to induce gene expression of the HBM recombinant DNA constructions.

After induction of gene expression with IPTG, bacteria were collected by centrifugation in a Sorvall RC-3B centrifuge at 3500 x g for 15 minutes at 4 C. Pellets were resuspended in 50 ml of cold mM Tris-HCl, pH 8.0, 0.1 M NaCl and 0.1 mM EDTA (STE buffer). Cells were then centrifuged at 2000 x g for 20 minutes at 4 C. Wet pellets were weighed and frozen at -80 C until ready for protein purification.

A variety of methodologies known in the art can be used to purify the isolated proteins (Coligan et al, *Current Protocols in Protein Science*, John Wiley & Sons (1995)). For example, the frozen cells can be thawed, resuspended in buffer and ruptured by several

10

15

20

25

passages through a small volume microfluidizer (Model M-110S, Microfluidics International Corp., Newton, MA). The resultant homogenate is centrifuged to yield a clear supernatant (crude extract) and, following filtration, the crude extract is fractioned over columns. Fractions are monitored by absorbance at OD₂₈₀ nm and peak fractions may be analyzed by SDS-PAGE.

The concentrations of purified protein preparations are quantified spectrophotometrically using absorbance coefficients calculated from amino acid content (Perkins, *Eur. J. Biochem.*, 157:169-180 (1986)). Protein concentrations are also measured by the method of Bradford, *Anal. Biochem.*, 72:248-254 (1976) and Lowry et al, *J. Biol. Chem.*, 193:265-275 (1951) using bovine serum albumin as a standard.

SDS-polyacrylamide gels of various concentrations were purchased from BioRad (Hercules, CA), and stained with Coomassie blue. Molecular weight markers may include rabbit skeletal muscle myosin (200 kDa), *E. coli* β-galactosidase (116 kDa), rabbit muscle phosphorylase B (97.4 kDa), bovine serum albumin (66.2 kDa), ovalbumin (45 kDa), bovine carbonic anyhdrase (31 kDa), soybean trypsin inhibitor (21.5 kDa), egg white lysozyme (14.4 kDa) and bovine aprotinin (6.5 kDa).

Once a sufficient quantity of the desired protein has been obtained, it may be used for various purposes. A typical use is the production of antibodies specific for binding. These antibodies may be either polyclonal or monoclonal, and may be produced by *in vitro* or *in vivo* techniques well known in the art. Monoclonal antibodies to epitopes of any of the peptides identified and isolated as described can be prepared from murine hybridomas (Kohler, *Nature*, 256:495 (1975)). In summary, a mouse is inoculated with a few micrograms of HBM protein over a period of two weeks. The mouse is then sacrificed. The cells that produce antibodies are then removed from the mouse's spleen. The spleen cells are then fused with polyethylene glycol with mouse myeloma cells. The successfully fused cells are diluted in a microtiter plate and growth of the culture is continued. The amount of antibody

10

15

20

25

per well is measured by immunoassay methods such as ELISA (Engvall, *Meth. Enzymol.*, 70:419 (1980)). Clones producing antibody can be expanded and further propagated to produce HBM antibodies. Other suitable techniques involve *in vitro* exposure of lymphocytes to the antigenic polypeptides, or alternatively, to selection of libraries of antibodies in phage or similar vectors. See Huse et al, *Science*, 246:1275-1281 (1989). For additional information on antibody production see Davis et al, *Basic Methods in Molecular Biology*, Elsevier, NY, Section 21-2 (1989).

XVII. Methods of Use: Gene Therapy

In recent years, significant technological advances have been made in the area of gene therapy for both genetic and acquired diseases. (Kay et al, *Proc. Natl. Acad. Sci. USA*, 94:12744-12746 (1997)) Gene therapy can be defined as the deliberate transfer of DNA for therapeutic purposes. Improvement in gene transfer methods has allowed for development of gene therapy protocols for the treatment of diverse types of diseases. Gene therapy has also taken advantage of recent advances in the identification of new therapeutic genes, improvement in both viral and nonviral gene delivery systems, better understanding of gene regulation, and improvement in cell isolation and transplantation.

The preceding experiments identify the HBM gene as a dominant mutation conferring elevated bone mass. The fact that this mutation is dominant indicates that expression of the HBM protein causes elevated bone mass. Older individuals carrying the HBM gene, and, therefore expressing the HBM protein, do not suffer from osteoporosis. These individuals are equivalent to individuals being treated with the HBM protein. These observations are a strong experimental indication that therapeutic treatment with the HBM protein prevents osteoporosis. The bone mass elevating activity of the HBM gene is termed "HBM function."

Therefore, according to the present invention, a method is also provided of supplying HBM function to mesenchymal stem cells (Onyia et al, *J. Bone Miner. Res.*, 13:20-30 (1998); Ko et al, *Cancer Res.*, 56:4614-4619 (1996)). Supplying such a function provides protection

10

15

20

25

against osteoporosis. The HBM gene or a part of the gene may be introduced into the cell in a vector such that the gene remains extrachromosomal. In such a situation, the gene will be expressed by the cell from the extrachromosomal location.

Vectors for introduction of genes both for recombination and for extrachromosomal maintenance are known in the art, and any suitable vector may be used. Methods for introducing DNA into cells such as electroporation, calcium phosphate co-precipitation, and viral transduction are known in the art, and the choice of method is within the competence of one skilled in the art (Robbins, Ed., *Gene Therapy Protocols*, Human Press, NJ (1997)). Cells transformed with the HBM gene can be used as model systems to study osteoporosis and drug treatments that promote bone growth.

As generally discussed above, the HBM gene or fragment, where applicable, may be used in gene therapy methods in order to increase the amount of the expression products of such genes in mesenchymal stem cells. It may be useful also to increase the level of expression of a given HBM protein, or a fragment thereof, even in those cells in which the wild type gene is expressed normally. Gene therapy would be carried out according to generally accepted methods as described by, for example, Friedman, *Therapy for Genetic Diseases*, Friedman, Ed., Oxford University Press, pages 105-121 (1991).

A virus or plasmid vector containing a copy of the HBM gene linked to expression control elements and capable of replicating inside mesenchymal stem cells, is prepared. Suitable vectors are known and described, for example, in U.S. Patent No. 5,252,479 and WO 93/07282, the disclosures of which are incorporated by reference herein in their entirety. The vector is then injected into the patient, either locally into the bone marrow or systemically (in order to reach any mesenchymal stem cells located at other sites, i.e., in the blood). If the transfected gene is not permanently incorporated into the genome of each of the targeted cells, the treatment may have to be repeated periodically.

Gene transfer systems known in the art may be useful in the practice of the gene

10

15

20

25

therapy methods of the present invention. These include viral and non-viral transfer methods. A number of viruses have been used as gene transfer vectors, including polyoma, i.e., SV40 (Madzak et al, J. Gen. Virol., 73:1533-1536 (1992)), adenovirus (Berkner, Curr. Top. Microbiol. Immunol., 158:39-61 (1992); Berkner et al, Bio Techniques, 6:616-629 (1988); Gorziglia et al, J. Virol., 66:4407-4412 (1992); Quantin et al, Proc. Natl. Acad. Sci. USA, 89:2581-2584 (1992); Rosenfeld et al, Cell, 68:143-155 (1992); Wilkinson et al, Nucl. Acids Res., 20:2233-2239 (1992); Stratford-Perricaudet et al, Hum. Gene Ther., 1:241-256 (1990)), vaccinia virus (Mackett et al, Biotechnology, 24:495-499 (1992)), adeno-associated virus (Muzyczka, Curr. Top. Microbiol. Immunol., 158:91-123 (1992); Ohi et al, Gene, 89:279-282 (1990)), herpes viruses including HSV and EBV (Margolskee, Curr. Top. Microbiol. Immunol., 158:67-90 (1992); Johnson et al, J. Virol., 66:2952-2965 (1992); Fink et al, Hum. Gene Ther., 3:11-19 (1992); Breakfield et al, Mol. Neurobiol., 1:337-371 (1987;) Fresse et al, Biochem. Pharmacol., 40:2189-2199 (1990)), and retroviruses of avian (Brandyopadhyay et al, Mol. Cell Biol., 4:749-754 (1984); Petropouplos et al, J. Virol., 66:3391-3397 (1992)), murine (Miller, Curr. Top. Microbiol. Immunol., 158:1-24 (1992); Miller et al, Mol. Cell Biol., 5:431-437 (1985); Sorge et al, Mol. Cell Biol., 4:1730-1737 (1984); Mann et al, J. Virol., 54:401-407 (1985)), and human origin (Page et al, J. Virol., 64:5370-5276 (1990); Buchschalcher et al, J. Virol., 66:2731-2739 (1992)). Most human gene therapy protocols

Non-viral gene transfer methods known in the art include chemical techniques such as calcium phosphate coprecipitation (Graham et al, *Virology*, 52:456-467 (1973); Pellicer et al, *Science*, 209:1414-1422 (1980)), mechanical techniques, for example microinjection (Anderson et al, *Proc. Natl. Acad. Sci. USA*, 77:5399-5403 (1980); Gordon et al, *Proc. Natl. Acad. Sci. USA*, 77:7380-7384 (1980); Brinster et al, *Cell*, 27:223-231 (1981); Constantini et al, *Nature*, 294:92-94 (1981)), membrane fusion-mediated transfer via liposomes (Felgner et al, *Proc. Natl. Acad. Sci. USA*, 84:7413-7417 (1987); Wang et al, *Biochemistry*, 28:9508-

have been based on disabled murine retroviruses.

10

15

20

25

9514 (1989); Kaneda et al, *J. Biol. Chem.*, 264:12126-12129 (1989); Stewart et al, *Hum. Gene Ther.*, 3:267-275 (1992); Nabel et al, *Science*, 249:1285-1288 (1990); Lim et al, *Circulation*, 83:2007-2011 (1992)), and direct DNA uptake and receptor-mediated DNA transfer (Wolff et al, *Science*, 247:1465-1468 (1990); Wu et al, *BioTechniques*, 11:474-485 (1991); Zenke et al, *Proc. Natl. Acad. Sci. USA*, 87:3655-3659 (1990); Wu et al, *J. Biol. Chem.*, 264:16985-16987 (1989); Wolff et al, *BioTechniques*, 11:474-485 (1991); Wagner et al, 1990; Wagner et al, *Proc. Natl. Acad. Sci. USA*, 88:4255-4259 (1991); Cotten et al, *Proc. Natl. Acad. Sci. USA*, 88:8850-8854 (1991); Curiel et al, *Hum. Gene Ther.*, 3:147-154 (1991)). Viral-mediated gene transfer can be combined with direct *in vivo* vectors to the mesenchymal stem cells and not into the surrounding cells (Romano et al, *In Vivo*, 12(1):59-67 (1998); Gonez et al, *Hum. Mol. Genetics*, 7(12):1913-9 (1998)). Alternatively, the retroviral vector producer cell line can be injected into the bone marrow (Culver et al, *Science*, 256:1550-1552 (1992)). Injection of producer cells would then provide a continuous source of vector particles. This technique has been approved for use in humans with inoperable brain tumors.

In an approach which combines biological and physical gene transfer methods, plasmid DNA of any size is combined with a polylysine-conjugated antibody specific to the adenovirus hexon protein, and the resulting complex is bound to an adenovirus vector. The trimolecular complex is then used to infect cells. The adenovirus vector permits efficient binding, internalization, and degradation of the endosome before the coupled DNA is damaged.

Liposome/DNA complexes have been shown to be capable of mediating direct *in vivo* gene transfer. While in standard liposome preparations the gene transfer process is non-specific, localized *in vivo* uptake and expression have been reported in tumor deposits, for example, following direct *in situ* administration (Nabel, *Hum. Gene Ther.*, 3:399-410 (1992)).

XVIII. Methods of Use: Transformed Hosts, Development of Pharmaceuticals and

10

15

20

25

Research Tools

Cells and animals that carry the HBM gene can be used as model systems to study and test for substances that have potential as therapeutic agents (Onyia et al, *J. Bone Miner. Res.*, 13:20-30 (1998); Broder et al, *Bone*, 21:225-235 (1997)). The cells are typically cultured mesenchymal stem cells. These may be isolated from individuals with somatic or germline HBM genes. Alternatively, the cell line can be engineered to carry the HBM gene, as described above. After a test substance is applied to the cells, the transformed phenotype of the cell is determined. Any trait of transformed cells can be assessed, including formation of bone matrix in culture (Broder et al, *Bone*, 21:225-235 (1997)), mechanical properties (Kizer et al, *Proc. Natl. Acad. Sci. USA*, 94:1013-1018 (1997)), and response to application of putative therapeutic agents.

Animals for testing therapeutic agents can be selected after treatment of germline cells or zygotes. Such treatments include insertion of the Zmax1 gene, as well as insertion of the HBM gene and disrupted homologous genes. Alternatively, the inserted Zmax1 gene(s) and/or HBM gene(s) of the animals may be disrupted by insertion or deletion mutation of other genetic alterations using conventional techniques, such as those described by, for example, Capechi, *Science*, 244:1288 (1989); Valancuis et al, *Mol. Cell Biol.*, 11:1402 (1991); Hasty et al, *Nature*, 350:243 (1991); Shinkai et al, *Cell*, 68:855 (1992); Mombaerts et al, *Cell*, 68:869 (1992); Philpott et al, *Science*, 256:1448 (1992); Snouwaert et al, *Science*, 257:1083 (1992); Donehower et al, *Nature*, 356:215 (1992). After test substances have been administered to the animals, the growth of bone must be assessed. If the test substance enhances the growth of bone, then the test substance is a candidate therapeutic agent. These animal models provide an extremely important vehicle for potential therapeutic products.

Individuals carrying the HBM gene have elevated bone mass. The HBM gene causes this phenotype by altering the activities, levels, expression patterns, and modification states of other molecules involved in bone development. Using a variety of established techniques, it

10

15

20

25

is possible to identify molecules, preferably proteins or mRNAs, whose activities, levels, expression patterns, and modification states are different between systems containing the Zmax 1 gene and systems containing the HBM gene. Such systems can be, for example, cell-free extracts, cells, tissues or living organisms, such as mice or humans. For a mutant form of Zmax1, a complete deletion of Zmax1, mutations lacking the extracellular or intracellular portion of the protein, or any other mutation in the Zmax1 gene may be used. It is also possible to use expression of antisense Zmax1 RNA or oligonucleotides to inhibit production of the Zmax1 protein. For a mutant form of HBM, a complete deletion of HBM, mutations lacking the extracellular or intracellular portion of the HBM protein, or any other mutation in the HBM gene may be used. It is also possible to use expression of antisense HBM RNA or oligonucleotides to inhibit production of the HBM protein.

Molecules identified by comparison of Zmax1 systems and HBM systems can be used as surrogate markers in pharmaceutical development or in diagnosis of human or animal bone disease. Alternatively, such molecules may be used in treatment of bone disease. *See*, Schena et al, *Science*, 270:467-470 (1995).

For example, a transgenic mouse carrying the HBM gene in the mouse homologue is constructed. A mouse of the genotype HBM/+ is viable, healthy and has elevated bone mass. To identify surrogate markers for elevated bone mass, HBM/+ (i.e., heterozygous) and isogenic +/+ (i.e., wild-type) mice are sacrificed. Bone tissue mRNA is extracted from each animal, and a "gene chip" corresponding to mRNAs expressed in the +/+ individual is constructed. mRNA from different tissues is isolated from animals of each genotype, reverse-transcribed, fluorescently labeled, and then hybridized to gene fragments affixed to a solid support. The ratio of fluorescent intensity between the two populations is indicative of the relative abundance of the specific mRNAs in the +/+ and HBM/+ animals. Genes encoding mRNAs over- and under-expressed relative to the wild-type control are candidates for genes coordinately regulated by the HBM gene.

10

15

20

25

One standard procedure for identification of new proteins that are part of the same signaling cascade as an already-discovered protein is as follows. Cells are treated with radioactive phosphorous, and the already-discovered protein is manipulated to be more ore less active. The phosphorylation state of other proteins in the cell is then monitored by polyacrylamide gel electrophoresis and autoradiography, or similar techniques. Levels of activity of the known protein may be manipulated by many methods, including, for example, comparing wild-type mutant proteins using specific inhibitors such as drugs or antibodies, simply adding or not adding a known extracellular protein, or using antisense inhibition of the expression of the known protein (Tamura et al, *Science*, 280(5369):1614-7 (1998); Meng, *EMBO J.*, 17(15):4391-403 (1998); Cooper et al, *Cell*, 1:263-73 (1982)).

In another example, proteins with different levels of phosphorylation are identified in TE85 osteosarcoma cells expressing either a sense or antisense cDNA for Zmax1. TE85 cells normally express high levels of Zmax1 (Dong et al, *Biochem. & Biophys. Res. Comm.*, 251:784-790 (1998)). Cells containing the sense construct express even higher levels of Zmax1, while cells expressing the antisense construct express lower levels. Cells are grown in the presence of ³²P, harvested, lysed, and the lysates run on SDS polyacrylamide gels to separate proteins, and the gels subjected to autoradiography (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)). Bands that differ in intensity between the sense and antisense cell lines represent phosphoproteins whose phosphorylation state or absolute level varies in response to levels of Zmax1. As an alternative to the ³²P-labeling, unlabeled proteins may be separated by SDS-PAGE and subjected to immunoblotting, using the commercially available anti-phosphotyrosine antibody as a probe (Thomas et al, *Nature*, 376(6537):267-71 (1995)). As an alternative to the expression of antisense RNA, transfection with chemically modified antisense oligonucleotides can be used (Woolf et al, *Nucleic Acids Res.*, 18(7):1763-9 (1990)).

Many bone disorders, such as osteoporosis, have a slow onset and a slow response to

10

15

20

25

treatment. It is therefore useful to develop surrogate markers for bone development and mineralization. Such markers can be useful in developing treatments for bone disorders, and for diagnosing patients who may be at risk for later development of bone disorders.

Examples of preferred markers are N- and C-terminal telopeptide markers described, for example, in U.S. Patent Nos. 5,455,179, 5,641,837 and 5,652,112, the disclosures of which are incorporated by reference herein in their entirety. In the area of HIV disease, CD4 counts and viral load are useful surrogate markers for disease progression (Vlahov et al, *JAMA*, 279(1):35-40 (1998)). There is a need for analogous surrogate markers in the area of bone disease.

A surrogate marker can be any characteristic that is easily tested and relatively insensitive to non-specific influences. For example, a surrogate marker can be a molecule such as a protein or mRNA in a tissue or in blood serum. Alternatively, a surrogate marker may be a diagnostic sign such as sensitivity to pain, a reflex response or the like.

In yet another example, surrogate markers for elevated bone mass are identified using a pedigree of humans carrying the HBM gene. Blood samples are withdrawn from three individuals that carry the HBM gene, and from three closely related individuals that do not. Proteins in the serum from these individuals are electrophoresed on a two dimensional gel system, in which one dimension separates proteins by size, and another dimension separates proteins by isoelectric point (Epstein et al, *Electrophoresis*, 17(11):1655-70 (1996)). Spots corresponding to proteins are identified. A few spots are expected to be present in different amounts or in slightly different positions for the HBM individuals compared to their normal relatives. These spots correspond to proteins that are candidate surrogate markers. The identities of the proteins are determined by microsequencing, and antibodies to the proteins can be produced by standard methods for use in diagnostic testing procedures. Diagnostic assays for HBM proteins or other candidate surrogate markers include using antibodies described in this invention and a reporter molecule to detect HBM in human body fluids,

10

15

20

25

membranes, bones, cells, tissues or extracts thereof. The antibodies can be labeled by joining them covalently or noncovalently with a substance that provides a detectable signal. In many scientific and patent literature, a variety of reporter molecules or labels are described including radionuclides, enzymes, fluorescent, chemi-luminescent or chromogenic agents (U.S. Patent Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241).

Using these antibodies, the levels of candidate surrogate markers are measured in normal individuals and in patients suffering from a bone disorder, such as osteoporosis, osteoporosis pseudoglioma, Engelmann's disease, Ribbing's disease, hyperphosphatasemia, Van Buchem's disease, melorheostosis, osteopetrosis, pychodysostosis, sclerosteosis, osteopoikilosis, acromegaly, Paget's disease, fibrous dysplasia, tubular stenosis, osteogenesis imperfecta, hypoparathyroidism, pseudohypoparathyroidism, pseudohypoparathyroidism, pseudopseudohypoparathyroidism, primary and secondary hyperparathyroidism and associated syndromes, hypercalciuria, medullary carcinoma of the thyroid gland, osteomalacia and other diseases. Techniques for measuring levels of protein in serum in a clinical setting using antibodies are well established. A protein that is consistently present in higher or lower levels in individuals carrying a particular disease or type of disease is a useful surrogate marker.

A surrogate marker can be used in diagnosis of a bone disorder. For example, consider a child that present to a physician with a high frequency of bone fracture. The underlying cause may be child abuse, inappropriate behavior by the child, or a bone disorder. To rapidly test for a bone disorder, the levels of the surrogate marker protein are measured using the antibody described above.

Levels of modification states of surrogate markers can be measured as indicators of the likely effectiveness of a drug that is being developed. It is especially convenient to use surrogate markers in creating treatments for bone disorders, because alterations in bone

10

15

20

25

development or mineralization may require a long time to be observed. For example, a set of bone mRNAs, termed the "HBM-inducible mRNA set" is found to be overexpressed in HBM/+ mice as compared to +/+ mice, as described above. Expression of this set can be used as a surrogate marker. Specifically, if treatment of +/+ mice with a compound results in overexpression of the HBM-inducible mRNA set, then that compound is considered a promising candidate for further development.

This invention is particularly useful for screening compounds by using the Zmax1 or HBM protein or binding fragment thereof in any of a variety of drug screening techniques.

The Zmax1 or HBM protein or fragment employed in such a test may either be free in solution, affixed to a solid support, or borne on a cell surface. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the protein or fragment, preferably in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, for the formation of complexes between a Zmax1 or HBM protein or fragment and the agent being tested, or examine the degree to which the formation of a complex between a Zmax1 or HBM protein or fragment and a known ligand is interfered with by the agent being tested.

Thus, the present invention provides methods of screening for drugs comprising contacting such an agent with a Zmax1 or HBM protein or fragment thereof and assaying (i) for the presence of a complex between the agent and the Zmax1 or HBM protein or fragment, or (ii) for the presence of a complex between the Zmax1 or HBM protein or fragment and a ligand, by methods well known in the art. In such competitive binding assays the Zmax1 or HBM protein or fragment is typically labeled. Free Zmax1 or HBM protein or fragment is separated from that present in a protein:protein complex, and the amount of free (i.e., uncomplexed) label is a measure of the binding of the agent being tested to Zmax1 or HBM or its interference with Zmax1 or HBM: ligand binding, respectively.

10

15

20

25

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the Zmax1 or HBM proteins and is described in detail in WO 84/03564. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with Zmax1 or HBM proteins and washed. Bound Zmax1 or HBM protein is then detected by methods well known in the art. Purified Zmax1 or HBM can be coated directly onto plates for use in the aforementioned drug screening techniques. However, non-neutralizing antibodies to the protein can be used to capture antibodies to immobilize the Zmax1 or HBM protein on the solid phase.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of specifically binding the Zmax1 or HBM protein compete with a test compound for binding to the Zmax1 or HBM protein or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide that shares one or more antigenic determinants of the Zmax1 or HBM protein.

A further technique for drug screening involves the use of host eukaryotic cell lines or cells (such as described above) that have a nonfunctional Zmax1 or HBM gene. These host cell lines or cells are defective at the Zmax1 or HBM protein level. The host cell lines or cells are grown in the presence of drug compound. The rate of growth of the host cells is measured to determine if the compound is capable of regulating the growth of Zmax1 or HBM defective cells.

The goal of rational drug design is to produce structural analogs of biologically active proteins of interest or of small molecules with which they interact (e.g., agonists, antagonists, inhibitors) in order to fashion drugs which are, for example, more active or stable forms of the protein, or which, e.g., enhance or interfere with the function of a protein *in vivo*. See, e.g., Hodgson, *Bio/Technology*, 9:19-21 (1991). In one approach, one first determines the three-dimensional structure of a protein of interest (e.g., Zmax1 or HBM protein) or, for

10

15

20

25

example, of the Zmax1- or HBM-receptor or ligand complex, by x-ray crystallography, by computer modeling or most typically, by a combination of approaches. Less often, useful information regarding the structure of a protein may be gained by modeling based on the structure of homologous proteins. An example of rational drug design is the development of HIV protease inhibitors (Erickson et al, *Science*, 249:527-533 (1990)). In addition, peptides (e.g., Zmax1 or HBM protein) are analyzed by an alanine scan (Wells, *Methods in Enzymol.*, 202:390-411 (1991)). In this technique, an amino acid residue is replaced by Ala, and its effect on the peptide's activity is determined. Each of the amino acid residues of the peptide is analyzed in this manner to determine the important regions of the peptide.

It is also possible to isolate a target-specific antibody, selected by a functional assay, and then to solve its crystal structure. In principle, this approach yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced banks of peptides. Selected peptides would then act as the pharmacore.

Thus, one may design drugs which have, e.g., improved Zmax1 or HBM protein activity or stability or which act as inhibitors, agonists, antagonists, etc. of Zmax1 or HBM protein activity. By virtue of the availability of cloned Zmax1 or HBM sequences, sufficient amounts of the Zmax1 or HBM protein may be made available to perform such analytical studies as x-ray crystallography. In addition, the knowledge of the Zmax1 or HBM protein sequence provided herein will guide those employing computer modeling techniques in place of, or in addition to x-ray crystallography.

XIX. Methods of Use: Avian and Mammalian Animal Husbandry

The Zmax1 DNA and Zmax1 protein and/or the HBM DNA and HBM protein can be

10

15

20

25

used for vertebrate and preferably human therapeutic agents and for avian and mammalian veterinary agents, including for livestock breeding. Birds, including, for example, chickens, roosters, hens, turkeys, ostriches, ducks, pheasants and quails, can benefit from the identification of the gene and pathway for high bone mass. In many examples cited in literature (for example, McCoy et al, *Res. Vet. Sci.*, 60(2):185-186 (1996)), weakened bones due to husbandry conditions cause cage layer fatigue, osteoporosis and high mortality rates. Additional therapeutic agents to treat osteoporosis or other bone disorders in birds can have considerable beneficial effects on avian welfare and the economic conditions of the livestock industry, including, for example, meat and egg production.

XX. Methods of use: Diagnostic assays using Zmax1-specific oligonucleotides for detection of genetic alterations affecting bone development.

In cases where an alteration or disease of bone development is suspected to involve an alteration of the Zmax1 gene or the HBM gene, specific oligonucleotides may be constructed and used to assess the level of Zmax1 mRNA or HBM mRNA, respectively, in bone tissue or in another tissue that affects bone development.

For example, to test whether a person has the HBM gene, which affects bone density, polymerase chain reaction can be used. Two oligonucleotides are synthesized by standard methods or are obtained from a commercial supplier of custom-made oligonucleotides. The length and base composition are determined by standard criteria using the Oligo 4.0 primer Picking program (Wojchich Rychlik, 1992). One of the oligonucleotides is designed so that it will hybridize only to HBM DNA under the PCR conditions used. The other oligonucleotide is designed to hybridize a segment of Zmax1 genomic DNA such that amplification of DNA using these oligonucleotide primers produces a conveniently identified DNA fragment. For example, the pair of primers CCAAGTTCTGAGAAGTCC (SEQ ID NO:32) and AATACCTGAAACCA TACCTG (SEQ ID NO:33) will amplify a 530 base pair DNA fragment from a DNA sample when the following conditions are used: step 1 at 95 C for

10

15

20

25

120 seconds; step 2 at 95 C for 30 seconds; step 3 at 58 C for 30 seconds; step 4 at 72 C for 120 seconds; where steps 2-4 are repeated 35 times. Tissue samples may be obtained from hair follicles, whole blood, or the buccal cavity.

The fragment generated by the above procedure is sequenced by standard techniques. Individuals heterozygous for the HBM gene will show an equal amount of G and T at the second position in the codon for glycine 171. Normal or homozygous wild-type individuals will show only G at this position.

Other amplification techniques besides PCR may be used as alternatives, such as ligation-mediated PCR or techniques involving Q-beta replicase (Cahill et al, *Clin. Chem.*, 37(9):1482-5 (1991)). For example, the oligonucleotides AGCTGCTCGTAGCT GTCTCTCCCTGGATCACGGGTACATGTACTGGACAGACTGGGT (SEQ ID NO:34) and TGAGACGCCCCGGATTGAGCGGGCAGGGATAGCTTATTCCCTGT GCCGCATTACGGC (SEQ ID NO:35) can be hybridized to a denatured human DNA sample, treated with a DNA ligase, and then subjected to PCR amplification using the primer oligonucleotides AGCTGCTCGTAG CTGTCTCTCCCTGGA (SEQ ID NO:36) and GCCGTAATGCGGCACAGGGAATAAGCT (SEQ ID NO:37). In the first two oligonucleotides, the outer 27 bases are random sequence corresponding to primer binding sites, and the inner 30 bases correspond to sequences in the Zmax1 gene. The T at the end of the first oligonucleotide corresponds to the HBM gene. The first two oligonucleotides are ligated only when hybridized to human DNA carrying the HBM gene, which results in the formation of an amplifiable 114 bp DNA fragment.

Products of amplification can be detected by agarose gel electrophoresis, quantitative hybridization, or equivalent techniques for nucleic acid detection known to one skilled in the art of molecular biology (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring, NY (1989)).

Other alterations in the Zmax1 gene or the HBM gene may be diagnosed by the same

20

25

5

type of amplification-detection procedures, by using oligonucleotides designed to identify those alterations. These procedures can be used in animals as well as humans to identify alterations in Zmax1 or HBM that affect bone development.

Expression of Zmax1 or HBM in bone tissue may be accomplished by fusing the cDNA of Zmax1or HBM, respectively, to a bone-specific promoter in the context of a vector for genetically engineering vertebrate cells. DNA constructs are introduced into cells by packaging the DNA into virus capsids, by the use of cationic liposomes, electroporation, or by calcium phosphate transfection. Transfected cells, preferably osteoblasts, may be studied in culture or may be introduced into bone tissue in animals by direct injection into bone or by intravenous injection of osteoblasts, followed by incorporation into bone tissue (Ko et al, Cancer Research, 56(20):4614-9 (1996)). For example, the osteocalcin promoter, which is specifically active in osteoblasts, may be used to direct transcription of the Zmax1 gene or the HBM gene. Any of several vectors and transfection methods may be used, such as retroviral vectors, adenovirus vectors, or vectors that are maintained after transfection using cationic liposomes, or other methods and vectors described herein.

Alteration of the level of functional Zmax1 protein or HBM protein affects the level of bone mineralization. By manipulating levels of functional Zmax1 protein or HBM protein, it is possible to affect bone development and to increase or decrease levels of bone mineralization. For example, it may be useful to increase bone mineralization in patients with osteoporosis. Alternatively, it may be useful to decrease bone mineralization in patients with osteopetrosis or Paget's disease. Alteration of Zmax1 levels or HBM levels can also be used as a research tool. Specifically, it is possible to identify proteins, mRNA and other molecules whose level or modification status is altered in response to changes in functional levels of Zmax1 or HBM. The pathology and pathogenesis of bone disorders is known and described, for example, in Rubin and Farber (Eds.), Pathology, 2nd Ed., S.B. Lippincott Co., Philadelphia, PA (1994).

10

15

20

25

A variety of techniques can be used to alter the levels of functional Zmax1 or HBM. For example, intravenous or intraosseous injection of the extracellular portion of Zmax1 or mutations thereof, or HBM or mutations thereof, will alter the level of Zmax1 activity or HBM activity, respectively, in the body of the treated human, animal or bird. Truncated versions of the Zmax1 protein or HBM protein can also be injected to alter the levels of functional Zmax1 protein or HBM protein, respectively. Certain forms of Zmax1 or HBM enhance the activity of endogenous protein, while other forms are inhibitory.

In a preferred embodiment, the HBM protein is used to treat osteoporosis. In a further preferred embodiment, the extracellular portion of the HBM protein is used. This HBM protein may be optionally modified by the addition of a moiety that causes the protein to adhere to the surface of cells. The protein is prepared in a pharmaceutically acceptable solution and is administered by injection or another method that achieves acceptable pharmacokinetics and distribution.

In a second embodiment of this method, Zmax1 or HBM levels are increased or decreased by gene therapy techniques. To increase Zmax1 or HBM levels, osteoblasts or another useful cell type are genetically engineered to express high levels of Zmax1 or HBM as described above. Alternatively, to decrease Zmax1 or HBM levels, antisense constructs that specifically reduce the level of translatable Zmax1 or HBM mRNA can be used. In general, a tissue-nonspecific promoter may be used, such as the CMV promoter or another commercially available promoter found in expression vectors (Wu et al, *Toxicol. Appl. Pharmacol.*, 141(1):330-9 (1996)). In a preferred embodiment, a Zmax1 cDNA or its antisense is transcribed by a bone-specific promoter, such as the osteocalcin or another promoter, to achieve specific expression in bone tissue. In this way, if a Zmax1-expressing DNA construct or HBM-expressing construct is introduced into non-bone tissue, it will not be expressed.

In a third embodiment of this method, antibodies against Zmax1 or HBM are used to

10

15

20

25

inhibit its function. Such antibodies are identified herein.

In a fourth embodiment of this method, drugs that inhibit Zmax1 function or HBM function are used. Such drugs are described herein and optimized according to techniques of medicinal chemistry well known to one skilled in the art of pharmaceutical development.

Zmax1 and HBM interact with several proteins, such as ApoE. Molecules that inhibit the interaction between Zmax1 or HBM and ApoE or another binding partner are expected to alter bone development and mineralization. Such inhibitors may be useful as drugs in the treatment of osteoporosis, osteopetrosis, or other diseases of bone mineralization. Such inhibitors may be low molecular weight compounds, proteins or other types of molecules. *See*, Kim et al, *J. Biochem.* (Tokyo), 124(6):1072-1076 (1998).

Inhibitors of the interaction between Zmax1 or HBM and interacting proteins may be isolated by standard drug-screening techniques. For example, Zmax1 protein, (or a fragment thereof) or HBM protein (or a fragment thereof) can be immobilized on a solid support such as the base of microtiter well. A second protein or protein fragment, such as ApoE is derivatized to aid in detection, for example with fluorescein. Iodine, or biotin, then added to the Zmax1 or HBM in the presence of candidate compounds that may specifically inhibit this protein-protein domain of Zmax1 or HBM, respectively, and thus avoid problems associated with its transmembrane segment. Drug screens of this type are well known to one skilled in the art of pharmaceutical development.

Because Zmax1 and HBM are involved in bone development, proteins that bind to Zmax1 and HBM are also expected to be involved in bone development. Such binding proteins can be identified by standard methods, such as co-immunoprecipitation, co-fractionation, or the two-hybrid screen (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)). For example, to identify Zmax1-interacting proteins or HBM-interacting proteins using the two-hybrid system, the extracellular domain of Zmax1 or HBM is fused to LexA and expressed for the yeast vector pEG202 (the "bait") and expressed

10

15

20

25

in the yeast strain EGY48. The yeast strain is transformed with a "prey" library in the appropriate vector, which encodes a galactose-inducible transcription-activation sequence fused to candidate interacting proteins. The techniques for initially selecting and subsequently verifying interacting proteins by this method are well known to one skilled in the art of molecular biology (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)).

In a preferred embodiment, proteins that interact with HBM, but not Zmax1, are identified using a variation of the above procedure (Xu et al, *Proc. Natl. Acad. Sci. USA*, 94(23):12473-8 (Nov. 1997)). This variation of the two-hybrid system uses two baits, and Zmax1 and HBM are each fused to LexA and TetR, respectively. Alternatively, proteins that interact with the HBM but not Zmax1 are also isolated. These procedures are well known to one skilled in the art of molecular biology, and are a simple variation of standard two-hybrid procedures.

As an alternative method of isolating Zmax1 or HBM interacting proteins, a biochemical approach is used. The Zmax1 protein or a fragment thereof, such as the extracellular domain, or the HBM protein or a fragment thereof, such as the extracellular domain, is chemically coupled to Sepharose beads. The Zmax1- or HBM-coupled beads are poured into a column. An extract of proteins, such as serum proteins, proteins in the supernatant of a bone biopsy, or intracellular proteins from gently lysed TE85 osteoblastic cells, is added to the column. Non-specifically bound proteins are eluted, the column is washed several times with a low-salt buffer, and then tightly binding proteins are eluted with a high-salt buffer. These are candidate proteins that bind to Zmax1 or HBM, and can be tested for specific binding by standard tests and control experiments. Sepharose beads used for coupling proteins and the methods for performing the coupling are commercially available (Sigma), and the procedures described here are well known to one skilled in the art of protein biochemistry.

10

15

20

25

As a variation of the above procedure, proteins that are eluted by high salt from the Zmax1- or HBM-Sepharose column are then added to an HBM-Zmax1-sepharose column. Proteins that flow through without sticking are proteins that bind to Zmax1 but not to HBM. Alternatively, proteins that bind to the HBM protein and not to the Zmax1 protein can be isolated by reversing the order in which the columns are used.

XXI. Method of Use: Transformation-Associated Recombination (TAR) Cloning

Essential for the identification of novel allelic variants of Zmax1 is the ability to examine the sequence of both copies of the gene in an individual. To accomplish this, two "hooks," or regions of significant similarity, are identified within the genomic sequence such that they flank the portion of DNA that is to be cloned. Most preferably, the first of these hooks is derived from sequences 5' to the first exon of interest and the second is derived from sequences 3' to the last exon of interest. These two "hooks" are cloned into a bacterial/yeast shuttle vector such as that described by Larionov et al, Proc. Natl. Acad. Sci. USA, 94:7384-7387 (1997). Other similar vector systems may also be used. To recover the entire genomic copy of the Zmax1 gene, the plasmid containing the two "hooks" is linearized with a restriction endonuclease or is produced by another method such as PCR. This linear DNA fragment is introduced into yeast cells along with human genomic DNA. Typically, the yeast Saccharomyces cerevisiae is used as a host cell, although Larionov et al (in press) have reported using chicken host cells as well. During and after the process of transformation, the endogenous host cell converts the linear plasmid to a circle by a recombination event whereby the region of the human genomic DNA homologous to the "hooks" is inserted into the plasmid. This plasmid can be recovered and analyzed by methods well known to one skilled in the art. Obviously, the specificity for this reaction requires the host cell machinery to recognize sequences similar to the "hooks" present in the linear fragment. However, 100% sequence identity is not required, as shown by Kouprina et al, Genomics, 53(1):21-28 (October 1998), where the author describes using degenerate repeated sequences common in

10

15

20

25

the human genome to recover fragments of human DNA from a rodent/human hybrid cell line.

In another example, only one "hook" is required, as described by Larionov et al, *Proc. Natl. Acad. Sci. USA*, 95(8):4469-74 (April 1998). For this type of experiment, termed "radial TAR cloning," the other region of sequence similarity to drive the recombination is derived from a repeated sequence from the genome. In this way, regions of DNA adjacent to the Zmax1 gene coding region can be recovered and examined for alterations that may affect function.

XXII. Methods of Use: Genomic Screening

The use of polymorphic genetic markers linked to the HBM gene or to Zmax1 is very useful in predicting susceptibility to osteoporosis or other bone diseases. Koller et al, *Amer. J. Bone Min. Res.*, 13:1903-1908 (1998) have demonstrated that the use of polymorphic genetic markers is useful for linkage analysis. Similarly, the identification of polymorphic genetic markers within the high bone mass gene will allow the identification of specific allelic variants that are in linkage disequilibrium with other genetic lesions that affect bone development. Using the DNA sequence from the BACs, a dinucleotide CAn repeat was identified and two unique PCR primers that will amplify the genomic DNA containing this repeat were designed, as shown below:

B200E21C16_L: GAGAGGCTATATCCCTGGGC (SEQ ID NO:38)

B200E21C16_R: ACAGCACGTGTTTAAAGGGG (SEQ ID NO:39) and used in the genetic mapping study.

This method has been used successfully by others skilled in the art (e.g., Sheffield et al, *Genet.*, 4:1837-1844 (1995); LeBlanc-Straceski et al, *Genomics*, 19:341-9 (1994); Chen et al, *Genomics*, 25:1-8 (1995)). Use of these reagents with populations or individuals will predict their risk for osteoporosis. Similarly, single nucleotide polymorphisms (SNPs), such as those shown in Table 4 above, can be used as well to predict risk for developing bone

10

15

20

25

diseases or resistance to osteoporosis in the case of the HBM gene.

XXIII. Methods of Use: Modulators of Tissue Calcification

The calcification of tissues in the human body is well documented. Towler et al, J. Biol. Chem., 273:30427-34 (1998) demonstrated that several proteins known to regulate calcification of the developing skull in a model system are expressed in calcified aorta. The expression of Msx2, a gene transcribed in osteoprogenitor cells, in calcified vascular tissue indicates that genes which are important in bone development are involved in calcification of other tissues. Treatment with HBM protein, agonists or antagonists is likely to ameliorate calcification (such as the vasculature, dentin and bone of the skull visera) due to its demonstrated effect on bone mineral density. In experimental systems where tissue calcification is demonstrated, the over-expression or repression of Zmax1 activity permits the identification of molecules that are directly regulated by the Zmax1 gene. These genes are potential targets for therapeutics aimed at modulating tissue calcification. For example, an animal, such as the LDLR -/-, mouse is fed a high fat diet and is observed to demonstrate expression of markers of tissue calcification, including Zmax1. These animals are then treated with antibodies to Zmax1 or HBM protein, antisense oligonucleotides directed against Zmax1 or HBM cDNA, or with compounds known to bind the Zmax1 or HBM protein or its binding partner or ligand. RNA or proteins are extracted from the vascular tissue and the relative expression levels of the genes expressed in the tissue are determined by methods well known in the art. Genes that are regulated in the tissue are potential therapeutic targets for pharmaceutical development as modulators of tissue calcification.

The nucleic acids, proteins, peptides, amino acids, small molecules or other pharmaceutically useful compounds of the present invention that are to be given to an individual may be administered in the form of a composition with a pharmaceutically acceptable carrier, excipient or diluent, which are well known in the art. The individual may be a mammal or a bird, preferably a human, a rat, a mouse or bird. Such compositions may

10

15

20

25

be administered to an individual in a pharmaceutically effective amount. The amount administered will vary depending on the condition being treated and the patient being treated. The compositions may be administered alone or in combination with other treatments.

EXAMPLES

The present invention is described by reference to the following Examples, which are offered by way of illustration and are not intended to limit the invention in any manner.

Standard techniques well known in the art or the techniques specifically described below were utilized.

Example 1

The propositus was referred by her physicians to the Creighton Osteoporosis Center for evaluation of what appeared to be unusually dense bones. She was 18 years old and came to medical attention two years previous because of back pain, which was precipitated by an auto accident in which the car in which she was riding as a passenger was struck from behind. Her only injury was soft tissue injury to her lower back that was manifested by pain and muscle tenderness. There was no evidence of fracture or subluxation on radiographs. The pain lasted for two years, although she was able to attend school full time. By the time she was seen in the Center, the pain was nearly resolved and she was back to her usual activities as a high school student. Physical exam revealed a normal healthy young woman standing 66 inches and weighing 128 pounds. Radiographs of the entire skeleton revealed dense looking bones with thick cortices. All bones of the skeleton were involved. Most importantly, the shapes of all the bones were entirely normal. The spinal BMC was 94.48 grams in L1-4, and the spinal BMD was 1.667 gm/cm² in L1-4. BMD was 5.62 standard deviations (SD) above peak skeletal mass for women. These were measured by DXA using a Hologic 2000~. Her mother was then scanned and a lumbar spinal BMC of 58.05 grams and BMD of 1.500 gm/cm² were found. Her mother's values place her 4.12 SD above peak mass and 4.98 SD above her peers. Her mother was 51 years old, stood 65 inches and weighed 140 pounds.

10

15

20

25

Her mother was in excellent health with no history of musculoskeletal or other symptoms. Her father's lumbar BMC was 75.33 grams and his BMD was 1.118 gm/cm². These values place him 0.25 SD above peak bone mass for males. He was in good health, stood 72 inches tall, and weighed 187 pounds.

These clinical data suggested that the propositus inherited a trait from her mother, which resulted in very high bone mass, but an otherwise normal skeleton, and attention was focused on the maternal kindred. In U.S. Patent No. 5,691,153, twenty- two of these members had measurement of bone mass by DXA. In one case, the maternal grandfather of the propositus, was deceased, however, medical records, antemortem skeletal radiographs and a gall bladder specimen embedded in paraffin for DNA genotyping were obtained. His radiographs showed obvious extreme density of all of the bones available for examination including the femur and the spine, and he was included among the affected members. In this invention, the pedigree has been expanded to include 37 informative individuals. These additions are a significant improvement over the original kinship (Johnson et al, *Am. J. Hum. Genet.*, 60:1326-1332 (1997)) because, among the fourteen individuals added since the original study, two individuals harbor key crossovers. X-linkage is ruled out by the presence of male-to-male transmission from individual 12 to 14 and 15.

Example 2

The present invention describes DNA sequences derived from two BAC clones from the HBM gene region, as evident in Table 6 below, which is an assembly of these clones. Clone b200e21-h (ATCC No. 980812; SEQ ID NOS: 10-11) was deposited at the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209 U.S.A., on December 30, 1997. Clone b527d12-h (ATCC No. 980720; SEQ ID NOS: 5-9) was deposited at the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209 U.S.A., on October 2, 1998. These sequences are unique reagents that can be used by one skilled in the art to identify DNA probes for the Zmax1 gene, PCR

primers to amplify the gene, nucleotide polymorphisms in the Zmax1 gene, or regulatory elements of the Zmax1 gene.

TABLE 6

Contig	ATCC No.	SEQ ID	Length (base
		NO.	pairs)
b527d12-h_contig302G	980720	5	3096
b527d12-h_contig306G	980720	6	26928
b527d12-h_contig307G	980720	7	29430
b527d12-h_contig308G	980720	8	33769
b527d12-h_contig309G	980720	9	72049
b200e21-h_contig1	980812	10	8705
b200e21-h_contig4	980812	11	66933

The disclosure of each of the patents, patent applications and publications cited in the specification is hereby incorporated by reference herein in its entirety.

Although the invention has been set forth in detail, one skilled in the art will recognize that numerous changes and modifications can be made, and that such changes and modifications may be made without departing from the spirit and scope of the invention.

CLAIMS

What is claimed is:

- 1. An isolated amino acid sequence of SEQ ID NO: 4.
- 2. A method of identifying a molecule involved in bone modulation comprising identifying a molecule that binds to, or that inhibits binding of a molecule to, HBM.
 - 3. The method of claim 2, wherein said molecule is a protein.
- 4. A method for identifying a protein involved in bone modulation comprising identifying a protein that has an expression level that is different in a first host comprising the Zmax1 gene when compared to a second host comprising the HBM gene.
 - 5. The method of claim 4, wherein the host is a cell or an animal.
- 6. A method of identifying a candidate protein involved in bone modulation comprising

identifying a protein in a first individual having the high bone mass phenotype; identifying a protein in a second individual not having the high bone mass phenotype; comparing the protein of the first individual to the protein of the second individual, wherein (i) the protein that is present in the first individual but not the second individual is the candidate protein or (ii) the protein that is present in a higher amount in the first individual than in the second individual is the candidate protein or (iii) the protein that is present in a lower amount in the first individual than in the second individual is the candidate protein.

- 7. The method of claim 6, further comprising producing an antibody to the candidate protein.
- 8. A method of identifying a candidate protein involved in bone modulation comprising

identifying a protein in a first individual having the high bone mass phenotype; identifying a protein in a second individual not having the high bone mass phenotype; comparing the protein of the first individual to the protein of the second individual, wherein (i) the protein that is present in the second individual but not the first individual is the candidate protein or (ii) the protein that is present in a higher amount in the second individual than in the first individual is the candidate protein or (iii) the protein that is present in a lower amount in the second individual than in the first individual is the candidate protein.

- 9. The method of claim 8, further comprising producing an antibody to the candidate protein.
- 10. A method of testing for HBM activity comprising immobilizing an HBM protein, binding a protein to the HBM protein, and measuring the extent of binding.
 - 11. The method of claim 10, wherein the protein is ApoE.
- 12. A method of pharmaceutical development for treatment of bone development disorders comprising identifying a molecule that binds to the amino acid sequence of SEQ ID NO: 4.

- 13. The method of claim 12, wherein the molecule inhibits or enhances the function of the amino acid.
- 14. A method of altering bone development in a host comprising administering the amino acid sequence of claim 1 to a somatic cell of a host suffering from a bone development disorder.
 - 15. The method of claim 14, wherein the host is a human or another vertebrate.
- 16. A method of altering bone development in a host comprising administering the amino acid sequence of claim 1 to a germ-line cell in a host suffering from a bone development disorder.
 - 17. The method of claim 16, wherein the animal is a human or another vertebrate.
- 18. A method of treating osteoporosis comprising administering the amino acid sequence of claim 1 to a patient in need thereof.
 - 19. The method of claim 18, wherein the patient is a human or another vertebrate.
- 20. A method of treating osteoporosis comprising administering the extracellular domain of the amino acid sequence of claim 1 to a patient in need thereof.
 - 21. The method of claim 20, wherein the patient is a human or another vertebrate.

- 22. A method of treating osteoporosis comprising administering the intracellular domain of the amino acid sequence of claim 1 to a patient in need thereof.
 - 23. The method of claim 22, wherein the patient is a human or another vertebrate.
- A method for treating bone development disorders comprising administering an antibody to a patient in need thereof, wherein the antibody is to the amino acid sequence of claim 1.
- 25. A diagnostic assay for bone development disorders comprising an antibody to the HBM protein.

10

ABSTRACT

The present invention relates to methods and materials used to isolate and detect a high bone mass gene and a corresponding wild-type gene, and mutants thereof. The present invention also relates to the high bone mass gene, the corresponding wild-type gene, and mutants thereof. The genes identified in the present invention are implicated in bone development. The invention also provides nucleic acids, including coding sequences, oligonucleotide primers and probes, proteins, cloning vectors, expression vectors, transformed hosts, methods of developing pharmaceutical compositions, methods of identifying molecules involved in bone development, and methods of diagnosing and treating diseases involved in bone development. In preferred embodiments, the present invention is directed to methods for treating, diagnosing and preventing osteoporosis.

Min den


###

And the grant gang

Figure 1.
HBM haplotype indicated with crosshatch

EST/Gene
Anonymous STS
STSs from BAC Ends
Genetic Marker

BAC/STS Map of the HBM Region



And the first first first to the transition of the first first first first first first first first first first

Homology on other chromosomes

... 9408 nt ...

Exon 3 Coordinates: 527d12_Contig308G 21141-20945

... 6094 nt ...

... 1827 nt ...

Exon 5 Coordinates: 527d12_Contig308G 13220-13088
tttctcagTCCACACTCGCTGTGAGGAGGACAATGGCGGCTGCTCCCACCTGT
GCCTGCTGTCCCCAAGCGAGCCTTTCTACACATGCGCCTGCCCCACGGG
TGTGCAGCTGCAGGACAACGGCAGGACGTGTAAGGCAGgtgaggcggtgggacg

..... 3211 nt

..... 13445 nt

Exon 8 Coordinates: 527d12_Contig309G 24927-25143
ccgtcctgcagGTGATCAATGTTGATGGGACGAAGAGGCGGACCCTCCTGGAG
GACAAGCTCCCGCACATTTTCGGGTTCACGCTGCTGGGGGACTTCATCTA
CTGGACTGACTGGCAGCGCCGCAGCATCGAGCGGGTGCACAAGGTCAAG
GCCAGCCGGGACGTCATCATTGACCAGCTGCCCGACCTGATGGGGCTCA
AAGCTGTGAATGTGGCCAAGGTCGTCGgtgagtccgggggggtc

....2826 nt

Exon 9 Coordinates: 527d12_Contig309G 27969-28256
gttcgcttccagGAACCAACCCGTGTGCGGACAGGAACGGGGGGTGCAGCCACC
TGTGCTTCTTCACACCCCACGCAACCCGGTGTGGCTGCCCCATCGGCCT
GGAGCTGCTGAGTGACATGAAGACCTGCATCGTGCCTGAGGCCTTCTTG
GTCTTCACCAGCAGAGCCGCCATCCACAGGATCTCCCTCGAGACCAATA
ACAACGACGTGGCCATCCCGCTCACGGGCGTCAAGGAGCCTCAGCCCT
GGACTTTGATGTGTCCAACAACCACATCTACTGGACAGACGTCAGCCTGA
AGgtagcgtgggc

.....3102.....

FIGURE 3B

Exon 10 Coordinates: 527d12_Contig309G 31358-31582
cctgctgccagACCATCAGCCGCGCCCTTCATGAACGGGAGCTCGGTGGAGCAC
GTGGTGGAGTTTGGCCTTGACTACCCCGAGGGCATGGCCGTTGACTGGA
TGGGCAAGAACCTCTACTGGGCCGACACTGGGACCAACAGAATCGAAGT
GGCGCGGCTGGACGGCCAGTTCCGGCAAGTCCTCGTGTGGAGGGACTTG
GACAACCCGAGGTCGCTGGCCCTGGATCCCACCAAGGGgtaagtgttttgcctgtc

.....1297 nt......

Exon 11 Coordinates: 527d12_Contig309G 32879-33064
gtgccttccagCTACATCTACTGGACCGAGTGGGGCGGCAAGCCGAGGATCGTG
CGGGCCTTCATGGACGGGACCAACTGCATGACGCTGGTGGACAAGGTGG
GCCGGGCCAACGACCTCACCATTGACTACGCTGACCAGCGCCTCTACTG
GACCGACCTGGACACCAACATGATCGAGTCGTCCAACATGCTGGgtgagggcc
gggct -

.....2069 nt.....

......2006 nt.....

Exon 13 Coordinates: 527d12_Contig309G 37460-37659
gcctcctctaCGCCCACCACCTTCTTGCTGTTCAGCCAGAAATCTGCCATCAGT
CGGATGATCCCGGACGACCAGCACAGCCCGGATCTCATCCTGCCCCTGC
ATGGACTGAGGAACGTCAAAGCCATCGACTATGACCCACTGGACAAGTT
CATCTACTGGGTGGATGGGCGCCAGAACATCAAGCGAGCCAAGGACGAC
GGGACCCAGgcaggtgccctgtgg

.....6965 nt.....

FIGURE 3C

Exon 14 Coordinates: 527d12_Contig309G 44624-44832 ctttgtcttacagCCCTTTGTTTTGACCTCTCTGAGCCAAGGCCAAAACCCAGACA GGCAGCCCCACGACCTCAGCATCGACATCTACAGCCGGACACTGTTCTG GACGTGCGAGGCCACCAATACCATCAACGTCCACAGGCTGAGCGGGAA GCCATGGGGGTGCTGCGTGGGGGACCGCGACAAGCCCAGGCCATC GTCGTCAACGCGGAGCGAGCGAGGGTaggaggccaac

.....1404 nt.....

Exon 15 Coordinates: 527d12_Contig309G 46236-46427 ccaccetccegcagGTACCTGTACTTCACCAACATGCAGGACCGGGCAGCCAAGA TCGAACGCGCAGCCCTGGACGGCACCGAGCGCGAGGTCCTCTTCACCAC CGGCCTCATCCGCCCTGTGGCCCTGGTGGTGGACAACACACTGGGCAAG CTGTTCTGGGTGGACGCGGACCTGAAGCGCATTGAGAGCTGTGACCTGT CAGgtacgcgccccgg

.....686 nt.....

Exon 16 Coordinates: 527d12_Contig309G 47113-47322
ggctgcttgcagGGCCAACCGCCTGACCCTGGAGGACGCCAACATCGTGCAGC
CTCTGGGCCTGACCATCCTTGGCAAGCATCTCTACTGGATCGACCGCCA
GCAGCAGATGATCGAGCGTGTGGAGAAGACCACCGGGGACAAGCGGACT
CGCATCCAGGGCCGTGTCGCCCACCTCACTGGCATCCATGCAGTGGAGG
AAGTCAGCCTGGAGGAGTTCTgtacgtgggggc

.....3884 nt......

Exon 17 Coordinates: 527d12_Contig309G 51206-51331 ttgtctttgcagCAGCCCACCCATGTGCCCGTGACAATGGTGGCTGCTCCCACAT CTGTATTGCCAAGGGTGATGGGACACCACGGTGCTCATGCCCAGTCCAC CTCGTGCTCCTGCAGAACCTGCTGACCTGTGGAGgtaggtgtgacctaggtgc

....3905 nt......

Exon 18 Coordinates: 527d12_Contig309G 55236-55472
gttctcctctgtccctccccagAGCCGCCCACCTGCTCCCCGGACCAGTTTGCATGTGC
CACAGGGGAGATCGACTGTATCCCCGGGGCCTGGCGCTGTGACGGCTTT
CCCGAGTGCGATGACCAGAGCGACGAGGAGGGCTGCCCCGTGTGCTCCG
CCGCCCAGTTCCCCTGCGCGCGGGGTCAGTGTGTGGACCTGCG
CTGCGACGGCGAGGCAGACTGTCAGGACCGCTCAGACGAGGTGGACTGT
GACGgtgaggccctcc

.....3052 nt.....

FIGURE 3D

xon 19 Coordinates: 527d12_Contig309G 58524-58634	
ctccttgcagCCATCTGCCTGCCCAACCAGTTCCGGTGTGCGAGCGGCCAGT	\mathbf{G}
GTCCTCATCAAACAGCAGTGCGACTCCTTCCCCGACTGTATCGACGG	CT
CCGACGAGCTCATGTGTGgtgagccagctt	

.....1448 nt.....

....1095 nt.....

.....6513 nt.....


......2273 nt.....

Exon 23 Coordinates: 527d12_Contig309G 70435-70901

Figure 4

Model for a LDL Receptor-Related protein, Zmax1

- YWTD Spacer
- RGD (Extracellular attachment site) (1063-1065)
- Binding Site for LDL and Calcium: (A: 1257-1294) (B: 1296-1333) (C: 1334-1372)



Transmembrane Region (1387-1408)


Ideal PEST region (With CK-II phosphorylation site)

a

- Internalization Domain (1419-1422)
- Site of Glycine to Valine change in HBM allele

Figure 5





	ACTAAAGCGCCGCCGCGCCATGGAGCCCGAGTGAGCGCGGCCGGGCCCGTCCGGCC	60 120
61 1	GCCGGACAACATGGAGGCAGCCCCCCGGGCCGCCGTGGCCGCTGCTGCTGCTGCT M E A A P P G P P W P L L L L L	17
121	GCTGCTGCTGGCGCTGTGCGGCTGCCGGCCCCGCCGCCGC	180
18	L L L A L C G C P A P A A A S P L L L F	37
181	TGCCAACCGCCGGGACGTACGGCTGGTGGACGCCGGCGGAGTCAAGCTGGAGTCCACCAT	240
38	ANRRDVRLVDAGGVKLESTI	57
241	CGTGGTCAGCGGCCTGGAGGATGCGGCCGCAGTGGACTTCCAGTTTTCCAAGGGAGCCGT	300
58	V V S G L E D A A A V D F Q F S K G A V	77
301	GTACTGGACAGACGTGAGCGAGGAGGCCATCAAGCAGACCTACCT	360
78	YWTDVSEEAIKQTYLNQTGA	97
361	CGCCGTGCAGAACGTGGTCATCTCCGGCCTGGTCTCTCCCGACGGCCTCGCCTGCGACTG	420
98	AVQNVVISGLVSPDGLACDW	117
421	GGTGGGCAAGAAGCTGTACTGGACGGACTCAGAGACCAACCGCATCGAGGTGGCCAACCT	480
118	V G K K L Y W T D S E T N R I E V A N L	137
481	CAATGGCACATCCCGGAAGGTGCTCTTCTGGCAGGACCTTGACCAGCCGAGGGCCATCGC	540
138	NGTSRKVLFWQDLDQPRAIA	157
541	$\tt CTTGGACCCCGCTCACGGGTACATGTACTGGACAGACTGGG\underline{G}TGAGACGCCCCGGATTGA$	600
158	LDPAHGYMYWTDWGETPRIE	177
601	GCGGGCAGGGATGGATGGCACCCGGAAGATCATTGTGGACTCGGACATTTACTGGCC	660
178	RAGMDGSTRKIIVDSDIYWP	197
661	CAATGGACTGACCATCGACCTGGAGGAGCAGAAGCTCTACTGGGCTGACGCCAAGCTCAG	720
198	NGLTIDLEEQKLYWADAKLS	217
721	CTTCATCCACCGTGCCAACCTGGACGGCTCGTTCCGGCAGAAGGTGGTGGAGGGCAGCCT	780
218	FIHRANLDGSFRQKVVEGSL	237
781	GACGCACCCCTTCGCCCTGACGCTCTCCGGGGACACTCTGTACTGGACAGACTGGCAGAC	840
238	THPFALTLSGDTLYWTDWQT	257
841	CCGCTCCATCCATGCCTGCAACAAGCGCACTGGGGGGAAGAGGAAGGA	900
258	RSIHACNKRTGGKRKELLSA	277
901	CCTCTACTCACCCATGGACATCCAGGTGCTGAGCCAGGAGCGGCAGCCTTTCTTCCACAC	960
278	LYSPMDIQVLSQERQPFFHT	297
961	TCGCTGTGAGGAGGACAATGGCGGCTGCTCCCACCTGTGCCTGCTGTCCCCAAGCGAGCC	1020
298	RCEEDNGGCSHLCLLSPSEP	317
1021	TTTCTACACATGCGCCTGCCCCACGGGTGTGCAGCTGCAGGACAACGGCAGGACGTGTAA	1080
318	FYTCACPTGVQLQDNGRTCK	337
1081	GGCAGGAGCCGAGGAGGTGCTGCTGGCCCGGCGGACGGAC	1140
338		357

Figure 6A

1141 358	GGACACGCCGGACTTCACCGACATCGTGCTGCAGGTGGACGACATCCGGCACGCCATTGC D T P D F T D I V L Q V D D I R H A I A	1200 377
1201	CATCGACTACGACCCGCTAGAGGGCTATGTCTACTGGACAGATGACGAGGTGCGGGCCAT	1260 397
378	I D Y D P L E G Y V Y W T D D E V R A I CCGCAGGGCGTACCTGGACGGGTCTGGGGCGCAGACGCTGGTCAACACCGAGATCAACGA	1320
1261 398	R R A Y L D G S G A Q T L V N T E I N D	417
1321 418	CCCCGATGGCATCGCGGTCGACTGGGTGGCCCGAAACCTCTACTGGACCGACACGGGCAC P D G I A V D W V A R N L Y W T D T G T	1380 437
1381	GGACCGCATCGAGGTGACGCGCCTCAACGGCACCTCCCGCAAGATCCTGGTGTCGGAGGA	1440
438	DRIEVTRLNGTSRKILVSED	457
1441 458	CCTGGACGAGCCCGAGCCATCGCACTGCACCCCGTGATGGGCCTCATGTACTGGACAGA L D E P R A I A L H P V M G L M Y W T D	1500 477
1501 478	CTGGGGAGAGACCCTAAAATCGAGTGTGCCAACTTGGATGGGCAGGAGCGGCGTGTGCT W G E N P K I E C A N L D G Q E R R V L	1560 497
1561	GGTCAATGCCTCCCTCGGGTGGCCCAACGGCCTGGCCCTGGACCTGCAGGAGGGGAAGCT	1620
498	V N A S L G W P N G L A L D L Q E G K L	517
1621 518	CTACTGGGGAGACGCCAAGACAGACAAGATCGAGGTGATCAATGTTGATGGGACGAAGAG Y W G D A K T D K I E V I N V D G T K R	1680 537
1681 538	GCGGACCCTCCTGGAGGACAAGCTCCCGCACATTTTCGGGTTCACGCTGCTGGGGGACTT RTLLEDKLPHIFGFTLLGDF	1740 557
1741	CATCTACTGGACTGACTGGCAGCGCCGCAGCATCGAGCGGGTGCACAAGGTCAAGGCCAG	1800
558	I Y W T D W Q R R S I E R V H K V K A S	577
1801 578	CCGGGACGTCATCATTGACCAGCTGCCCGACCTGATGGGGCTCAAAGCTGTGAATGTGGC R D V I I D Q L P D L M G L K A V N V A	1860 597
1861	CAAGGTCGTCGGAACCAACCCGTGTGCGGACAGGAACGGGGGGTGCAGCCACCTGTGCTT	1920 617
598	K V V G T N P C A B R N G G G B M =	
1921 618	CTTCACACCCCACGCAACCCGGTGTGGCTGCCCCATCGGCCTGGAGCTGCTGAGTGACAT F T P H A T R C G C P I G L E L L S D M	1980 637
1981 638	GAAGACCTGCATCGTGCCTGAGGCCTTCTTGGTCTTCACCAGCAGAGCCGCCATCCACAG K T C I V P E A F L V F T S R A A I H R	2040 657
2041 658	GATCTCCCTCGAGACCAATAACAACGACGTGGCCATCCCGCTCACGGGCGTCAAGGAGGC I S L E T N N N D V A I P L T G V K E A	2100 677
		2160
2101 678	CTCAGCCCTGGACTTTGATGTGTCCAACAACCACATCTACTGGACAGACGTCAGCCTGAAS ALDFDVSNNHIYWTDVSLK	697
2161 698	GACCATCAGCCGCGCCTTCATGAACGGGAGCTCGGTGGAGCACGTGGTGGAGTTTGGCCT ${ m T}$ ${ m I}$ ${ m S}$ ${ m R}$ ${ m A}$ ${ m F}$ ${ m M}$ ${ m N}$ ${ m G}$ ${ m S}$ ${ m V}$ ${ m E}$ ${ m H}$ ${ m V}$ ${ m V}$ ${ m E}$ ${ m F}$ ${ m G}$ ${ m L}$	2220 717

Figure 6B

```
TGACTACCCCGAGGGCATGGCCGTTGACTGGATGGGCAAGAACCTCTACTGGGCCGACAC
                                                          2280
2221
     D Y P E G M A V D W M G K N L Y W A D T
                                                          737
    TGGGACCAACAGAATCGAAGTGGCGGGCTGGACGGGCAGTTCCGGCAAGTCCTCGTGTG
                                                          2340
2281
     G T N R I E V A R L D G Q F R Q V L V W
                                                          757
738
    GAGGGACTTGGACAACCCGAGGTCGCTGGCCCTGGATCCCACCAAGGGCTACATCTACTG
                                                          2400
2341
     RDLDNPRSLALDPTKGYIYW
                                                          777
    GACCGAGTGGGGCGCAAGCCGAGGATCGTGCGGGCCTTCATGGACGGGACCAACTGCAT
                                                          2460
     TEWGGKPRIVRAFMDGTNCM
     GACGCTGGTGGACAAGGTGGGCCGGGCCAACGACCTCACCATTGACTACGCTGACCAGCG
                                                          2520
2461
     T L V D K V G R A N D L T I D Y A D Q R
                                                          817
 798
     CCTCTACTGGACCGACCTGGACACCAACATGATCGAGTCGTCCAACATGCTGGGTCAGGA
                                                          2580
2521
     L Y W T D L D T N M I E S S N M L G Q E
                                                          837
     GCGGGTCGTGATTGCCGACGATCTCCCGCACCCGTTCGGTCTGACGCAGTACAGCGATTA
                                                          2640
2581
     R V V I A D D L P H P F G L T Q Y S D Y
                                                          857
     TATCTACTGGACAGACTGGAATCTGCACAGCATTGAGCGGGCCGACAAGACTAGCGGCCG
                                                          2700
2641
      I Y W T D W N L H S I E R A D K T S G R
                                                          877
 858
     GAACCGCACCTCATCCAGGGCCACCTGGACTTCGTGATGGACATCCTGGTGTTCCACTC
                                                          2760
2701
      NRTLIQGHLDFVMDILVFHS
                                                          897
     CTCCCGCCAGGATGGCCTCAATGACTGTATGCACAACAACGGGCAGTGTGGGCAGCTGTG
                                                          2820
2761
      S R Q D G L N D C M H N N G Q C G Q L C
                                                          917
 898
     CCTTGCCATCCCGGCGGCCACCGCTGCGGCTGCGCCTCACACTACACCCTGGACCCCAG
                                                          2880
2821
      LAIPGGHRCGCASHYTLDPS
                                                          937
 918
                                                          2940
     CAGCCGCAACTGCAGCCCGCCCACCACCTTCTTGCTGTTCAGCCAGAAATCTGCCATCAG
2881
      S R N C S P P T T F L L F S Q K S A I S
                                                          957
 938
     TCGGATGATCCCGGACGACCAGCACAGCCCGGATCTCATCCTGCCCCTGCATGGACTGAG
                                                          3000
2941
      R M I P D D Q H S P D L I L P L H G L R
                                                          977
 958
     GAACGTCAAAGCCATCGACTATGACCCACTGGACAAGTTCATCTACTGGGTGGATGGGCG
                                                          3060
3001
      N V K A I D Y D P L D K F I Y W V D G R
                                                          997
 978
     CCAGAACATCAAGCGAGCCAAGGACGACGGGACCCAGCCCTTTGTTTTGACCTCTCTGAG
                                                          3120
3061
      Q N I K R A K D D G T Q P F V L T S L S
                                                          1017
 998
     CCAAGGCCAAAACCCAGACAGGCAGCCCCACGACCTCAGCATCGACATCTACAGCCGGAC
                                                          3180
3121
      Q G Q N P D R Q P H D L S I D I Y S R T
                                                          1037
1018
     ACTGTTCTGGACGTGCGAGGCCACCAATACCATCAACGTCCACAGGCTGAGCGGGGAAGC
                                                          3240
3181
                                                          1057
      L F W T C E A T N T I N V H R L S G E A
 1038
                                                           3300
     CATGGGGGTGCTGCGTGGGGACCGCGACAAGCCCAGGGCCATCGTCGAACGCGGA
 3241
                                                           1077
      M G V V L R G D R D K P R A I V V N A E
 1058
```


Figure 6C

```
3301 GCGAGGGTACCTGTACTTCACCAACATGCAGGACCGGGCAGCCAAGATCGAACGCGCAGC
                                                         3360
     R G Y L Y F T N M Q D R A A K I E R A A
                                                         1097
1078
     {\tt CCTGGACGGCACCGAGCGCGAGGTCCTCTTCACCACCGGCCTCATCCGCCCTGTGGCCCT}
                                                         3420
     LDGTEREVLFTTGLIRPVAL
                                                         1117
1098
    GGTGGTGGACAACACACTGGGCAAGCTGTTCTGGGTGGACGCGGACCTGAAGCGCATTGA
                                                         3480
3421
     V V D N T L G K L F W V D A D L K R I E
                                                         1137
1118
     GAGCTGTGACCTGTCAGGGGCCAACCGCCTGACCCTGGAGGACGCCAACATCGTGCAGCC
                                                         3540
     S C D L S G A N R L T L E D A N I V Q P
                                                         1157
     TCTGGGCCTGACCATCCTTGGCAAGCATCTCTACTGGATCGACCGCCAGCAGCAGATGAT
                                                          3600
3541
     L G L T I L G K H L Y W I D R Q Q Q M I
                                                          1177
1158
     \tt CGAGCGTGTGGAGAAGACCACCGGGGACAAGCGGACTCGCATCCAGGGCCGTGTCGCCCA
                                                          3660
3601
     E R V E K T T G D K R T R I Q G R V A H
                                                          1197
1178
     3720
3661
     L T G I H A V E E V S L E E F S A H P C
                                                          1217
1198
     TGCCCGTGACAATGGTGGCTGCTCCCACATCTGTATTGCCAAGGGTGATGGGACACCACG
                                                          3780
3721
      A R D N G G C S H I C I A K G D G T P R
                                                          1237
1218
     GTGCTCATGCCCAGTCCACCTCGTGCTCCTGCAGAACCTGCTGACCTGTGGAGAGCCGCC
                                                          3840
3781
      C S C P V H L V L L Q N L L T C G E P P
                                                          1257
1238
     CACCTGCTCCCCGGACCAGTTTGCATGTGCCACAGGGGAGATCGACTGTATCCCCGGGGC
                                                          3900
      T C S P D Q F A C A T G E I D C I P G A
                                                          1277
1258
     \tt CTGGCGCTGTGACGGCTTTCCCGAGTGCGATGACCAGAGCGACGAGGGGGCTGCCCCGT
                                                          3960
3901
      W R C D G F P E C D D Q S D E E G C P V
                                                          1297
1.278
     GTGCTCCGCCGCGCGTTCCCCTGCGCGCGGGGTCAGTGTGTGGACCTGCGCCTGCGCTG
                                                          4020
3961
      C S A A Q F P C A R G Q C V D L R L R C
                                                          1317
1298
                                                          4080
     CGACGGCGAGGCAGACTGTCAGGACCGCTCAGACGAGGTGGACTGTGACGCCATCTGCCT
4021
      D G E A D C Q D R S D E V D C D A I C L
                                                          1337
1318
     GCCCAACCAGTTCCGGTGTGCGAGCGGCCAGTGTGTCCTCATCAAACAGCAGTGCGACTC
                                                          4140
4081
      PNQFRCASGQCVLIKQQCDS
                                                          1357
1338
     CTTCCCCGACTGTATCGACGGCTCCGACGAGCTCATGTGTGAAATCACCAAGCCGCCCTC
                                                          4200
4141
      F P D C I D G S D E L M C E I T K P P S
                                                          1377
1358
     AGACGACAGCCCGGCCCACAGCAGTGCCATCGGGCCCGTCATTGGCATCATCCTCTCT
                                                          4260
4201
      D D S P A H S S A I G P V I G I I L S L
                                                          1397
1378
     CTTCGTCATGGGTGTCTATTTTGTGTGCCAGCGCGTGGTGTGCCAGCGCTATGCGGG
                                                          4320
4261
      F V M G G V Y F V C Q R V V C Q R Y A G
                                                          1417
1398
     GGCCAACGGGCCCTTCCCGCACGAGTATGTCAGCGGGACCCCGCACGTGCCCCTCAATTT
                                                          4380
4321
      ANGPFPHEYVSGTPHVPLNF
                                                          1437
1418
```

Figure 6D

4381	CATAGCCCCGGGCGGTTCCCAGCATGGCCCCTTCACAGGCATCGCATGCGGAAAGTCCAT	4440
1438	I A P G G S Q H G P F T G I A C G K S M	1457
4441	GATGAGCTCCGTGAGCCTGATGGGGGGGCCGGGGCGGGG	4500
1458	M S S V S L M G G R G G V P L Y D R N H	1477
4501	CGTCACAGGGGCCTCGTCCAGCAGCTCGTCCAGCACGAAGGCCACGCTGTACCCGCCGAT	4560
1478	V T G A S S S S S S T K A T L Y P P I	1497
4561	CCTGAACCCGCCGCCCTCCCGGCCACGGACCCCTCCCTGTACAACATGGACATGTTCTA	4620
1498	LNPPPSPATDPSLYNMDMFY	1517
4621	CTCTTCAAACATTCCGGCCACTGCGAGACCGTACAGGCCCTACATCATTCGAGGAATGGC	4680
1518	SSNIPATARPYRPYIIRGMA	1537
4681	GCCCCGACGACGCCCTGCAGCACCGACGTGTGTGACAGCGACTACAGCGCCAGCCGCTG	4740
1538	P P T T P C S T D V C D S D Y S A S R W	1557
4741	GAAGGCCAGCAAGTACTACCTGGATTTGAACTCGGACTCAGACCCCTATCCACCCCCACC	4800
1558	KASKYYLDLNSDSDPYPPP	1577
4801	CACGCCCCACAGCCAGTACCTGTCGGCGGAGGACAGCTGCCCGCCC	4860
1578	TPHSQYLSAEDSCPPSPATE	1597
4861	GAGGAGCTACTTCCATCTCTTCCCGCCCCCTCCGTCCCCTGCACGGACTCATCCTGACC	4920
1598	RSYFHLFPPPPSPCTDSS	1615
4921	TCGGCCGGGCCACTCTGGCTTCTCTGTGCCCCTGTAAATAGTTTTAAATATGAACAAAGA	4980
4981	α α α α α στα τα ττητα τις α τιτη α α α α α α α α α α α α α α α α α α α	5040
5041	TGTGAACTGTGATGGGGTGGGCAGGGCTGGGAGAACTTTGTACAGTGGAGAAATATTTAT	5100
5101	AAACTTAATTTTGTAAAACA 5120	

Figure 6E







Figure 7B

then then were seen a room to the street the seen to general the seen the seen that then the seen to the seen the seen that the

Figure 8

Zmax 1 random samples

b527d12-h_Contig087C_1.nt




ASO Detection of the Zmax1 Exon 3 Mutation

Oligonucleotide Probes

2327 zmax1.ASO.t

2326 zmax1.ASO.g



Genotype

Mouse Zmax1 In situ hybridization 100X Magnification

Antisense probe





FIG. 10

Mouse Zmax1 In situ hybridization 400X magnification

Antisense probe



Proximal Metaphysis

Trabecular bone

Osteoblasts

Sense probe



FIG. 11

Osteoblasts

Mouse Zmax1 In situ hybridization 400X magnification

Antisense probe



Endosteum

Sense probe





FIG. 12

Antisense Inhibition of Zmax1 Expression



MC-3T3 cells

£	3
ž.,	1777
	T.
	* **
83	zs.
3800	ij
÷,	Mary 6
۶,	Henry L
191110	à
ÿ:	
ď,	1
	==
7.0	===
******	7
Section 1	Ŧ
3	######################################
	1

COMBINED DECL	ARATION FO	R PATENT APPLICATION AND	POWER OF ATTORNEY	Attorney's Docket No.
(Includes Reference to Provisional and PCT International Applications)				032796-014
My residence, po I believe I am the	st office addre original, first re listed below	v) of the subject matter which	name is listed below) or an ori is claimed and for which a pate	nt is sought on the invention
MOII BONE M	ADD GLIVE O	1 11415.5		
the speci	fication of wh	ich (check only one item belov	v):	
🛛 is a	attached herete	ο.		
□ wa	s filed as Unit	ted States application		
Nu	mber			
on and	d was amende	d		
on			(if applicable).	
□ wa	s filed as PCT	international application		
	d was amende			
			(if applicable).	
			s of the above-identified specifi	ication, including the claims, as
amended by any a	amendment re	ferred to above.	_	
I acknowledge the Title 37, Code of	e duty to discle Federal Regu	ose to the Office all informatio lations, §1.56.	n known to me to be material t	o patentability as defined in
patent or inventor United States of A certificate or any	's certificate on the control of the	or of any PCT international apple below and have also identified onal application(s) designating	States Code, §119 (a)-(e) of an oblication(s) designating at least below any foreign application(at least one country other than fore that of the application(s) or	one country other than the (s) for patent or inventor's the United States of America
PRIOR FOREIGN	I/PCT APPLI	CATION(S) AND ANY PRIO	RITY CLAIMS UNDER 35 U	.S.C. §119:
COUNTF (if PCT, indicat	RY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED
Siy marout	,	. II LIGHTION HOMBER	(day, month, year)	UNDER 35 U.S.C. §119

COUNTRY (if PCT, indicate "PCT") APPLICATION NUMBER DATE OF FILING (day, month, year) PRIORITY CLAIMED UNDER 35 U.S.C. § 119 Yes _ No _ Yes _ No

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

60/017,449	January 13, 1998
(Application Number)	(Filing Date)
60/105,511	October 23, 1998
(Application Number)	(Filing Date)

Attorney's Docket No.

032796-013

I hereby claim the benefit under Title 35, United States Code, §120 of any United States applications(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. §120:

U.S. APPLICATIONS		STATUS (check one)				
U.S. APPLICATION NUMBER U.S. FILING DATE		PATENTED	PENDING	ABANDONED		
09/229,319	09/229,319 January 13, 1999		January 13, 1999		X	
PCT A	APPLICATIONS DE	SIGNATING	THE U.S.			
PCT APPLICATION NO.	PCT APPLICATION NO. PCT FILING DATE U.S. APPLICATION NUMBERS ASSIGNED (if any)					

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

******** * 3 * 4 *					
William L. Mathis	17,337	R. Danny Huntington	27,903	Gerald F. Swiss	30,113
Robert S. Swecker	19,885	Eric H. Weisblatt	30.505	Michael J. Ure	33,089
Platon N. Mandros	22,124	James W. Peterson	26,057	Charles F. Wieland III	33,096
Benton S. Duffett, Jr.	22,030	Teresa Stanek Rea	30,427	Bruce T. Wieder	33,815
Norman H. Stepno	22,716	Robert E. Krebs	25,885	Todd R. Walters	34,040
Ronald L. Grudziecki	24,970	William C. Rowland	30,888	Ronni S. Jillions	31,979
Frederick G. Michaud, Jr.	26,003	T. Gene Dillahunty	25,423	Harold R. Brown III	36,341
Alan E. Kopecki	25,813	Patrick C. Keane	32,858	Allen R. Baum	36,086
Regis E. Slutter	26,999	Bruce J. Boggs, Jr.	32,344	Steven M. du Bois	35,023
Samuel C. Miller, III	27,360	William H. Benz	25,952	Brian P. O'Shaughnessy	32,747
Robert G. Mukai	28,531	Peter K. Skiff	31,917	Kenneth B. Leffler	36,075
George A. Hovanec, Jr.	28,223	Richard J. McGrath	29,195	Fred W. Hathaway	32,236
James A. LaBarre	28,632	Matthew L. Schneider	32,814	· · · · · · · · · · · ·	02,200
E. Joseph Gess	28.510	Michael G. Savage	32 596	T 100 FT 11 FT 10 FT	581

21839

and: Mercedes K. Meyer, Registration No. 44,939

Address all correspondence to:

21839

Teresa Stanek Rea

Burns, Doane, Swecker & Mathis, L.L.P.

P.O. Box 1404

Alexandria, Virginia 22313-1404

Address all telephone calls to: Teresa Stanek Rea

_ at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONT'D)	Attorney's Docket No.
(Includes Reference to Provisional and PCT International Applications)	032796-013

FULL NAME OF SOLE OR FIRST INVENTOR	SIGNATURE		DATE
John P. CARULLI			
RESIDENCE		CITIZENSHIP	
9 Harris Drive, Southboro, MA 01772		USA	
POST OFFICE ADDRESS			
9 Harris Drive, Southboro, MA 01772			
FULL NAME OF SECOND JOINT INVENTOR, IF ANY	SIGNATURE		DATE
Randall D. LITTLE			
RESIDENCE		CITIZENSHIP	
62A Marshall Street, Needham, MA 02192		USA	
POST OFFICE ADDRESS			
62A Marshall Street, Needham, MA 02192			
FULL NAME OF THIRD JOINT INVENTOR, IF ANY	SIGNATURE		DATE
Robert R. RECKER			
RESIDENCE	<u>'</u>	CITIZENSHIP	•
3309 South 116th Street, Omaha, NE 68144		USA	
POST OFFICE ADDRESS			
3309 South 116th Street, Omaha, NE 68144			
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
Mark L. JOHNSON			
RESIDENCE		CITIZENSHIP	
16216 N. Circle, Omaha, NE 68135		USA	
POST OFFICE ADDRESS			
16216 N. Circle, Omaha, NE 68135			

term from him a man of a comment of the first term of the first term of the first term of the first term of the

SEQUENCE LISTING

<110> John P. Carulli et al.	
<120> THE HIGH BONE MASS GENE OF 11q13.3	
<130> 032796-014	
<150> US 09/229,319	
<151> 1999-01-13	
<150> US 60/071,449	
<151> 1998-01-13	
<150> US 60/105,511	
<151> 1998-10-23	
<160> 62	
<210> 1	
<211> 5120	
<212> DNA	
<213> Homo sapiens	
<400> 1	
actaaagcgc cgccgccgcg ccatggagcc cgagtgagcg cggcgcgggc ccgtccggc	:c 60
gccggacaac atg gag gca gcg ccg ccc ggg ccg ccg tgg ccg ctg ctg	109
Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu	
1 5 10	
ctg ctg ctg ctg ctg ctg gcg ctg tgc ggc tgc ccg gcc ccc gcc	157
Leu Leu Leu Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala	
15 20 25	
gcg gcc tcg ccg ctc ctg cta ttt gcc aac cgc cgg gac gta cgg ctg	00-
Ala Ala Ser Pro Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu	
20	
30 40 45	

gt	g gac	gcc	ggc	gga	gtc	aag	ctg	gag	tcc	acc	atc	gtg	gtc	agc	ggc	٠.		253
Va:	l Asp	Ala	Gly	Gly	Val	Lys	Leu	Glu	Ser	Thr	Ile	Val	Val	Ser	Gly			
·		91 (1) 1914		50					55					60				
cto	g gag	gat	gcg	gcc	gca	gtg	gac	ttc	caq	ttt	tcc	aaq	gga	acc	ata			301
	ı Glu						. •				•			,=				
			65					70	0111		JUL	1 170	75	ALG	Val			
tac	: tgg	aca		ata	agc	gag	gag		atc	aad	cac	acc		cta	220			349
	Trp		41.5			,												
-7-		80	Lip	1	Jei	Jiu	85	, ALG	110	шув	9111		ТУТ	пеа	ASII			
dae			~~~	~~~	~			~	~+ +			90						
	g acg									:			_					397
GII	Thr	GIA	Ala	Ala	Val		Asn	Val	Val	Ile		Gly	Leu	Val	Ser			
	95					100					105							
	gac															·		445
Pro	Asp	Gly	Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr			
110) :				115	•				120					125			
gac	tca:	gag	acc	aac	cgc	atc	gag	gtg	gcc	aac	ctc	aat	ggc	aca	ţcc			493
Asp	Ser	Glu	Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser			
				130					135					140				
cgg	aag	gtg	ctc	ttc	tgg	cag	gac	ctt	gac	cag	ccg	agg	gcc	atc	gcc			541
Arg	Lys	Val	Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Arg	Ala	Ile	Ala	•		
			145					150					155		* .		,	
ttg	gac	ccc	gct	cac	aaa	tac	atg	tac	tgg	aca	gac	tgg	ggt	gag	acg			589
Leu	Asp	Pro	Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu	Thr			
		160					165					170						
ccc	cgg	att	gag	cgg	gca	ggg	atg	gat	ggc	agc	acc	cgg	aag	atc	att			637
Pro	Arg	Ile	Glu	Arg	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile			
	175					180					185				•			
gtg	gac	tcg	gac	att	tac	tgg	ccc	aat	gga	ctg	acc	atc	gac	ctg	gag			685
Val	Asp	Ser	Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu			

190)				195					200					205		
gaç	g cag	aag	ctc	tac	tgg	gct	gac	gcc	aag	ata	ago	ttc	atc	cac	: cgt		733
Glu	Gln	Lys	Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg		
				210					215				4.	220	· .	. :	
gco	aac	ctg	gac	ggc	tcg	ttc	cgg	cag	aag	gtg	gtg	gag	ggc	ago	ctg		781
Ala	Asn	Leu	Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu		
,			225					230					235				
acg	cac	ccc	ttc	gcc	ctg	acg	ctc	tcc	999	gac	act	ctg	tac	tgg	aca		829
Thr	His	Pro	Phe	Ala	Leu	Thr	Leu	Ser	Gly	Asp	Thr	Leu	Tyr	Trp	Thr		
		240		Fair e The Article			245					250				: .	
gad	tgg	cag	acc	cgc	tcc	atc	cat	gcc	tgc	aac	aag	cgc	act	aaa	999		877
Asp	Trp	Gln	Thr	Arg	Ser	Ile	His	Ala	Cys	Asn	Lys	Arg	Thr	Gly	Gly		
	255					260					265						
aag	agg	aag	gag	atc	ctg	agt	gcc	ctc	tac	tca	ccc	atg	gac	atc	cag		925
Lys	Arg	Lys	Glu	Ile	Leu	Ser	Ala	Leu	Tyr	Ser	Pro	Met	Asp	Ile	Gln		
270					275					280	:				285		
gtg	ctg	agc	cag	gag	cgg	cag	cct	ttc	ttc	cac	act	cgc	tgt	gag	gag		973
Val	Leu	Ser	Gln	Glu	Arg	Gln	Pro	Phe	Phe	His	Thr	Arg	Cys	Glu	Glu		
:				290					295					300			
gac	aat	ggc	ggc	tgc	tcc	cac	ctg	tgc	ctg	ctg	tcc	cca	agc	gag	cct		1021
Asp	Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Leu	Leu	Ser	Pro	Ser	Glu	Pro		
	ε		305					310					315				
ttc	tac	aca	tgc	gcc	tgc	CCC	acg	ggt	gtg	cag	ctg	cag	gac	aac	ggc		1069
Phe	Tyr	Thr	Cys	Ala	Cys	Pro	Thr	Gly	Val	Gln	Leu	Gln	Asp	Asn	Gly		
		320			-		325					330	-				
agg	acg	tgt	aag	gca	gga	gcc	gag	gag	gtg	ctg	ctg	ctg	gcc	cgg	cgg		1117
Arg	Thr	Cys	Lys	Ala	Gly	Ala	Glu	Glu	Val	Leu	Leu	Leu	Ala	Arg	Arg		
	335					340			* 4		345					÷	
acg	gac	cta	cgg	agg	atc	tcg	ctg	gac	acg	ccg	gac	ttc	acc	gac	atc		1165

Thr	Asp	Leu	Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile		
350		· . ·			355					360					365		
gtg	ctg	cag	gtg	gac	gac	atc	cgg	cac	gcc	att	gcc	atc	gac	tac	gac	· -	1213
Val	Leu	Gln	Val	Asp	Asp	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp		
				370					375					380	•		
ccg	cta	gag	ggc	tat	gtc	tac	tgg	aca	gat	gac	gag	gtg	cgg	gcc	atc		1261
Pro	Leu	Glu	Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile		
			385					390					395				
cgc	agg	gcg	tac	ctg	gac	a aa	tct	999	gcg	cag	acg	ctg	gtc	aac	acc		1309
Arg	Arg	Ala	Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr		
		400	1 143	4.10			405					410					
gag	atc	aac	gac	ccc	gat	ggc	atc	gcg	gtc	gac	tgg	gtg	gcc	cga	aac		1357
Glu	Ile	Asn	Asp	Pro	Asp	Gly	Ile	Ala	Val	Asp	Trp	Val	Ala	Arg	Asn		
	415					420					425						
ctc	tac	tgg	acc	gac	acg	ggc	acg	gac	cgc	atc	gag	gtg	acg	cgc	ctc		1405
Leu	Tyr	Trp	Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu		
430					435					440					445		
aac	ggc	acc	tcc	cgc	aag	atc	ctg	gtg	tcg	gag	gac	ctg	gac	gag	CCC		1453
Asn	Gly	Thr	Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro		
				450					455					460			
cga	gcc	atc	gca	ctg	cac	CCC	gtg	atg	ggc	ctc	atg	tac	tgg	aca	gac		1501
Arg	Ala	Ile	Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp		4
* *			465					470		•			475				
tgg	gga	gag	aac	cct	aaa	atc	gag	tgt	gcc	aac	ttg	gat	aaa	cag	gag		1549
Trp	Gly	Glu	Asn	Pro	Lys	Ile	Glu	Cys	Ala	Asn	Leu	Asp	Gly	Gln	Glu	y .	
		480			. * *		485					490			-		
cgg	cgt	gtg	ctg	gtc	aat	gcc	tcc	ctc	aaa	tgg	ccc.	aac	ggc	ctg	gcc		1597
Arg	Arg	Val	Leu	Val	Asn	Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala		
	495					500					505		e e				

	ctg	gac	ctg	cag	gag		aag	ctc	tac	tgg	gga	gac	gcc	aag	aca	gac	1645
	Leu	Asp	Leu	Gln	Glu	Gly	Lys	Leu	Tyr	Trp	Gly	Asp	Ala	Lys	Thr	Asp	
	510					515					520				٠	525	
	aag	atc	gag	gtg	atc	aat	gtt	gat		acg	aag	agg	cgg	acc	ctc	ctg	1693
	Lys	Ile	Glu	Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	
					530					535					540		
	gag	gac	aag	ctc	ccg	cac	att	ttc	ggg	ttc	acg	ctg	ctg	a gg	gac	ttc	1741
	Glu	Asp	Lys	Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	
	÷Ì,			545					550			-		555			
	atc	tac	tgg	act	gac	tgg	cag	cgc	cgc	agc	atc	gag	cgg	gtg	cac	aag	1789
	Ile	Tyr	Trp	Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	
			560			-		565					570				
	gtc	aag	gcc	agc	cgg	gac	gtc	atc	att	gac	cag	ctg	ccc	gac	ctg	atg	1837
	Val	Lys	Ala	Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	
		575					580					585					
	3 33	ctc	aaa	gct	gtg	aat	gtg	gcc	aag	gtc	gtc	gga	acc	aac	ccg	tgt	1885
	Gly	Leu	Lys	Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	
	590		·			595					600	-				605	
	gcg	gac	agg	aac	999	999	tgc	agc	cac	ctg	tgc	ttc	ttc	aca	ccc	cac	1933
	Ala	Asp	Arg	Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	
			-		610					615					620		
	gca	acc	cgg	tgt.	ggc	tgc	ccc	atc	ggc	ctg	gag	ctg	ctg	agt	gac	atg	1981
	Ala	Thr	Arg	Сув	Gly	Cys	Pro	Ile	Gly	Leu	Glu	Leu	Leu	Ser	Asp	Met	
٠	:			625					630					635			• .
	aag	acc	tgc	atc	gtg	cct	gag	gcc	ttc	ttg	gtc	ttc	acc	agc	aga	gcc	2029
	Lys	Thr	Cys	Ile	Val	Pro	Glu	Ala	Phe	Leu	Val	Phe	Thr	Ser	Arg	Ala	
			640					645					650				
	gcc	atc	cac	agg	atc	tcc	ctc	gag	acc	aat	aac	aac	gac	gtg	gcc	atc	2077
	Ala	Ile	His	Arg	Ile	Ser	Leu	Glu	Thr	Asn	Asn	Asn	Asp	Val	Ala	Ile	•

	655					660	٠				665			•				
ccg	ctc	acg	ggc	gtc	aag	gag	gcįc	tca	gcc	ctg	gac	ttt	gat	gtg	tcc			2125
Pro	Leu	Thr	Gly	Val	Lys	Glu	Ala	Ser	Ala	Leu	Asp	Phe	Asp	Val	Ser			
670					675		-			680					685			
aac	aac	cac	atc	tac	tgg	aca	gac	gtc	agc	ctg	aag	acc	atc	agc	cgc		•	2173
Asn	Asn	His	Ile	Tyr	Trp	Thr	Asp	Val	Ser	Leu	Lys	Thr	Ile	Ser	Arg	• •		
	•			690					695					700		. *		
gcc	ttc	atg	aac	ggg	agc	tcg	gtg	gag	cac	gtg	gtg	gag	ttt	ggc	ctt			2221
Ala	Phe	Met	Asn	Gly	Ser	Ser	Val	Glu	His	Val	Val	Glu	Phe	Gly	Leu			
			705	*.				710	. •				715					
gaç	tac	ccc	gag	ggc	atg	gcc	gtt	gac	tgg	atg	ggc	aag	aac	ctc	tac			2269
Asp	Tyr	Pro	Glu	Gly	Met	Ala	Val	Asp	Trp	Met	Gly	Lys	Asn	Leu	Tyr			
		720					725				-	730						
tgg.	gcc	gac	act	a aa	acc	aac	aga	atc	gaa	gtg	gcg	cgg	ctg	gac	aaa			2317
Trp	Ala	Asp	Thr	Gly	Thr	Asn	Arg	Ile	Glu	Val	Ala	Arg	Leu	Asp	Gly			
	735					740					745							
cag	ttc	cgg	caa	gtc	ctc	gtg	tgg	agg	gac	ttg	gac	aac	ccg	agg	tcg			2365
Gln	Phe	Arg	Gln	Val	Leu	Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser			
750					755					760					765			
ctg	gcc	ctg	gat	ccc	acc	aag	ggc	tac	atc	tac	tgg	acc	gag	tgg	ggc			2413
Leu	Ala	Leu	Asp	Pro	Thr	Lys	Gly	Tyr	Île	Tyr	Trp	Thr	Glu	Trp	Gly			
		٠.		770					775					780				
ggc	aag	ccg	agg	atc	gtg	cgg	gcc	ttc	atg	gac		acc	aac	tgc	atg			2461
Зlу	Lys	Pro	Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Cys	Met			
			785					790					795					٠.
acg	ctg	gtg	gac	aag	gtg	ggc	cgg	gcc	aac	gac	ctc	acc	att	gac	tac			2509
Thr	Leu	Val	Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr			•
		800					805					810						
TC+	aaa.	cac	caa	ata	+ 2.0	taa	200	~~~	ata	~~~	200				~~~			0558

Ala	Asp	Gln	Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	
	815					820					825					
tcg	tcc	aac	atg	ctg	ggt	cag	gag	cgg	gtc	gtg	att	gcc	gac	gat	ctc	260
Ser	Ser	Asn	Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	
830					835					840					845	
ccg	cac	ccg	ttc	ggt	ctg	acg	cag	tac	agc	gat	tat	atc	tac	tgg	aca	2653
Pro	His	Pro	Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	
				850					855					860		
gac	tgg	aat	ctg	cac	agc	att	gag	cgg	gcc	gac	aag	act	agc	ggc	cgg	2701
Asp	Trp	Asn	Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	
			865		· . ·			870					875			
aac	cgc	acc	ctc	atc	cag	ggc	cac	ctg	gac	ttc	gtg	atg	gac	atc	ctg	2749
Asn	Arg	Thr	Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	
		880					885				٠	890				
gtg	ttc	cac	tcc	tcc	cgc	cag	gat	ggc	ctc	aat	gac	tgt	atg	cac	aac	2797
Val	Phe	His	Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn	
	895					900					905					
aac	9 99	cag	tgt	999	cag	ctg	tgc	ctt	gcc	atc	ccc	ggc	ggc	cac	cgc	2845
Asn	Gly	Gln	Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	
910					915					920					925	
tgc	ggc	tgc	gcc	tca	cac	tac	acc	ctg	gac	ccc	agc	agc	cgc	aac	tgc	2893
Cys	Gly	Cys	Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys	
				930					935					940		
agc	ccg	ccc	acc	acc	ttc	ttg	ctg	ttc	agc	cag	aaa	tct	gcc	atc	agt	2941
Ser	Pro	Pro	Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	
			945					950			-		955			
cgg	atg	atc	ccg	gac	gac	cag	cac	agc	ccg	gat	ctc	atc	ctg	ccc	ctg	2989
Arg	Met	Ile	Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu	٠.
		960	÷				965					970		٠.		***

	cat	gga	ctg	agg	aac	gtc	aaa	gcc	atc	gac	tat	gac	cca	ctg	gac	aag		3037
	His	Gly	Leu	Arg	Asn	Val	Lys	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys		
		975	14 mg. 14 mg.				980					985						
	ttc	atc	tac	tgg	gtg	gat	999	cgc	cag	aac	atc	aag	cga	gcc	aag	gac		3085
	Phe	Ile	Tyr	Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp		
	990					995					100	0				1005		
	gac	a aa	acc	cag	ccc	ttt	gtt	ttg	acc	tct	ctg	agc	caa	ggc	caa	aac		3133
	Asp	Gly	Thr	Gln	Pro	Phe	Val	Leu	Thr	Ser	Leu	Ser	Gln	Gly	Gln	Asn		
					101	0				101	5				102	0		
	cca	gac	agg	cag	ccc	cac	gac	ctc	agc	atc	gac	atc	tac	agc	cgg	aca	٠	3181
	Pro	Asp	Arg	Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr		
				1025	5				1030	ם _.				103	5			٠.
	ctg	ttc	tgg	acg	tgc	gag	gcc	acc	aat	acc	atc	aac	gtc	cac	agg	ctg		3229
	Leu	Phe	Trp	Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu		
			1040)				1045	5				105	0				
	agc	agg	gaa	gcc	atg	999	gtg	gtg	ctg	cgt	999	gac	cgc	gac	aag	ccc		3277
	Ser	Gly	Glu	Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	Lys	Pro		
		1055	5				1060) , ,				106	õ					
	agg	gcc	atc	gtc	gtc	aac	gcg	gag	cga	a aa	tac	ctg	tac	ttc	acc	aac		3325
	Arg	Ala	Ile	Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn		
	1070)				1075	5				1080					1085		
	atg	cag	gac	cgg	gca	gcc	aag	atc	gaa	cgc	gca.	gcc	ctg	gac	ggc	acc		3373
	Met	Gln	Asp	Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr		
					1090)				1095	;				1100			
	gag	cgc	gag	gtc	ctc	ttc	acc	acc	ggc	ctc	atc	cgc	cct	gtg	gcc	ctg		3421
1	Glu	Arg	Glu	Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu		
,				1105					1110)				1115	5			
•	gtg	gtg	gac	aac	aca	ctg	ggc	aag	ctg	ttc	tgg	gtg	gac	gcg	gac	ctg		3469
,	Val	Val	Asp	Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu		

		112	0				112	5				113	0			
aag	cgc	att	gag	agc	tgt	gac	ctg	tca	aaa	gcc	aac	cgc	ctg	acc	ctg	3,517
Lys	Arg	Ile	Glu	Ser	Cys	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu	
	113	5				1140)				1145	5				
gag	gac	gcc	aac	atc	gtg	cag	cct	ctg	ggc	ctg	acc	atc	ctt	ggc	aag	3565
Glu	Asp	Ala	Asn	Ile	Val	Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys	
1150	0				1155	5				1160)				1165	
cat	ctc	tac	tgg	atc	gac	cgc	cag	cag	cag	atg	atc	gag	cgt	gtg	gag	3613
His	Leu	Tyr	Trp	Ile	Asp	Arg	Gln	Gln	Gln	Met	Ile	Glu	Arg	Val	Glu	
				1170	ָ				1179	5			٠.	1180)	
aag	acc	acc	ggg	gac	aag	cgg	act	cgc	atc	cag	ggc	cgt	gtc	gcc	cac	3661
Lys	Thr	Thr	Gly	Asp	Lys	Arg	Thr	Arg	Ile	Gln	Gly	Arg	Val	Ala	His	:
			1185	5		-		1190)				1195	5 [.]		
ctc	act	ggc	atc	cat	gca	gtg	gag	gaa	gtc	agc	ctg	gag	gag	ttc	tca	3709
Leu	Thr	Gly	Ile	His	Ala	Val	Glu	Glu	Val	Ser	Leu	Glu	Glu	Phe	Ser	
		1200)				1205	5 . [:]				1210	·)			
gcc	cac	cca	tgt	gcc	cgt	gac	aat	ggt	ggc	tgc	tcc	cac	atc	tgt	att	3757
Ala	His	Pro	Cys	Ala	Arg	Asp	Asn	Gly	Gly	Cys	Ser	His	Ile	Cys	Ile	
	1215	5				1220)				1225	5				
gcc	aag	ggt	gat	aaa	aca	cca	cgg	tgc	tca	tgc	cca	gtc	cac	ctc	gtg	3805
Ala	Lys	Gly	qaA	Gly	Thr	Pro	Arg	Cys	Ser	Cys	Pro	Val	His	Leu	Val	
1230) ;			P T	1235	· · .				1240) '				1245	
ctc	ctg	cag	aac	ctg	ctg	acc	tgt	gga	gag	ccg	ccc	acc	tgc	tcc	ccg	3853
Leu	Leu	Gln	Asn	Leu	Leu	Thr	Cys	Gly	Glu	Pro	Pro	Thr	Cys	Ser	Pro	
				1250)				1255	5				1260		
gac	cag	ttt	gca	tgt	gcc	aca	ggg	gag	atc	gac	tgt	atc	ccc	ggg	gcc	3901
Asp	Gln	Phe.	Ala	Cys	Ala	Thr	Gly	Glu	Ile	Asp	Cys	Ile	Pro	Gly	Ala	
			1265					1270					1275			
tqa	cac	tat.	gac	aac	ttt	ccc	aaa	tac	gat	gac	cag	agc	gac	gag	gag	3949

Trp	Arg	Cys	Asp	Gly	Phe	Pro	Glu	Cys	Asp	Asp	Gln	Ser	Asp	Glu	Glu	-
-		128	0		•		1289	5				129	0 .			% *
ggc	tgc	CCC	gtg	tgc	tcc	gcc	gcc	cag	ttc	ccc	tgc	gcg	cgg	ggt	cag	3997
Gly	Cys	Pro	Val	Cys	Ser	Ala	Ala	Gln	Phe	Pro	Cys	Ala	Arg	Gly	Gln	
	129	5				1300)				1309	5		-		
tgt	gtg	gac	ctg	cgc	ctg	cgc	tgc	gac	ggc	gag	gca	gác	tgt	cag	gac	4045
Cys	Val	Asp	Leu	Arg	Leu	Arg	Cys	Asp	Gly	Glu	Ala	Asp	Cys	Gln	Asp	
1310) ~.			· · · · · · · · · · · · · · · · · · ·	1315	5				132	0				1325	
cgc	tca	gac	gag	gtg	gac	tgt	gac	gcc	atc	tgc	ctg	ccc	aac	cag	ttc	4093
Arg	Ser	Asp	Glu	Val	Asp	Cys	Asp	Ala	Ile	Cys	Leu	Pro	Asn	Gln	Phe	
				1330)				1335	5				1340) -	
cgg	tgt	gcg	agc	ggc	cag	tgt	gtc	ctc	atc	aaa	cag	cag	tgc	gac	tcc	4141
Arg	Cys	Ala	Ser	Gly	Gln	Cys	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser	
			1345	5				1350) .				1359	5		
ttc	ccc	gac	tgt	atc	gac	ggc	tcc	gac	gag	ctc	atg	tgt	gaa	atc	acc	4189
Phe	Pro	Asp	Cys	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Cys	Glu	Ile	Thr	
		1360					1365	5				1370)		÷	
aag	ccg	ccc	tca	gac	gac	agc	ccg	gcc	cac	agc	agt	gcc	atc	a aa	ccc	4237
Lys	Pro	Pro	Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	
	1375	5				1380)				1385	5				
gtc	att	ggc	atc	atc	ctc	tct	ctc	ttc	gtc	atg	ggt	ggt	gtc	tat	ttt	4285
Val	Ile	Gly	Ile	Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe	
1390)				1395	; ;				1400)				1405	
gtg	tgc	cag	cgc	gtg	gtg	tgc	cag	cgc	tat	gcg	aaa	gcc	aac	aaa	CCC	4333
Val	Cys	Gln	Arg	Val	Val	Cys	Gln	Arg	Tyr	Ala	Gly	Ala	Asn	Gly	Pro	
				1410	١.,				1415	5 _. .				1420)	
ttc	ccg	cac	gag	tat	gtc	agc	999	acc	ccg	cac	gtg	ccc	ctc	aat	ttc	4381
Phe	Pro	His	Glu	Tyr	Val	Ser	Gly	Thr	Pro	His	Val	Pro	Leu	Asn	Phe	
			1425	;			٠ .	1430					1435	5		

ata	gcc	ccg	ggc	ggt	tcc	cag	cat	ggc	ccc	ttc	aca	ggc	atc	gca	tgc		4429
Ile	Ala	Pro	Gly	Gly	Ser	Gln	His	Gly	Pro	Phe	Thr	Gly	Ile	Ala	Cys		1
		144	o				144	5				145	0				
gga	aag	tcc	atg	atg	agc	tcc	gtg	agc	ctg	atg	999	ggc	cgg	ggc	ggg ¹		4477
Gly	Lys	Ser	Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly		
11.	145	5				146	o = [146	5			14		
gtg	ccc	ctc	tac	gac	cgg	aac	cac	gtc	aca	ggg	gcc	tcg	tcc	agc	agc		4525
Val	Pro	Leu	Tyr	Asp	Arg	Asn	His	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser		
1470) .				147	5	-			1480)				1485		
tcg	tcc	agc	acg	aag	gcc	acg	ctg	tac	ccg	ccg	atc	ctg	aac	ccg	ccg .		4573
Ser	Ser	Ser	Thr	Lys	Ala	Thr	Leu	Tyr	Pro	Pro	Ile	Leu	Asn	Pro	Pro		
				1490	o				149	5				150	o	1 e	
ccc	tcc	ccg	gcc	acg	gac	ccc	tcc	ctg	tac	aac	atg	gac	atg	ttc	tac		4621
Pro	Ser	Pro	Ala	Thr	Asp	Pro	Ser	Leu	Tyr	Asn	Met	Asp	Met	Phe	Tyr		
	: .		1505	5		•		1510	0				151	5		• .*	
tct	tca	aac	att	ccg	gcc	act	gcg	aga	ccg	tac	agg	ccc	tac	atc	att		4669
Ser	Ser	Asn	Ile	Pro	Ala	Thr	Ala	Arg	Pro	Tyr	Arg	Pro	Tyr	Ile	Ile		
		1520)				1525	5 .				1530)			·	
cga	gga	atg	gcg	ccc	ccg	acg	acg	.ccc	tgc	agc	acc	gac	gtg	tgt	gac		4717
Arg	Gly	Met	Ala	Pro	Pro	Thr	Thr	Pro	Cys	Ser	Thr	Asp	Val	Cys	Asp	•	
	1535	5				1540)				1545	5					
agc	gac	tac	agc	gcc	agc	cgc	tgg	aag	gcc	agc	aag	tac	tac	ctg	gat		4765
Ser	Asp	Tyr	Ser	Ala	Ser	Arg	Trp	Lys	Ala	Ser	Lys	Tyr	Tyr	Leu	Asp		
1550) •				1555	5				1560)				1565		
ttg	aac	tcg	gac	tca	gac	ccc.	tat	cca	ccc	cca	ccc	acg	ccc	cac	agc		4813
Leu	Asn	Ser	Asp	Ser	Asp	Pro	Tyr	Pro	Pro	Pro	Pro	Thr	Pro	His	Ser		
				1570) .				1575	5				1580)		
cag	tac	ctg	tcg	gcg	gag	gac	agc	tgc	ccg	ccc	tcg	ccc	gcc	acc	gag		4861
Gln	Tyr	Leu	Ser	Ala	Glu	Asp	Ser	Cys	Pro	Pro	Ser	Pro	Ala	Thr	Glu		

	1585	159	0	1595	
agg agc tac	ttc cat ctc	ttc ccg ccc	cct ccg tcc	ccc tgc acg gac	4909
Arg Ser Tyr	Phe His Leu	Phe Pro Pro	Pro Pro Ser I	Pro Cys Thr Asp	
160	0	1605	1	1610	
tca tcc tga	cctcggc cggg	ccactc tggct	tetet gtgeecet	gt aaatagtttt	4965
Ser Ser					
1615					
aaatatgaac a	aagaaaaaa at	atatttta tga	tttaaaa aataaa	atata attgggattt	5025
taaaaacatg a	gaaatgtga ac	tgtgatgg ggt	gggcagg gctggg	gagaa ctttgtacag	5085
tggagaaata t	ttataaact ta	attttgta aaa	ca		5120
<210> 2					
<211> 5120					
<212> DNA					
<213> Homo s	apiens				
<400> 2					
actaaagcgc c	geegeegeg ee	atggagcc cga	gtgagcg cggcgo	gggc ccgtccggcc	60
gccggacaac	atg gag gca	geg eeg eee	ggg ccg ccg tg	gg ccg ctg ctg	109
1	Met Glu Ala	Ala Pro Pro	Gly Pro Pro Tr	rp Pro Leu Leu	
	1	5	10)	
ctg ctg ctg	ctg ctg ctg	ctg gcg ctg	tgc ggc tgc c	eg gee eee gee	157
Leu Leu Leu	Leu Leu Leu	Leu Ala Leu	. Cys Gly Cys I	Pro Ala Pro Ala	
15		20	25		
gcg gcc tcg	ccg ctc ctg	cta ttt gcc	aac cgc cgg g	gac gta cgg ctg	205
Ala Ala Ser	Pro Leu Leu	Leu Phe Ala	Asn Arg Arg A	Asp Val Arg Leu	
30	35		40	45	
			_	gtg gtc agc ggc	253
Val Asp Ala	Gly Gly Val	Lys Leu Glu	Ser Thr Ile V	Val Val Ser Gly	

				50					55		•			60			
ctg	gag	gat	gcg	gcc	gca	gtg	gac	ttc	cag	ttt	tcc	aag	gga	gcc	gtg		30:
Leu	Glu	Asp	Ala	Ala	Ala	Val	Asp	Phe	Gln	Phe	Ser	Lys	Gly	Ala	Val		
			65					70					75				
tac	tgg	aca	gac	gtg	agc	gag	gag	gcc	atc	aag	cag	acc	tac	ctg	aac		349
Tyr	Trp	Thr	Asp	Val	Ser	Glu	Glu	Ala	Ile	Lys	Gln	Thr	Tyr	Leu	Asn		
		80					85				-	90					
cag	acg	a aa	gcc	gcc	gtg	cag	aac	gtg	gtc	atc	tcc	ggc	ctg	gtc	tct		39
Gln	Thr	Gly	Ala	Ala	Val	Gln	Asn	Val	Val	Ile	Ser	Gly	Leu	Val	Ser	**.	
	95		in in Karaka Ka			100					105						
ccc	gac	ggc	ctc	gcc	tgc	gac	tgg	gtg	ggc	aag	aag	ctg	tac	tgg	acg		445
Pro	Asp	Gly	Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr		
110					115					120					125		
gac	tca	gag	acc	aac	cgc	atc	gag	gtg	gcc	aac	ctc	aat	ggc	aca	tcc		493
Asp	Ser	Glu	Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser		
			 	130					135					140			
cgg	aag	gtg	ctc	ttc	tgg	cag	gac	ctt	gaç	cag	ccg	agg	gcc	atc	gcc		541
Arg	Lys	Val	Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Arg	Ala	Ile	Ala		
			145					150					155				
ttg	gac	ccc	gct	cac	ggg	tac	atg	tac	tgg	aca	gac	tgg	gtt	gag	acg		589
Leu	Asp	Pro	Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Val	Glu	Thr		
		160					165					170					
ccc	cgg	att	gag	cgg	gca	a aa	atg	gat	ggc	agc	acc	cgg	aag	atc	att		637
Pro	Arg	Ile	Glu	Arg.	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile		
	175				4 A B 1	180					185						
gtg	gac	tcg	gac	att	tac	tgg	ccc	aat	gga	ctg	acc	atc	gac	ctg	gag		685
Val	Asp	Ser	Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu		
190	٠.				195					200			٠.		205		
aaa	cac	220	ata	tad	taa	aat	and a	aaa	224	ata	200	++0	2+4	a2a	aat		722

Glu	Gln	Lys	Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg	
				210					215			÷		220		
gcc	aac	ctg	gac	ggc	tcg	ttc	cgg	cag	aag	gtg	gtg	gag	ggc	agc	ctg	781
Ala	Asn	Leu	Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu	
			225					230					235			
acg	cac	ccc	ttc	gcc	ctg	acg	ctc	tcc	aaa	gac	act	ctg	tac	tgg	aca	829
Thr	His	Pro	Phe	Ala	Leu	Thr	Leu	Ser	Gly	Asp	Thr	Leu	Tyr	Trp	Thr	
		240					245					250				
gac	tgg	cag	acc	cgc	tcc	atc	cat	gcc	tgc	aac	aag	cgc	act	ggg	999	877
Asp	Trp	Gln	Thr	Arg	Ser	Ile	His	Ala	Cys	Asn	Lys	Arg	Thr	Gly	Gly	
	255					260					265					
aag	agg	aag	gag	atc	ctg	agt	gcc	ctc	tac	tca	ccc	atg	gac	atc	cag	925
Lys	Arg	Lys	Glu	Ile	Leu	Ser	Ala	Leu	Tyr	Ser	Pro	Met	Asp	Ile	Gln	
270					275			-		280	•				285	
gtg	ctg	agc	cag	gag	cgg	cag	cct	ttc	ttc	cac	act	cgc	tgt	gag	gag	973
Val	Leu	ser	Gln	Glu	Arg	Gln	Pro	Phe	Phe	His	Thr	Arg	Cys	Glu	Glu	
				290					295					300		
gac	aat	ggc	ggc	tgc	tcc	cac	ctg	tgc	ctg	ctg	tcc	cca	agc	gag	cct	1021
Asp	Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Leu	Leu	Ser	Pro	Ser	Glu	Pro	
			305					310					315			
ttc	tac	aca	tgc	gcc	tgc	ccc	acg	ggt	gtg	cag	ctg	cag	gac	aac	ggc	1069
Phe	Tyr	Thr	Cys	Ala	Cys	Pro	Thr	Gly	Val	Gln	Leu	Gln	Asp	Asn	Gly	
		320					325		1 3			330				
agg	acg	tgt	aag	gca	gga	gcc	gag	gag	gtg	ctg	ctg	ctg	gcc	cgg	cgg	1117
Arg	Thr	Cys	Lys	Ala	Gly	Ala	Glu	Glu	Val	Leu	Leu	Leu	Ala	Arg	Arg	
	335			-		340					345					
acg	gac	cta	cgg	agg	atc	tcg	ctg	gac	acg	ccg	gac	ttc	acc	gac	atc	1165
Thr	Asp	Leu	Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile	
350					355					360		:			365	

gtg	ctg	cag	gtg	gac	gac	atc	cgg	cac	gcc	att	gcc	atc	gac	tac	gac			1213
Val	Leu	Gln	Val	Asp	Asp	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp	٠		
				370					375					380				
ccg	cta	gag	ggc	tat	gtc	tac	ťgg	aca	gat	gac	gag	gtg	cgg	gcc	atc		٠.	1261
Pro	Leu	Glu	Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile			
. :		* * .	385					390				•	395					
cgc	agg	gcg	tac	ctg	gac	ggg	tct	999	gcg	cag	acg	ctg	gtc	aac	acc			1309
	Arg																	
		400					405					410						
gag	atc		gac	ccc	gat	aac		aca	atc	gac	taa	ata	acc	cga	aac			1357
	Ile			٠.														
Olu	415	ABII	дор		чор	420		7114	vai	мър	425	vui.	ALU	41.9	71011			1
	413					420					425							
ctc	tac	tgg	acc	gac	acg	ggc	acg	gac	cgc	atc	gag	gtg	acg	cgc	ctc			1405
Leu	Tyr	Trp	Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu			
430					435					440					445			
aac	ggc	acc	tcc	cgc	aag	atc	ctg	gtg	tcg	gag	gac	ctg	gac	gag	ccc			1453
Asn	Gly	Thr	Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro			•
		5 .	•	450					455					460				
cga	gcc	atc	gca	ctg	cac	ccc	gtg	atg	ggc	ctc	atg	tac	tgg	aca	gac			1501
Arg	Ala	Ile	Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp			
			465		:	• .		470					475					,
tgg	gga	gag	aac	cct	aaa	atc	gag	tgt	gcc	aac	ttg	gat	ggg	cag	gag			1549
Trp	Gly	Glu	Asn	Pro	Lys	Ile	Glu	Cys	Ala	Asn	Leu	Asp	Gly	Gln	Glu			
		480					485					4,90						
caa	cgt	ata	cta	atc	aat	acc	tcc	ctc	aaa	taa	ccc	aac	aac	cta	acc			1597
	Arg		£ 15															
	9	V 44.1	100	, ,			001		-		505	11011	011					
	405																	
	495					500					505	1 +						
ctg	495 gac	ctg	cag	gag	999		ctc	tac	tgg	gga		gcc	aag	aca	gac			1645

510					515					520					525	
aag	atc	gag	gtg	atc	aat	gtt	gat	aaa	acg	aag	agg	cgg	acc	ctc	ctg	 1693
Lys	Ile	Glu	Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	
				530				•	535					540		
gag	gac	aag	ctc	ccg	cac	att	ttc	999	ttc	acg	ctg	ctg	a aa	gac	ttc	1741
Glu	Asp	Lys	Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	
			545		. ³			550					555			
atc	tac	tgg	act	gac	tgg	cag	cgc	cgc	agc	atc	gag	cgg	gtg	cac	aag	1789
Ile	Tyr	Trp	Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	
		560					565					570				
gtc	aag	gcc	agc	cgg	gac	gtc	atc	att	gac	cag	ctg	ccc	gac	ctg	atg	1837
Val	Lys	Ala	Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	
	575				Į.	580					585					
999	ctc	aaa	gct	gtg	aat	gtg	gcc	aag	gtc	gtc	gga	acc	aac	ccg	tgt	1885
Gly	Leu	Lys	Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	
590					595				÷	600					605	÷
gcg	gac	agg	aac	999	aaa	tgc	agc	cac	ctg	tgc	ttc	ttc	aca	ccc	cac	1933
Ala	Asp	Arg	Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	
				610					615					620		
gca	acc	cgg	tgt	ggc	tgc	ccc	atc	ggc	ctg	gag	ctg	ctg	agt	gac	atg	1981
Ala	Thr	Arg	Cys	Gly	Cys	Pro	Ile	Gly	Leu	Glu	Leu	Leu	Ser	Asp	Met	
			625					630					635			
aag	acc	tgc	atc	gtg	cct	gag	gcc	ttc	ttg	gtc	ttc	acc	agc	aga	gcc	2029
Lys	Thr	Cys	Ile	Val	Pro	Glu	Ala	Phe	Leu	Val	Phe	Thr	Ser	Arg	Ala	
		640		+ 1 1.			645					650				
gcc	atc	cac	agg	atc	tcc	ctc	gag	acc	aat	aac	aac	gac	gtg	gcc	atc	 2077
Ala	Ile	His	Arg	Ile	Ser	Leu	Glu	Thr	Asn	Asn	Asn	Asp	Val	Ala	Ile	
	655					660					665					
ccg	ctc	acg	ggc	gtc	aag	gag	gcc	tca	gcc	ctg	gac	ttt	gat	gtg	tcc	2125

Pro	Leu	Thr	Gly	Val	Lys	Glu	Ala	Ser	Ala	Leu	Asp	Phe	Asp	Val	Ser		
670					675					680					685		
aac	aac	cac	atc	tac	tgg	aca	gac	gtc	agc	ctg	aag	acc	atc	agc	cgc		2173
Asn	Asn	His	Ile	Tyr	Trp	Thr	Asp	Val	Ser	Leu	Lys	Thr	Ile	Ser	Arg		•.
				690					695					700			4
gcc	ttc	atg	aac	3 33	agc	tcg	gtg	gag	cac	gtg	gtg	gag	ttt	ggc	ctt		2221
Ala	Phe	Met	Asn	Gly	Ser	Ser	Val	Glu	His	Val	Val	Glu	Phe	Gly	Leu		
			705					710					715				
gac	tac	ccc	gag	ggc	atg	gcc	gtt	gac	tgg	atg	ggc	aag	aac	ctc	tac		2269
Asp	Tyr	Pro	Glu	Gly	Met	Ala	Val	Asp	Trp	Met	Gly	Lys	Asn	Leu	Tyr		
		720	28				725					730			,	·	•
tgg	gcc	gac	act	aaa	acc	aác	aga	atc	gaa	gtg	gcg	cgg	ctg	gac	999		2317
Trp	Ala	Asp	Thr	Gly	Thr	Asn	Arg	Ile	Glu	Val	Ala	Arg	Leu	Asp	Gly		
	735	-				740					745						
cag	ttc	cgg	caa	gtc	ctc	gtg	tgg	agg	gac	ttg	gac	aac	ccg	agg	tcg		2365
Gln	Phe	Arg	Gln	Val	Leu	Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser		
750					755					760					765		
ctg	gcc	ctg	gat	ccc	acc	aag	ggc	tac	atc	tac	tgg	acc	gag	tgg	ggc		2413
Leu	Ala	Leu	Asp	Pro	Thr	Lys	Gly	Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly		
				770					775					780			
ggc	aag	ccg	agg	atc	gtg	cgg	gcc	ttc	atg	gac	a aa	acc	aac	tgc	atg		2461
Gly	Lys	Pro	Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Cys	Met		
		<i>P</i>	785					790					795				
acg	ctg	gtg	gac	aag	gtg	ggc	cgg	gcc	aac	gạc	ctc	acc	att	gac	tac		2509
Thr	Leu	Val	Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr		
		800					805					810					
gct	gac	cag	cgc	ctc	tac	tgg	acc	gac	ctg	gac	acc	aac	atg	atc	gag		2557
Ala	Asp	Gln	Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu		
	815			. :.		820					825						

tcg	tcc	aac	atg	ctg	ggt	cag	gag	cgg	gtc	gtg	att	gçc	gac	gat	ctc	•	2605
Ser	Ser	Asn	Met	Leu	Gly	Gln	Glu	Arg	Val	Val-	Ile	Ala	Asp	Asp	Leu		
830					835					840				1	845		
ccg	cac	ccg	ttc	ggt	ctg	acg	cag	tac	agc	gat	tat	atc	tac	tgg	aca		2653
Pro	His	Pro	Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr		
				850					855					860			
gac	tgg	aat	ctg	cac	agc	att	gag	cgg	gcc	gac	aag	act	agc	ggc	cgg		2701
Asp	Trp	Asn	Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg		
			865	•				870					875		•		
aac	cgc	acc	ctc	atc	cag	ggc	cac	ctg	gac	ttc	gtg	atg	gac	atc	ctg		2749
Asn	Arg	Thr	Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu		
		880					885					890					
gtg	ttc	cac	tcc	tcc	cgc	cag	gat	ggc	ctc	aat	gac	tgt	atg	cac	aac		2797
Val	Phe	His	Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn		
	895		. 15			900	٠.				905						
aac	a aa	cag	tgt	a aa	cag	ctg	tgc	ctt	gcc	atc	ccc	ggc	ggc	cac	cgc		2845
Asn	Gly	Gln	Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg		
910					915					920					925		
tgc	ggc	tgc	gcc	tca	cac	tac	acc	ctg	gac	ccc	agc	agc	cgc	aac	tgc		2893
Cys	Gly	Cys	Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys		
	•			930	:				935					940			
agc	ccg	ccc	acc	acc	ttc	ttg	ctg	ttc	agc	cag	aaa	tct	gcc	atc	agt		2941
Ser	Pro	Pro	Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser		
			945					950					955				
cgg	atg	atc	ccg	gac	gac	cag	cac	agc	ccg	gat	ctc	atc	ctg	ccc	ctg		2989
Arg	Met	Ile	Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu		
		960					965					970					
cat	gga	ctg	agg	aac	gtc	aaa	gcc	atc	gac	tat	gac	cca	ctg	gac	aag		3037
His	Gly	Leu	Arg	Asn	Val	Lys	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys		

		975					980				\	985					
	ttc	atc	tac	tgg	gtg	gat	999	cgc	cag	aac	atc	aag	cga	gcc	aag	gac	3085
	Phe	Ile	Tyr	Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	
	990					995					1000					1005	
	gac	999	acc	cag	ccc	ttt	gtt	ttg	acc	tct	ctg	agc	caa	ggc	caa	aac	3133
	Asp	Gly	Thr	Gln	Pro	Phe	Val	Leu	Thr	Ser	Leu	Ser	Gln	Gly	Gln	Asn	
					1010)				1015	5				1020	0	
	сса	gac	agg	cag	ccc	cac	gac	ctc	agc	atc	gac	atc	tac	agc	cgg	aca	3181
	Pro	Asp	Arg	Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	•
				1025	5				1030)				1035	5		
	ctg	ttc	tgg	acg	tgc	gag	gcc	acc	aat	acc	atc	aac	gtc	cac	agg	ctg	3229
- 1	Leu	Phe	Trp	Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu	
			1040)				1045	5				105	0			
	agc	aaa	gaa	gcc	atg	3 33	gtg	gtg	ctg	cgt	999	gac	cgc	gac	aag	ccc	3277
	Ser	Gly	Glu	Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	Lys	Pro	
		1055	5				1060)				1069	5 .				
	agg	gcc	atc	gtc	gtc	aac	gcg	gag	cga	999	tac	ctg	tac	ttc	acc	aac	3325
	Arg	Ala	Ile	Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn	
	1070) .				1079	5	÷.			1080	ס				1085	•
	atg	cag	gac	cgg	gca	gcc	aag	atc	gaa	cgc	gca	gcc	ctg	gac	ggc	acc	3373
	Met	Gln	Asp	Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	
					1090)			•	1095	5				1100	0	
	gag	cgc	gag	gtc	ctc	ttc	acc	acc	ggc	ctc	atc	cgc	cct	gtg	gcc	ctg	3421
	Glu	Arg	Glu	Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu	•
				110	5				1110	o				111!	5		
,	gtg	gtg	gac	aac	aca	ctg	ggc	aag	ctg	ttc	tgg	gtg	gac	gcg	gac	ctg	3469
	Val	Val	Asp	Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu	
			1120)	7 . 2 .			112	5		٠		113	0			
	aag	cgc	att	gag	agc	tgt	gac	ctg	tca	999	gcc	aac	cgc	ċtg	acc	ctg	3517

Lys	Arg	Ile	Glu	Ser	Cys	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu		
	1135	i .				1140)				1145	5				÷	
gag	gac	gcc	aac	atc	gtg	cag	cct	ctg	ggc	ctg	acc	atc	ctt	ggc	aag		3565
Glu	Asp	Ala	Asn	Ile	Val	Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys		
1150)				1155	5 .				1160)				1165		
cat	ćtc	tac	tgg	atc	gac	cgc	cag	cag	cag	atg	atc	gag	cgt	gtg	gag		3613
His	Leu	Tyr	Trp	Ile	Asp	Arg	Gln	Gln	Gln	Met	Ile	Glu	Arg	Val	Glu		
				1170) .				1175	5				1180)		
aag	acc	acc	999	gac	aag	cgg	act	cgc	atc	cag	ggc	cgt	gtc	gcc	cac		3661
Lys	Thr	Thr	Gly	Asp	Lys	Arg	Thr	Arg	Ile	Gln	Gly	Arg	Val	Ala	His		
			1189	5				1190)				119	5			
ctc	act	ggc	atc	cat	gca	gtg	gag	gaa	gtc	agc	ctg	gag	gag	ttc	tca		3709
Leu	Thr	Gly	Ile	His	Ala	Val	Glu	Glu	Val	Ser	Leu	Glu	Glu	Phe	Ser		
		1200)				1205	5	,			1210)				
gcc	cac	cca	tgt	gcc	cgt	gac	aat	ggt	ggc	tgc	tcc	cac	atc	tgt	att		3757
Ala	His	Pro	Cys	Ala	Arg	Asp	Asn	Gly	Gly	Cys	Ser	His	Ile	Cys	Ile		
	1215	5				1220					122	5					
gcc	aag	ggt	gat	aaa	aca	cca	cgg	tgc	tca	tgc	cca	gtc	cac	ctc	gtg		3805
Ala	Lys	Gly	Asp	Gly	Thr	Pro	Arg	Cys	Ser	Cys	Pro	Val	His	Leu	Val		
123	0		· .		123	5				124	ס				1245		
ctc	ctg	cag	aac	ctg	ctg	acc	tgt	gga	gag	ccg	ccc	acc	tgc	tcc	ccg		3853
Leu	Leu	Gln	Asn	Leu	Leu	Thr	Cys	Gly	Glu	Pro	Pro	Thr	Cys	Ser	Pro	÷	
				1250	o .				125	5	-			126	0		
gac	cag	ttt	gca	tgt	gcc	aca	agg	gag	atc	gac	tgt	atc	ccc	aaa	gcc		3901
Asp	Gln	Phe	Ala	Cys	Ala	Thr	Gly	Glu	Ile	Asp	Cys	Ile	Pro	Gly	Ala	<i>:</i>	*
			126	5				127	0				127	5			
tgg	cgc	tgt	gac	ggc	ttt	ccc	gag	tgc	gat	gac	cag	agc	gac	gag	gag	. •	3949
Trp	Arg	Cys	Asp	Gly	Phe	Pro	Glu	Cys	Asp	Asp	Gln	Ser	Asp	Glu	Glu		
		128	0				128	5				129	0				

ggc	tgc	ccc	gtg	tgc	tcc	gcc	gcc	cag	ttc	ccc	tgc	gcg	cgg	ggt	cag		3997
Gly	Cys	Pro	Val	Cys	Ser	Ala	Ala	Gln	Phe	Pro	Cys	Ala	Arg	Gly	Gln		
	1295	5				1300)				1305	5				-	
tgt	gtg	gac	ctg	cgc	ctg	cgc	tgc	gac	ggc	gag	gca	gac	tgt	cag	gac		4045
Cys	Val	Asp	Leu	Arg	Leu	Arg	Cys	Asp	Gly	Glu	Ala	Asp	Cys	Gln	Asp		
1310) :				1315	5	٠.			1320)				1325		÷
cgc	tca	gac	gag	gtg	gac	tgt	gac	gcc	atc	tgc	ctg	ccc	aac	cag	ttc		4093
Arg	Ser	Asp	Glu	Val	Asp	Cys	Asp	Ala	Ile	Cys	Leu	Pro	Asn	Gln	Phe		
				1330).			-	1335	5 .				1340	0 .		
cgg	tgt	gcg	agc	ggc	cag	tgt	gtc	ctc	atc	aaa	cag	cag	tgc	gac	tcc		4141
Arg	Cys	Ala	Ser	Gly	Gln	Cys	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser		
			1345	5				1350)				135	5			
ttc	cçc	gac	tgt	atc	gac	ggc	tçc	gac	gag	ctc	atg	tgt	gaa	atc	acc		4189
Phe	Pro	Asp	Сув	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Cys	Glu	Ile	Thr		
	٠.	136	0				136	5				137	0				
aag	ccg	ccc	tca	gac	gac	agc	ccg	gcc	cac	agd	agt	gcc	atc	aaa	ccc		4237
Lys	Pro	Pro	Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	•	-
	137	5				138	.				1389	5					
gtc	att	ggc	atc	atc	ctc	tct	ctc	ttc	gtc	atg	ggt	ggt	gtc	tat	ttt		4285
Val	Ile	Gly	Ile	Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe		
139	0				139	5				140	o .				1405		
gtg	tgc	cag	cgc	gtg	gtg	tgc	cag	cgc	tat	gcg	ggg	gcc	aac	ggg	CCC	k	4333
Val	Cys	Gln	Arg	Val	Val	Cys	Gln	Arg	Tyr	Ala	Gly	Ala	Asn	Gly	Pro		
				141	0 -				141	5				142	0		
ttc	ccg	cac	gag	tat	gtc	agc	ggg	acc	ccg	cac	gtg	ccc	ctc	aat	ttc		4381
Phe	Pro	His	Glu	Tyr	Val	Ser	Gly	Thr	Pro	His	Val	Pro	Leu	Asn	Phe		
			142	5			:	143	0 , -				143	5			•
ata	gcc	ccg	ggc	ggt	tcc	cag	cat	ggc	ccc	ttc	aca	ggc	atc	gca	tgc		4429
Ile	Ala	Pro	Gly	Gly	Ser	Gln	His	Gly	Pro	Phe	Thr	Gly	Ile	Ala	Cys		

		æ	1440)	1			1445	5				1450)				
	gga	aag	tcc	atg	atg	agc	tcc	gtg	agc	ctg	atg	ggg	ggc	cgg	ggc	ggg		4477
	Gly	Lys	Ser	Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly		
		1455	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;				1460)				1465	5	:			. **	
	gtg	CCC	ctc	tac	gac	cgg	aac	cac	gtc	aca	<u>a</u> ga	gcc	tcg	tcc	agc	agc		4525
	Val	Pro	Leu	Tyr	Asp	Arg	Asn	His	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser	-	
	1470)				1475	5				1480)				1485		
	tcg	tcc	agc	acg	aag	gcc	acg	ctg	tac	ccg	ccg	atc	ctg	aac	ccg	ccg		4573
	Ser	Ser	Ser	Thr	Lys	Ala	Thr	Leu	Tyr	Pro	Pro	Ile	Leu	Asn	Pro	Pro		
			· ·		1490)	÷		•	1495	5				1500)		٠
	ccc	tcc	ccg	gcc	acg	gac	ccc	tcc	ctg	tac	aac	atg	gac	atg	ttc	tac		4621
٠	Pro	Ser	Pro	Ala	Thr	Asp	Pro	Ser	Leu	Tyr	Asn	Met	Asp	Met	Phe	Tyr		
				1505	5				1510)				151	5			
	tct	tca	aac	att	ccg	gcc	act	gcg	aga	ccg	tac	agg	ccc	tac	atc	att		4669
:	Ser	Ser	Asn	Ile	Pro	Ala	Thr	Ala	Arg	Pro	Tyr	Arg	Pro	Tyr	Ile	Ile		
			1520	5		٠.		1525	5				1530	0				
	cga	gga	atg	gcg	ccc	ccg	acg	acg	ccc	tgc	agc	acc	gac	gtg	tgt	gac		4717
	Arg	Gly	Met	Ala	Pro	Pro	Thr	Thr	Pro	Cys	Ser	Thr	Asp	Val	Cys	Asp		
		1535	5				154	0				154	5				-	
	agc	gac	tac	agc	gcc	agc	cgc	tgg	aag	gcc	agc	aag	tac	tac	ctg	gat		4765
,	Ser	Asp	Tyr	Ser	Ala	Ser	Arg	Trp	Lys	Ala	Ser	Lys	Tyr	Tyr	Leu	Asp		
	1550)				155	5				156	0				1565		
	ttg	aac	tcg	gac	tca	gac	ccc	tat	cca	ccc	cca	ccc	acg	ccc	cac	agc		4813
	Leu	Asn	Ser	Asp	Ser	Asp	Pro	Tyr	Pro	Pro	Pro	Pro	Thr	Pro	His	Ser		
				· .	157	0				157	5.				158	0		
	cag	tac	ctg	tcg	gcg	gag	gac	agc	tgc	ccg	ccc	tcg	ccc	gcc	acc	gag		4861
	Gln	Tyr	Leu	Ser	Ala	Glu	Asp	Ser	Cys	Pro	Pro	Ser	Pro	Ala	Thr	Glu		
٠				158	5				159	0				159	5		•	
	agg	agc	tac	ttc	cat	ctc	ttc	ccg	ccc	cct	ccg	tcc	ccc	tgc	acg	gac		4909

Arg Ser	Tyr	Phe	His	Leu	Phe	PIO	PIO	Pro	PLO	ser	Pro	cys	TIIL	Asp	
	1600				`.	1605	٠				1610				
tca tcc	tgac	ctcg	gc c	gggd	cact	c tg	gctt	ctct	gtg	cccc	tgt	aaat	agtt	tt	4965
Ser Ser															
161															
aaatatga		2022		ata	tatt	tta	tgat	ttaa	aa a	ataa	atat	a at	taac	rattt	5025
		٠,													5085
taaaaaca									99 9	ictgg	yaya	acc	.ccgc	acay	
tggagaaa	ta tt	tata	aact	. taa	tttt	gta	aaac	a	: -						5120
					. * · · ·										
<210> 3															
<211> 16	15														
<212> PR	r ¦														
<213> Ho	mo sa	pier	ıs												
										٠					
<400> 3	:														
Met Glu	Ala A	ala I	Pro I	ro 0	aly I	ro E	ro T	rp E	ro I	eu I	eu I	Leu I	Leu I	Leu	
1			5					10					15		
Leu Leu	Leu			_		~ 3									
		Leu	Ala	ьeu	Cys	GIY	Cys	Pro	Ala	Pro	Ala	Ala	Ala	Ser	
			Ala	Leu	Cys	GIÀ		Pro	Ala	Pro	Ala		Ala	Ser	
Dwo Lou		20					25				۲,	30			
Pro Leu	Leu	20				Arg	25				Leu	30			
	Leu 35	20 Leu	Phe	Ala	Asn	Arg	25 Arg	Asp	Val	Arg	Leu 45	30 Val	Asp	Ala	
Pro Leu Gly Gly	Leu 35	20 Leu	Phe	Ala	Asn	Arg	25 Arg	Asp	Val	Arg Ser	Leu 45	30 Val	Asp	Ala	
Gly Gly	Leu 35 Val	20 Leu Lys	Phe Leu	Ala Glu	Asn Ser 55	Arg 40 Thr	25 Arg	Asp Val	Val Val	Arg Ser 60	Leu 45 Gly	30 Val Leu	Asp Glu	Ala Asp	
Gly Gly	Leu 35 Val	20 Leu Lys	Phe Leu	Ala Glu	Asn Ser 55	Arg 40 Thr	25 Arg	Asp Val	Val Val	Arg Ser 60	Leu 45 Gly	30 Val Leu	Asp Glu	Ala Asp	
Gly Gly	Leu 35 Val	20 Leu Lys	Phe Leu	Ala Glu	Asn Ser 55	Arg 40 Thr	25 Arg	Asp Val	Val Val	Arg Ser 60	Leu 45 Gly	30 Val Leu	Asp Glu	Ala Asp	
Gly Gly 50 Ala Ala	Leu 35 Val	20 Leu Lys Val	Phe Leu Asp	Ala Glu Phe 70	Asn Ser 55 Gln	Arg 40 Thr	25 Arg Ile Ser	Asp Val Lys	Val Val Gly 75	Arg Ser 60 Ala	Leu 45 Gly Val	30 Val Leu Tyr	Asp Glu Trp	Ala Asp Thr	
Gly Gly 50 Ala Ala 65	Leu 35 Val	20 Leu Lys Val	Phe Leu Asp	Ala Glu Phe 70	Asn Ser 55 Gln	Arg 40 Thr	25 Arg Ile Ser	Asp Val Lys	Val Val Gly 75	Arg Ser 60 Ala	Leu 45 Gly Val	30 Val Leu Tyr	Asp Glu Trp	Ala Asp Thr	
Gly Gly 50 Ala Ala 65	Leu 35 Val Ala Ser	20 Leu Lys Val	Phe Leu Asp Glu 85	Ala Glu Phe 70 Ala	Asn Ser 55 Gln Ile	Arg 40 Thr Phe Lys	25 Arg Ile Ser	Asp Val Lys Thr	Val Val Gly 75 Tyr	Arg Ser 60 Ala Leu	Leu 45 Gly Val	30 Val Leu Tyr	Asp Glu Trp Thr	Ala Asp Thr 80 Gly	

Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr	Asp	Ser	Glu
· · · · · · · · · · · · · · · · · · ·		115					120					125			
Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser	Arg	Lys	Val
	130					135					140				
Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Lys	Ala	Ile	Ala	Leu	Asp	Pro
145					150					155					160
Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu	Thr	Pro	Arg	Ile
				165					170					175	
Glu	Arg	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile	Val	Asp.	Ser
			180					185					190		
Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu	Glu	Gln	Lys
		195					200					205			
Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg	Ala	Asn	Leu
	210					215					220				
Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu	Thr	His	Pro
225					230				,	235					240
Phe	Ala	Leu	Thr	Leu	Ser	Gly	Asp	Thr	Leu	Tyr	Trp	Thr	Asp	Trp	Gln
				245					250					255	
Thr	Arg	Ser	Ile	His	Ala	Cys	Asn	Lys	Arg	Thr	Gly	Gly	Lys	Arg	Lys
			260					265					270		
Glu	Ile	Leu	Ser	Ala	Leu	Tyr	Ser	Pro	Met	Asp	Ile	Gln	Val	Leu	Ser
		275					280					285			
Gln	Glu	Arg	Gln	Pro	Phe	Phe	His	Thr	Arg	Cys	Glu	Glu	Asp	Asn	Gly
ŧ	290			:		295					300				
Gly	Trp	Ser	His	Leu	Сув	Leu	Leu	Ser	Pro	Ser	Glu	Pro	Phe	Tyr	Thr
305					310					315					320
Cys	Ala	Cys	Pro	Thr	Gly	Val	Gln	Met	Gln	Asp	Asn	Gly	Arg	Thr	Cys
				325					330					335	
Lys	Ala	Gly	Ala	Glu	Glu	Val	Leu	Leu	Leu	Ala	Arg	Arg	Thr	Asp	Leu

			340					345					350	•.	
Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile	Val	Leu	Gln
		355					360					365			٠,
Val	Asp	Asp	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Glu
	370					375					380			٠.	
Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile	Arg	Arg	Ala
385	-				390					395			÷.		400
Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr	Glu	Ile	Asn
		+ 1		405					410					415	
Asp	Pro	Asp	Gly	lle	Ala	Val	Asp	Trp	Val	Ala	Arg	Asn	Leu	Tyr	Trp
			420					425					430		
Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu	Asn	Gly	Thr
		435		- 11. - 1.	٠.		440					445			
Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro	Arg	Ala	Ile
	450					455					460			-	
Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu
465					470				-	475					480
Asn	Pro	Lys	Ile	Glu	Cys	Ala	Asn	Leu	Asp	Gly	Gln	Glu	Arg	Arg	Val
				485					490					495	
Leu	Val	Asn	Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala	Leu	Asp	Leu
			500		÷ .			505					510		
Gln	Glu	Gly	Lys	Leu	Tyr	Trp	Gly	Asp	Ala	Lys	Thr	Asp	Lys	Ile	Glu
•		515					520				-	525			
Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	Glu	Asp	Lys
	530					535					540	-			
Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	Ile	Tyr	Trp
545	, , , , , , , , , , , , , , , , , , ,	. /			550					555	•			.*	560
Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	Val		Ala
				565					570					575	

Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	Gly	Leu	Lys
		+ <i>1</i> ,-	580					585					590		
Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	Ala	Asp	Arg
		595					600					605	. *		
Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	Ala	Thr	Arg
	610					615		-			620			-	
Cys	Gly	Cys	Pro	Ile	Gly	Leu	Glu	Leu	Leu	Ser	Asp	Met	Lys	Thr	Cys
625					630	٠.				635			•		640
Ile	Val	Pro	Glu	Ala	Phe	Leu	Val	Phe	Thr	Ser	Arg	Ala	Ala	Ile	His
				645					650					655	
Arg	Ile	Ser	Leu	Glu	Thr	Asn	Asn	Asn	Asp	Val	Ala	Ile	Pro	Leu	Thr
		-	660					665					670		
Gly	Val	Lys	Glu	Ala	Ser	Ala	Leu	Asp	Phe	Asp	Val	Ser	Asn	Àsn	His
		675		51.			680					685			
Ile	Tyr	Trp	Thr	Asp	Val	Ser	Leu	Lys	Asn	Ile	Ser	Arg	Ala	Phe	Met
	690					695				•	700				
Asn	Gly	Ser	Ser	Val	Glu	His	Val	Val	Glu	Phe	Gly	Leu	Asp	Tyr	Pro
705					710					715					720
Glu	Gly	Met	Ala	Val	Asp	Trp	Met	Gly	Lys	Asn	Leu	Tyr	Trp	Ala	Asp
				725					730					735	
Thr	Gly	Thr	Asn	Arg	Ile	Glu	Val	Ala	Arg	Leu	Asp	Gly	Gln	Phe	Arg
			740					745					750		
Gln	. Val	Leu	. Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser	Leu	Ala	Leu
		755	·				760					765			
Asp	Pro	Thr	Lys	Gly	r Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly	Gly	Lys	Pro
	770	<i>:</i> I				775	; .				780)	•		
Arg	ıle	· Val	Arg	, Ala	. Phe	Met	Asp	Gly	Thr	Asn	Cys	Met	Thr	Leu	Val
785	;				790					795	;	* . 			800
. Var	Lare	· 1757	Gla	λνο	τ Δ1 a	λer	. Δgr	Len	Thr	Tle	Ast	Tvr	Ala	Asp	Gln

				805					810					815	
Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	Ser	Ser	Asn
			820					825					830		
Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	Pro	His	Pro
		835				-	840					845			
Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	Asp	Trp	Asn
	850					855					860				
Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	Asn	Arg	Thr
865			· . :.		870					875					880
Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	Val	Phe	His
				885		:			890					895	
Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn	Asn	Gly	Gln
			900					905					910		
Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	Cys	Gly	Cys
		915					920					925			
Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys	ser	Pro	Pro
	930					935	-	-			940				
Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	Arg	Met	Ile
945					950	-				955					960
Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu	His	Gly	Leu
				965					970					975	
Arg	Asn	Val	Lys	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys	Phe	Ile	Tyr
			980					985					990		
Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	Asp	Gly	Thr
		995					100	0				100	5		
Gln	Pro	Phe	Val	Leu	Thr	Ser	Leu	Ser	Gln	Gly	Gln	Asn	Pro	Asp	Arg
	101	0				101	5.				102	0			
Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	Leu	Phe	Trp
102	5 .				103	0				103	5				1040

Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu	Ser	Gly	Glu
				1045	5				1050)				1055	i .
Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	Lys	Pro	Arg	Ala	Ile
		· .	1060)			•	1065	5				1070)	
Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn	Met	Gln	Asp
		107	5				1080)				1085	5		
Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	Glu	Arg	Glu
	1090))	• .		• .	1095	5				1100)			
Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu	Val	Val	Asp
110	5				1110	0				1115	5				1120
Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu	Lys	Arg	Ile
				112	5			, · .	113	0				1135	5
Glu	Ser	Cys	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu	Glu	Asp	Ala
			114	0 .				114	5				115	0	
Asn	Ile	Val	Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys	His	Leu	Tyr
		115	5				116	0				116	5 :		
Trp	Ile	Asp	Arg	Gln	Gln	Gln	Met	Ile	Glu	Arg	Val	Glu	Lys	Thr	Thr
	117	0				117	5				118	0			
Gly	Asp	Lys	Arg	Thr	Arg	Ile	Gln	Gly	Arg	Val	Ala	His	Leu	Thr	Gly
118	5	-			119	0				119	5	-			1200
Ile	His	Ala	Val	Glu	Glu	Val	Ser	Leu	Glu	Glu	Phe	Ser	Ala	His	Pro
				120	5				121	0				121	5
Cys	Ala	Arg	Asp	Asn	Gly	Gly	Cys	Ser	His	Ile	Cys	Ile	Ala	Lys	Gly
			122	0				122	5				123	0	
Asp	Gly	Thr	Pro	Arg	l Cys	Ser	Cys	Pro	Val	His	Leu	Val	Leu	Leu	Gln
		123	5		y t		124	0				124	5		
Asn	. Leu	Leu	. Thr	Cys	Gly	Glu	Pro	Pro	Thr	Cys	Ser	Pro	Asp	Gln	Phe
	125	0				125	5	٠.			126	0			
Ala	Cys	Ala	Thr	Gly	/ Glu	Ile	Asp	Cys	Ile	Pro	Gly	Ala	Trp	Arg	Cys

1265	,				1270)		•		1275	5				1280
Asp	Gly	Phe	Pro	Gľu	Cys	Asp	Asp	Gln	Ser	Asp	Glu	Glu	Gly	Cys	Pro
				1285	5 -				1290) .				1295	•
Val	Cys	Ser	Ala	Ala	Gln	Phe	Pro	Cys	Ala	Arg	Gly	Gln	Cys	Val	Asp
			1300	ס	:			1305	5.				1310		
Léu	Arg	Leu	Arg	Сув	Asp	Gly	Glu	Ala	Asp	Cys	Gln	Asp	Arg	Ser	Asp
		1315	5				1320	o				132	5 .		·.
Glu	Val	Asp	Cys	Asp	Ala	Ile	Cys	Leu	Pro	Asn	Gln	Phe	Arg	Cys	Ala
	1330) .				133	5				1340) .			× *
Ser	Gly	Gln	Cys	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser	Phe	Pro	Asp
1345	5				135	o •				135	5				1360
Cys	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Cys	Glu	Ile	Thr	Lys	Pro	Pro
		٠.		136	5				137	9				1375	5
Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	Val	Ile	Gly
			138	0				138	5				139	0	
Ile	Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe	Val	Cys	Gln
		139	5 a		. •		140	0 -				140	5		
Arg	Val	Val	Cys	Gln	Arg	Tyr	Ala	Gly	Ala	Asn	Gly	Pro	Phe	Pro	His
	141	0				141	5 .			i .	142	0			
Glu	Tyr	Val	Ser	Gly	Thr	Pro	His	Val	Pro	Leu	Asn	Phe	Ile	Ala	Pro
142	5		٠.		143	0				143	5				1440
Gly	Gly	Ser	Gln	His	Gly	Pro	Phe	Thr	Gly	Ile	Ala	Cys	Gly	Lys	Ser
			•	144	5				145	0				145	5
Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly	Val	Pro	Leu
			146	0				146	5				147	0	
Tyr	Asp	Arg	Asn	His	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser	Ser	Ser	Ser
		147	5				148	0 .				148	5		
Thr	Lys	Ala	Thr	Leu	Tyr	Pro	Pro	Ile	Leu	Asn	Pro	Pro	Pro	Ser	Pro
	149	0			-	149	5		-		150	0 .			

Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser Ser Asn 1515 1505 1510 Ile Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Ile Ile Arg Gly Met 1525 1530 1535 Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp Ser Asp Tyr 1545 1550 1540 Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr Leu Asp Leu Asn Ser 1560 1565 1555 Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro His Ser Gln Tyr Leu 1575 1580 1570 Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro Ala Thr Glu Arg Ser Tyr 1595 1590 1585 Phe His Leu Phe Pro Pro Pro Pro Ser Pro Cys Thr Asp Ser Ser 1615 1610 1605

<210> 4

<211> 1615

<212> PRT

<213> Homo sapiens

<400> 4

Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu Leu Leu Leu

1 5 10 15

Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala Ala Ala Ser

20 25 30

Pro Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala

35 40 45

Gly Gly Val Lys Leu Glu Ser Thr Ile Val Val Ser Gly Leu Glu Asp

	50					55					60				
Ala	Ala	Ala	Val	Asp	Phe	Gln	Phe	Ser	Lys	Gly	Ala	Val	Tyr	Trp	Thr
65					70					75					80
Asp	Val	Ser	Glu	Glu	Ala	Ile	Lys	Gln	Thr	Tyr	Leu	Asn	Gln	Thr	Gly
				85					90				. •	95	
Ala	Ala	Val	Gln	Asn	Val	Val	Ile	Ser	Gly	Leu	Val	Ser	Pro	Asp	Gly
		•	100					105	÷ .				110		
Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr	Asp	Ser	Glu
		115					120					125			
Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser	Arg	Lys	Val
	130					135					140				
Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Lys	Ala	Ile	Ala	Leu	Asp	Pro
145					150					155					160
Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Val	Glu	Thr	Pro	Arg	Ile
=				165					170					175	
Glu	Arg	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile	Val	Asp	Ser
			180					185					190		
Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu	Glu	Gln	Lys
		195		٠.			200					205			
Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg	Ala	Asn	Leu
	210					215					220				
Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu	Thr	His	Pro
225					230					235	;				240
Phe	Ala	Leu	Thr	Leu	Ser	Gly	/ Asp	Thr	Leu	Туг	Trp	Thr	Asp	Trp	Glr
				245	;				250					255	i
Thr	Arg	Ser	: Ile	His	. Ala	а Сув	a Asr	Lys	Arg	Thr	Gly	Gly	Lys	Arg	l TA:
			260) , ₋ , ₋ .			1	265	5	÷			270		
Glu	ılle	. Lev	ı Ser	Ala	Lev	і Туі	s Ser	Pro	Met	Asp	Ile	e Glr	ı Val	Leu	. Ser
		275	5			٠	280)				285	5		

C	ln	Glu	Arg	Gln	Pro	Phe	Phe	His	Thr	Arg	Cys	Glu	Glu	Asp	Asn	Gly
		290					295				٠	300				
C	ily	Trp	Ser	His	Leu	Cys	Leu	Leu	Ser	Pro	Ser	Glu	Pro	Phe	Tyr	Thr
. :	305					310					315					320
C	Cys	Ala	Сув	Pro	Thr	Gly	Val	Gln	Met	Gln	Asp	Asn	Gly	Arg	Thr	Cys
					325		•			330	-				335	
]	Lys	Ala	Gly	Ala	Glu	Glu	Val	Leu	Leu	Leu	Ala	Arg	Arg	Thr	Asp	Leu
		. •:		340					345					350		
1	Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile	Val	Leu	Gln
			355					360					365			
. 1	Val	Asp	Asp	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Glu
		370				-	375					380				
•	Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile	Arg	Arg	Ala
	385					390					395	* 1				400
	Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr	Glu	Ile	Asn
	÷				405					410					415	
	Asp	Pro	Asp	Gly	Ile	Ala	Val	Asp	Trp	Val	Ala	Arg	Asn	Leu	Tyr	Trp
				420				-	425				~	430		
	Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu	Asn	Gly	Thr
			435		*			440					445			
	Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro	Arg	Ala	Ile
		450					455					460				
	Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu
	465					470					475	٠				480
	Asn	Pro	Lys	ıle	Glu	Cys	Ala	. Asn	. Leu	Asp	Gly	Gln	Glu	Arg	Arg	Val
					485	·				490					495	
	Leu	Val	Asr	n Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala	Leu	Asp	Leu
		•		500)				505	-				510	•	
	Gln	Glu	ı Gly	/ Lys	Leu	. Туг	Trp	Gly	Asp	Ala	Lys	Thr	Asp	Lys	Ile	Glu

		515					520					525			
Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	Glu	Asp	Lys
	530		1.			535					540				
Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	Ile	Tyr	Trp
545					550					555					560
Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	Val	Lys	Ala
				565					570					575	
Ser	Arg	Asp	Val	lle	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	Gly	Leu	Lys
	•		580					585	:				590		
Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	Ala	Asp	Årg
		595					600					605			
Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	Ala	Thr	Arg
	610					615					620	÷			
Cys	Gly	Cys	Pro	Ile	Gly	Leu	Glu	Leu	Leu	Ser	Asp	Met	Lys	Thr	Cys
625					630					635					640
Ile	Val	Pro	Glu	Ala	Phe	Leu	Val	Phe	Thr	Ser	Arg	Ala	Ala	Ile	His
		· .		645					650					655	
Arg	Ile	Ser	Leu	Glu	Thr	Asn	Asn	Asn	Asp	Val	Ala	Ile	Pro	Leu	Thr
			660		•			665					670		
Gly	Val	Lys	Glu	Ala	Ser	Ala	Leu	Asp	Phe	Asp	Val	Ser	Asn	Asn	His
		675	; ·				680					685			
Ile	Tyr	Trp	Thr	Asp	Val	Ser	Leu	Lys	Asn	Ile	Ser	Arg	, Ala	Phe	Met
	690					695					700			ŧ	
Asn	Gly	Ser	. Ser	. Val	Glu	His	Val	Val	Glu	Phe	Gly	Leu	ı Asp	Tyr	Pro
705				`	710					715	,				720
Glu	Gly	Met	. Ala	ı Val	. Asp	Trp	Met	Gly	Lys	Asn	ı Leu	Туг	Trp	Ala	. Asp
				725	5				730					735	
Thr	Gly	7 Thi	c Asr	ı Arg	, Ile	Glu	ı Val	Ala	Arg	Leu	a Asp	Gly	/ Glm	Phe	Arg
			740)		•		745	5 .		-		750	ı	

Gln	Val	Leu	Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser	Leu	Ala	Leu
		755	-				760					765	-	٠	
Asp	Pro	Thr	Lys	Gly	Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly	Gly	Lys	Pro
	770					775					780				
Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Cys	Met	Thr	Leu	Val
785					790					795					800
Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr	Ala	Asp	Gln
•				805					810					815	
Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	Ser	Ser	Asn
			820					825					830		
Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	Pro	His	Pro
		835					840					845			
Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	Asp	Trp	Asn
	850					855		٠			860				
Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	Asn	Arg	Thr
865					870					875	*,				880
Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	Val	Phe	His
				885					890					895	
Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn	Asn	Gly	Gln
			900					905					910		
Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	Cys	Gly	Cys
		915			. •	-	920					925			
Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys	Ser	Pro	Pro
	930					935					940				
Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	Arg	Met	Ile
945					950		,			955					960
Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu	His	,	Leu
				965	5				970					975	
Arg	Asr	ı Val	Lys	Ala	ı Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys	Phe	Ile	Tyr

		•	980					985					990		١
Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	Asp	Gly	Thr
- 1 - X		995			ć		1000)				1005	; ·		
Gln	Pro	Phe	Val	Leu	Thr	ser	Leu	Ser	Gln	Gly	Gln	Asn	Pro	Asp	Arg
	1010) ¹				1015	5				1020)			
Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	Leu	Phe	Trp
102	5.				1030)				1035	5				1040
Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu	Ser	Gly	Glu
				104					105			٠.		105	
Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	Lys	Pro	Arg	Ala	Ile
			106					106					107		
Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn	Met	Gln	Asp
		107					108					108			
Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	Glu	Arg	Glu
	109					109					110				
Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu	Val	Val	Asp
110	5			200	111	0				111	5	-			1120
Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu	Lys	Arg	Ile
				112					113					113	
: Glu	. Ser	Cys	: Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu	Glu	Asp	Ala
			114	0				114	5				115	0	
Asn	ı Ile	· Val	. Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys	His	Leu	Tyr
		115	55				116	0			•	116	5		٠.
Trp	o Il∈	Asp	Arg	g Gln	Gln	Glr	n Met	:Ile	Glu	. Arg	val	Glu	Lys	: Thr	Thr
	117					117					118				
Gl	/ Asp	ь Гуз	arç	Thr	. Arg	; Ile	e Glr	ı Ğly	Arc	y Val	. Ala	His	Lei	ı Thr	Gly
118					119	•				119				•	1200
Ιlε	e His	Ala	a Val	l Gli	ı Glu	ı Val	l Sei	Leu	ı Glu	ı Glu	ı Phe	e Ser	Ala	a His	Pro
			*	120					121					121	

Cys	Ala	Arg	Asp	Asn	Gly	Gly	Cys	Ser	His	Ile	Cys	Ile	Ala	Lys	Gly
			1220)				1225					1230)	
Asp	Gly	Thr	Pro	Arg	Cys	Ser	Cys	Pro	Val	His	Leu	Val	Leu	Leu	Gln
·. ·. ·		1235	;				1240)				1245	5 _.		
Asn	Leu	Leu	Thr	Cys	Gly	Glu	Pro	Pro	Thr	Cys	Ser	Pro	Asp	Gln	Phe
	1250) .				1255	5				1260)			
Ala	Cys	Ala	Thr	Gly	Glu	Ile	Asp	Cys	Ile	Pro	Gly	Ala	Trp	Arg	Cys
126	5				1270)				1275	5				1280
Asp	Gly	Phe	Pro	Glu	Cys	Asp	Asp	Gln	Ser	Asp	Glu	Glu	Gly	Cys	Pro
				128	5				129) ·				129	5
Val	Cys	Ser	Ala	Ala	Gln	Phe	Pro	Cys	Ala	Arg	Gly	Gln	Cys	Val	Asp
*	• .		130	0				130	5				131	o ·	
Leu	Arg	Leu	Arg	Cys	Asp	Gly	Glu	Ala	Asp	Cys	Gln	Asp	Arg	Ser	Asp
		131	5				132	0				132	5		
Glu	Val	Asp	Cys	Asp	Ala	Ile	Cys	Leu	Pro	Asn	Gln	Phe	Arg	Cys	Ala
	133	0				133	5				134	0			•
Ser	Gly	Gln	Cys	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser	Phe	Pro	Asp
134	5				135	0				135	5				1360
Cys	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Cys	Glu	Ile	Thr	Lys	Pro	Pro
				136	5 .				137	0				137	5
Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	Val	Ile	Gly
			138	o ,				138	5				139	o ,	
Ile	: Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe	Val	Cys	Gln
		139	5				140	0				140	5 .		
Arg	, Val	Val	Cys	Gln	Arg	Tyr	Ala	Gly	Ala	Asn	Gly	Pro	Phe	Pro	His
	141	.0				141	.5				142	0			
Glu	ı Tyr	Val	Ser	Gly	Thr	Pro) His	Val	Pro	Leu	Asn	Phe	: Ile	Ala	Pro
142	25				143	0				143	5		• • •		1440
Gly	/ Gly	ser Ser	Glr	His	: Gly	Pro	Phe	. Thr	Gly	, Il∈	. Ala	Cys	Gly	Lys	Ser

					1445	; ·			٠	1450			\		1455	5
1	Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly	Val	Pro	Leu
				1460)				1465	5		•		1470		
,	Tyr	Asp	Arg	Asn	His	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser	Ser	Ser	Ser
			1475	5				1480)				1485	5		
	Thr	Lys	Ala	Thr	Leu	Tyr	Pro	Pro	Ile	Leu	Asn	Pro	Pro	Pro	Ser	Pro
		1490)				149	5				1500)			
	Ala	Thr	Asp	Pro	Ser	Leu	Tyr	Asn	Met	Asp	Met	Phe	Tyr	Ser	Ser	Asn
	1505	5				151	o .				151	5				1520
	Ile	Pro	Ala	Thr	Ala	Arg	Pro	Tyr	Arg	Pro	Tyr	Ile	Ile	Arg	Gly	Met
					152	5				153	0 -				153	5
	Ala	Pro	Pro	Thr	Thr	Pro	Cys	Ser	Thr	Asp	Val	Cys	Asp	Ser	Asp	Tyr
				154	0				154	5				155	0	
	Ser	Ala	Ser	Arg	Trp	Lys	Ala	Ser	Lys	Tyr	Tyr	Leu	Asp	Leu	Asn	Ser
			155	5				156	0				156	5		
	Asp	Ser	Asp	Pro	Tyr	Pro	Pro	Pro	Pro	Thr	Pro	His	Ser	Gln	Tyr	Leu
		157	0				157	5				158	0			
	Ser	Ala	Glu	Asp	Ser	Cys	Pro	Pro	Ser	Pro	Ala	Thr	Glu	Arg	Ser	Tyr
	158	5				159	0				159	5				1600
	Phe	His	Leu	Phe	Pro	Pro	Pro	Pro	Ser	Pro	Cys	Thr	Asp	Ser	Ser	
				.:	160	5				161	0				161	5

<210> 5

<211> 3096

<212> DNA

<213> Homo sapiens

catcttctca cacgatctct cgcttcgcac tccttccttt gattggtttt caccatttac 60 tcagacgacg gtccttcttc gatctttgca cattcttcta tcatctacta ccttcatacc 120 cageteegte ecctaatatt catgegegga tggeceatte egtggtgaaa atteeettet 180 actotgotaa totgotgtto tototocoto cogtogggtt otgotoctgo caegttotoc 240 cctctcccca ccaaaggctg ggttttcttt gtcagggctc ctttcccctt tggaagaagg 300 ggggctgtat ggccttggtg cgaggccctc cagtgacagg atcccccatc acccagagtt 360 ccacaggccc tggtagggag gaggggagc agaagaggag gtgccatctt tgcctgctgg 420 ggaagggcag gggccaccca cacagagctc tcccatttgc tgtggaccct ggggccactg 480 cccagttcct tccaaaggaa agccagctcc ccaggtggtg ggagagtgat atggcttcct 540 cttaaactta gggaattgag tgtgtggttg cttctaagtg ccttagaagc cgggagcggc 600 tectggaaag ageetgeetg ecacageggg cettaceetg getgtgeeca cagatgteec 660 tggggcctgc cgctcctgcc cggctctcct ggcctccccc ggtgtgggtt gggaaaagca 720 cagcaaatta aaaaacacct ccatctctgg cctttgaaga atgcatctga acagccgaga 780 840 gtgtaaaccg tggtgaaatg tggtctttcc agtttgggga gaagcagggc agagctgggg 900 ccgctgggac ctccagctgt aatagggaag gttttactgg gttgctggcc actgtggact 960 gcccctaagg gcaggtatgc ctgcctttac ccgggttccc ctcctgcctg gaagatacag 1020 cccatgggag gcctgttgtc tgtgggatcc tccagcatca gagacactgg ggccagcgtc 1080 tgcctggtga ggtgcaggcc tggcaggccc ggtcccccac ctgcttgagc acccacggtg 1140 gtgggggctc gctgcctccc gagacaatct atgtcattgt tgtccaagga agctaattta 1200 gagtagaaag ttccgtgtcc agtcccactc tgtgcgtgtg ttagcagggg actctcgggc 1260 cggagctggg tccaccctgg tagggggact tcatggggcc tgggcgacag cactgtgtat 1320 ttgtgtgtgt gtgtgtttgt gtgtgtgtg gtctgaggag gtggaccagt ttctcaaaag 1380 gcctgtgacc ccaagaacca aggaatttca gcctgggtgg atcacacctt cactggtgag 1440 1500 tgggacaagc tgggggccct cgccacagga gcagccaggg catggggcac agttggcctc 1560 attcacaaaa tgggagtata agtgatccct getetggegg ceaggaegat gagtgggaae 1620 acaccgtgtg ggggctgcct ggcctgggtg tgccgcgggt gtccttgttg gtgatggttc cacctgettg tgccaccagt gccctctggg tetcacacae aactetette ccagcgaagg 1680 cccctcctgc cctcaggcct cagtgctgct tccgtctcgg aaggccccag gagctcctgc 1740 atcetgggeg tgatteetgt gtgeetgeag acceeetege ggetgeeate teateetttg 1800 gtgcacctgt tggccagacc tcctggtagc gggtgctgca ctcccctgaa tgtgccgggg 1860 1920 cctgggggca gggacctggg ctcctccctc actgagtgga gggaactcag tgtcttggag ttggggtgcc tgcaggctgg gtggtgcagg tgaaatgcag acctctcagc tggtgttcca 1980 2040 gagcagctgc cttcccccgc ccgagggact tcacccgcag cccagtcagg ggtggcgcct gggtgcatcg cccgcaggct gggtaggggt ggagcctggg tggccctgcc tgtgagctgc 2100 atagttgtcg cctttgaccc tgagttttct tcgttatctg tttggacctg tttggggcag 2160 gcaggggatg agatetgaag ataaatgeet tagetgtgae cateteettt tgtgagaggt 2220 2280 caatgtccag ttccgctgca gttataacat cccatttttt gatttctttt tatttttcc ttttttttt tgagatggag tctcgctctg tcacccaggc tggagtgcaa tggggtgacc 2340 tcagctcact gcaacctcca cttctcgggt tcaagtgatt ctcctgcctc agcctcctga 2400 ctagcagggg ttacaggcgt gagccaccac gcccagctaa tttttgtatt tttagtagag 2460 gcaaggtttc gtcatgttgg ccaggctggt ctcaaactcc tggccttaag tgatctgccc 2520 gcctcggcct cccaaagtgc tgagatgaca ggtgtgagcc accgtgcccg gcccagaact 2580 ctttaattcc cacctgaaac ttgccgcctt aagcaggtcc ccagtctccc tcccctagtc 2640 cctggtccca ccattctgct ttctgtctca atgaatttgc ctaccgtaag tacctcatat 2700 2760 aaattgaatc ataaagtatt tgtcttttta tatctggctt atttcactta gcataacatt cttaagtttc atccatgttg tagcatgtgt cagaatctct ctcttttttt tttttttt 2820 tttttttttt ttttgcagac agagtetege tetgteatet agaetggagt teagtggcae 2880 2940 gateteggtt caetgeaaca tetgeeteet gggteeaage aatteteetg ceteageete cttagcagct ggaactacag gcgcgtgcca ccatgccttg ctaatttttg tattttatg 3000 tggaggcagg gtttcaccat cttggccagg ctggtctcga attcctggtc ttcaccacgg 3060 3096 gggcccgaag gacccgggca aagcgtggag gggagg

<210> 6

<211> 26928

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (12044), (12489), (26433), (26434), (26435), (26436), (26439), (26441)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 6

9	gaagaccaag	ggcacacagc	gaggcagttt	cagggcgggc	agcctggggc	cccacggggc	60
•	ggccccggac	acttgttctc	acctgtggag	ggcagagaag	ggaacaggga	gagaagtggc	120
	cggctgggag	tggaggtggg	tttgaggttt	tactgtaaac	taaatgtgta	ccctctacct	180
	tagttatgaa	ttatgagaca	cgaagactgc	gaaacagaca	cactcctcta	aaagtgcctc	240
	taggctgaca	gggagaaagt	cccgccaggc	tcccagacgc	cacctttgag	tccttcaaca	300
	agcccgccag	ggcctcttgc	ccaccggtgt	cagctcagcc	actgaaccct	ccaggaagaa	360
	gacgtgctgg	taggagaaga	atctcaccca	ggcacagcct	ggaaggggca	cagaaggggc	420
	tccggaacca	gcaagcccaa	gttggaactc	ccagtctgct	actttctaga	acgactgtgc	480
	ccttggcggg	tctaagtaga	acctctccgc	gcactctttc	ctcctttgta	aagtggggac	540
	agcaatggcc	accttgcagg	ttcagagagg	gcttgcagta	cctcacagaa	ctgagtgccc	600
	gtgaacgtgt	gtgttcctcc	agatttgtga	cagctttgcc	aggctggagt	caggctgaac	660
	geetetgeee	tcatggggtt	tatattctag	gaagaccaac	aaaaacaaga	agacggaaaa	720
	ttaaaacaac	aaaagcccca	ttgacaggcc	gtgaagaatg	ccatgaaaaa	tgaatggcgt	780
	tgtgctgcag	tctttgggga	aacgggctta	cggaaagaag	gacacttgag	ctgctaccaa	840
	tgagcagccg	teeggtggga	gggcagttca	ggaagagcag	acatccactg	aggaggcgct	900
	ggggcagagg	gcagcctggt	cgctggattc	gggggaggaa	ccacatcagg	ccatgagctg	960
	gagctggtgg	tagaatgtac	aggagaggcc	agccagggcc	agctcatgtc	agacctcaag	1020
	cggggaagat	gaatcgagaa	tgcaccccac	gagcaatggg	aagccagtct	acgatttaag	1080
	cagcaaaaat	attttccctt	cttccaccct	gcatccagct	ctaccagcac	agcctggggt	1140
	tctattttca	agatagaata	gacccagact	cccagctctt	cttacacttc	tactactgcc	1200
	acctgtcacc	cactcatgcg	tccccacttg	cagectegae	cccttccac	ctgatctcat	1260
	ggcagccagg	gaagctccag	ggctcgtgag	ggctgccatc	: tcaggaaaga	agcaaaagcc	1320
	ttcggcacct	gcagggcctg	ctccaaccac	acttcttcct	tgacctctca	getteettag	1380
						and the second s	

ccactccctt cccacatctc accetgetec agecacagtg gtgtetetgt gggtteteaa acacaccagg tgcactcctg cctcagggcc tttgtgcttg ctgttctctg ctgggactct 1500 1560 ttttttttt ttttttttg agacagggtc tcactctgtg gcccaggctg gagtgtagtg gtgtgatcgt agctcattgc aacctcaaac teetgggete aagcaateet eecaceteag 1620 cctctcaagt agttagcttt tgttgttttg ttttgagatg ggatctcact ctgttgccca 1680 ggctggagtg cagtggggca atcttggctc accacaacct ctgcctccca ggctcaagca 1740 1800 attctcctgc ctcagcctcc caagtagctg ggattacagg catgtgccac cacgcccagc ttatttttgt atttttagta gagacagggt ttcaccatgt tggtctggct ggtcttgaac 1860 tectggeete agatgateca ectgeetegg ceteceaaag tgetgggatg acaggeatga 1920 gcctgtctct agtagttagg actacagaga ggggccatca tgcctggtga tcctcccacc 1980 ttttctgctc caactctttc accccactta gcctcgtggc tcactctctt acctcttcag 2040 2100 ctcctcagtc aggcctgagg acccctgttg aaaattgcaa accacacccc ccaccaccac cacccactat tgccagcact ttctactcca tttctctgct ttacttttct cctttgtact 2160 2220 catcaccacc tgactcatta catgtttacg tatctttctt ctctccacta gcatggaagc 2280 tccaggagag cagagagtgt agttttattc cctgatgtgt ttcctgtgcc cgtaccaggg cctagcacac agtaggtgct cagtaaatgt gtgttggatg aacaaataca gtgaaaggat 2340 2400 ctgatctaca tttataaaga aggcactctg gctgctgagt ggggatgaga ctgtcaggag gaaagaggcc cctgtggggg cctggccagc aggtgggtac aatggtagca gccaggagag 2460 2520 agggcctctt ggactcaagt ggatggggcc tgctcagggc tccggccaca ggaacaaagg 2580 gaagggggcc caggatggcc tgtcatagag gacacattac aactggccca aagttcaagt caggtttcta aatttgggaa gggatacaga aaaactaaag actctactgg acagtcagtt 2640 2700 attgaaatga ttacatagaa aatgtaccaa gaattaaaaa aaaaaaaaa aagcattatg 2760 aaggggccac cagagactcc cagagaggaa agggactatg ggctggatgc ggtgactcac 2820 acctataatc ccagcacttt gggaggccga ggagggtgga tcacgaggtc aggagttcaa aaccagccta ggcaacatgg taaaaccccc gtttctacta aaaatacaaa aaattagctg 2880 2940 ggcatggcag catgtgcctg taatcccagc tactcgggag gctgaggcag gagagttgct 3000 agaacccagg aggcagaggt tgcagtgagc cgagattgag ccactatgct ccagcttggg 3060 cgacagagca agactccgtc tctaaaaaaa agaaaaaaaa ggccagatga ggtggctcat gcctgtaatc ccagcacttt gggaggccga ggtgggtgga tcacgaggtc aggagatcga 3120

3180 gaccatcctg gctaacatgg tgaaactcca tctctactta aaatacaaaa aattagccgg gegtggtgge gggeacetgt agteceaget aettgggagg etgaggeagg agaatggegt 3240 gaacctggga ggcggagctt gcagtgagcc gagattgcgc cactgcactc catccagcct 3300 gggcgacaga gttagactcc gtctcaaaaa aaaaaaaaa aaaaaaatta gctgattagt 3360 tgggcttggt ggcgggcgcc tgtaatccca actactcggg aggctgaggc gggagaatca 3420 3480 cttgaacccg ggaggcagag gttgcaatga gccgatatca cgccactaca ctccagcctg 3540 gcctgggacc caaagcacac tactgcaagg tcccagggtg cctgactcca accggagcct 3600 tgagaacatt catttgcaaa gaatgaatta aaattcagca ctattttatt ctgcaggatt 3660 ccagcacccc aaggacagtc atttttagac ccttcagtaa cgtaataagt aaccggagga 3720 tgtgctgagc ttccacttcc ccagacggtt gcctgtcaca gctcatcagg ccaacaaact 3780 3840 tttettagge etcaaatttg gaaatgttea eteteagtte gtteettaga tgeaagteea 3900 tcccaatgaa gtaacagggg ctcagcacct gtccaatctc attgcttccg gggacagggg cccatgagga tgtcgtttca gcccggtgac acttgggcaa agtgcctttt ggtttccctc 3960 ccaggctgga acgtgctggc tctgtgaagt tacgctgggc acaagagccc cccccaaccc 4020 ggcaggactg actgctgtgg tcagaggcgc ccctggggct ttgggagcca cagaatcttc 4080 ctgagggcag cgccggagga ggccccagtg agagtgccca ctgccaggct cattcctcag 4140 4200 getgeegeag geeteteece aaaacaggea atgettetea geaacetgee eeaggageag gccagggaag gccgccatcg gcctacagtg ctgggctctg gagggcttgg ttggtaacag 4260 gccatggttt ctatgagcca gctggggtgt gaaggacaca ggctggattc acctctctgg 4320 gcctcagttt ctgcattcaa aaagtgggaa tcatgatatc tgctctattt cttatctctc 4380 4440 agtgctgatg tgaacctcca ataagacttt taaaaatact ctttctacct tacttttatt 4500 tttcatttat tttaagataa tgtctagctg tctcacccag gctggagtgc agtggtgtga 4560 ttacggctca ctacagcctt aacctcccag gctcaagtga tcctcctacc acagcctccc 4620 aagtagetgg aactacagge atgeaceace geacetggat aattttttet tttgagacaa 4680 ggtttcactc tgttgcccag gctggagtgc agtggtgcac tcttggctca ctgcagcctc 4740 aacctccctg ggcttaggtg atcctcacac ttcagtctcc caagtagctg ggactacagg tatgtgccag tacacccagc taatattttt gaaggatggg gtttcactat attgcccagg 4800 ctggtcttga actccagggt ttaagcaatc taccttcctc agcctgccaa agtgctagga 4860 ttataggtat gagccacccc ccggcctata atcctaccac tttaaaaaaag cctgtaattt 4920 tagcacttta aaaaattttt ctaaattttt tatagagatg ggggacagct gtggtctcac 4980 tgtgttgccc aggctggtct tgaactccta ggatcaagcc atcctcctgg cctggcctcc 5040 5100 tgttcttgtt gctcaggctg gagtgcaatg gcaagatctt ggctcactgc aacctccacc 5160 5220 tecegggtte aageaattet eetgeeteag eeteeegagt agetgggatt acaggeatge 5280 gccaccacac ccagctaatt ttgtattttt agtagagatg gggtttctct atatacctta attttaaagc actgcattca tgtaaattgt gattaacatg gattcaagag agggagtgag 5340 gatgaatgag ccaggcagtc acctcggctg tcaccctcca cttctccct ccttctgaca 5400 gtcatcgtcc atccgtttct gcagctgttt gtttgactct cctgatcatt ttgcttgcca 5460 cataacttgc ctcctgggaa agaatgccct gggcaggccc acatgagtag tgaaaaataa 5520 5580 tctgcagtga aaaataaaac taagtagtct ggtccacaga gcagtcttat tttttcactg 5640 cagatgaagg agttgacatt caggetteat teteatttat aagtgtttta aagacacata cagtggattg aacagtggcc ttcaaaaaga tgtatctaca tcctaatccc tgggacctgt 5700 5760 gaatgttaac caagttagga aaagggtctt cccgggtgtc attaagttag agatcttgag 5820 atgaggaget categtggat tatecaggtg gaccetgeat ceaaggacaa atggteetta 5880 gaaaagaaaa gcagaggctg ggcacagtgg ctcaagcctg taatcccagc actttgagag 5940 gccgaggtgg gtggatcacc taaggtcatg agttcgagag cagcctggcc aacatgatga 6000 aatcccatct ctactaaaaa tacaaaaatt agcaaggcat ggtggcgggt gcctataatc 6060 ccagctactc aggaagctga ggcaggagaa tggcttgcac ctgggaggcg gaggttgcag 6120 tgagccaaga tcgcgccact gcactccagc ctgagggaga aaagtgaaac tctgtctcat 6180 aaaagaaaag aaaagcagac agagatctga gacagaagag gagagtgaag gaaaaaaggc 6240 catgtgaaga tgaggcagag gttggagcca tgcagccaca agccaaggaa tacctggagc 6300 cccagaagtt gcaagaggta ggaagaagcc tcccctagag cctccagacg gagcacagcc 6360 ctgccaacac ctccacctca gacttctggc ctccagcact gtgagataat caactgctgt 6420 tgttttaagc caccagattt gtggtaattt gttatggcag ccacaggaaa ctaatacagt 6480 acctaatctt cacaaaccca tcttacagaa aaggaaactg aagtcagaga ggtagtggct 6540 tgtgcagtgt gttaggccat tcttgtatta ctataaagaa atacctgagg ccgggcatgg 6600 tggctcacgc ctgtaatccc agcactttgg gaggccaagg tgagtggatc acttgaggtc

aggagttcaa gaccagcctg gacaacatgg tgaaacccca tttctactga aaatatgaaa 6660 attagecagg catggtggeg tgcatetgta gtcccageta etcaggagge tgaggcagga 6720 gaatcacttg cgcccgggag gaggaggttg tagtgagcca agattgtgcc actgcactcc 6780 agcctgggag acaagagaga aaccctgtct caaaataaat aaaaaacaaa taaacacctg 6840 agactgggta gtttataaag aaaggggtta actggctccc ggttctgcag gctgtacaag 6900 6960 catggtgccg gcatctgctt ggttgctggg aaggcttcag ggagttttac tcatcgtgga aggcagagcc agagcaggtg catcacacag caaaagcagg agcgagagag agagagagca 7020 gggaggtgtg cacactttta aatgagcaga tctcacgaga actcaccatt gcaaggacag 7080 caccaageca egaggggtet gececeatga eccaaacete ecaetaggee ecaececeaa 7140 cattgggaat tacagttcaa catgaggttt ggggggacaa atatccaaac tatatcattc 7200 cacccctggc cccccagatc tcatgttctt ctcacattgc aaaatatagt catgccttcc 7260 cagtagecee ccaaagtett aacteateee ageattaaet caaaaateee atteecaagt 7320 ccaacgtoto atotgaagat gagttoottt cacctacaag actgtaaaaa tgaaaacagt 7380 tatttactgc tgagatacaa tgggggcata ggcattaggt aaacattcct gttccaaaag 7440 ggagaaatcg gtcaaaagaa aggggctata ggccccaagc aagtccaaaa cccagcagag 7500 caatcattca atcttaaagc tccaaaataa cctccttaaa ctccatgtcc catagccagg 7560 gcacactggt gcaaggggca ggctcccaag gccttgggca gctctattcc tgcggctttg 7620 cagaattcag tccccatggc tgctcttaca gattggagat gagggcctgc ggcttttcca 7680 ggtgcagggt gcaagctgct ggtgatctac cattctgggg tgtggatggt ggcggccccg 7740 tecegeaget ceaetaggea ttgteceagt ggggaeteta tgtggggeet ecaaececae 7800 7860 atttcccctc caatgggaag gctctgcccc tgcagcagcc ttcttcctgg gctcccaggc tttctcatac atcctctgac atctaggtgg atggtgtcaa gcttccttca ctcttgcact 7920 7980 ctgcacacct acaggettaa caccacatgg aagetgccaa ggtgtatgge tggaaccete tgaagcagca gcctgagctg tgactatggc cctttgagcc aaggctggag ctggaacagt 8040 8100 ctagatgcag gcagggagca gtgtcctgag gctgtgcaga gcagcagggc cctgtgcctg 8160 gacaatgaaa ccattettte eteeteatee tetgggeetg tgatgggagg gttgtggaag atctctgaaa tgcctttgag gcctttttgc ctctgaggcc tatttcctat tgtctcagtt 8220 attggcagtc ggctcctttt tagttatgca aatcctctag caagaggtta ctccactgcc 8280 ggcttgaact cctctcctga aaaagctttt tctttctttg tcacatggcc aggctgcaaa 8340 ttttccaaac ttttatgctc tgttttacct ttaaatataa cttctaactt taattcattt 8400 atttgctcct gcatttgagc atagggaatt caaagaagct gggccacatc ttgaatgctt 8460 tgctgcttca aaatttatgg ccacgcttgg tggctcacac ctgtaatccc agcactttgg 8520 gaggcctagg tgggcagatc acgagatcag gagatcgaga ccatcctggt caacatggtg 8580 8640 aaacccatct ctactaaaaa tacaaaaaaa ttagcttggt gtggtggcgc agacctgtag teccagetae tggagagget gaggeaggag aattaettga acetgggagg cagaggttge 8700 8760 agtgagccca gatcatgcca ctgcactcca gcctggtgac agaataagat ttgatctcga aaggaaggaa ggaaggagga agggaagaaa tgtcttcccc ccagatgtcc tgggtcatcc 8820 ctcttatgtt caaacttcaa cagatcccta gggcatgaaa ataatacagc caaattattt 8880 gctaaggcat aacgaaagtg acctttgctc cagttcccaa taagttcctc atttccatct 8940 gagactcatc accetggeet tggettgtee atateactgt cageattttg gteacaatea 9000 tttaaccagc taatcgggag gctgaggcaa gaggatcact tgaacccagg aggttgaggc 9060 tgcagtgagc tgtgatcaca tcactgcagt ccagcttggg caacagagca agatcctgtc 9120 9180 tcaataaata aataaataaa tacataaata acttaagttt atttaaagct gcatctttgc caccatggag aaaggccagg ccagctcctt ctctctttct gcacgtgttc ctcccacctc 9240 9300 agctgcctct gctcctcaag gaggaacaga gggagtagga aaggccatcc caggaggccc agcaccccat gacctggctc tggggccttg tgggtttatg gattcccagt gctgagtcat 9360 ccctcacagg ctcttgtggg caccttggac attggtcaga agcatgtggt ccccgggaac 9420 9480 acaccttttc ctgatcatct gggaagggca gcttgtgcca gcgaggccac ctgttcagcg ccacggcccg ccagacagct gcagccacag ccttgccttt gatcagagca aacaccagac 9540 atgtgtgtca tgcccccaac ccatctccag gggacacatg tcctttcttg ccaggcctga 9600 9660 gatgaacaag agagggacaa gtccccaagc ctctctctcc ttcctgcctc acccactccg 9720 ctgttagatt ctcaaggtgg atggtgggct aactagggca accgaccatc ctggtttacc 9780 tagaactgag ggggcatttt caggaataaa actgcaaaag tctggagcaa acaggagcaa 9840 gttggtcact ctggggctgg tggagtcagg tttccttctg caggccccct ccccgcaagc atgggtggaa cccaggacag gaacacagag caggccccag gaccgggctt gtcacttaca 9900 9960 agtctttttt ttttttttt ttttgagatg gagtcttgct ctgtcatcag ggctggagta 10020 cagtggtgcc atcttagctc actgcaacct ctgccttctg ggttcaagtg atccccctgc ctcagcetec tgagtagetg ggactacagg tggcaccace acgeccaget aattttttgt 1.0080 atttctagta gagatgagat ggccaggctg gtcttgaact cctgacctca agtgatctgc 10140 cegeettgge etcecaaagt getgggatta caggtgtgag ecaetgtgee tggeeceaet 10200 cacaagtett aaaccatgee teageacate aatgeeattt acaaaaaggt agagggattt 10260 tccaggcaaa aatagatgaa agacatagga tgattgatca tgtcctgctt aaacataggt 10320 ctgatgctat taagaattga gggctgggag cggtggctca cgcctgtaat cccagcactt 10380 tgggaggccg aggcgggcgg atcacgaggt caggagatcg agaccatcct ggctaacacg 10440 10500 gtgaaacccc atctctacta aaaatacaaa aaatggccgc gcgcggtgac tcacgcctgt aatcccagca ctttgggagg ccaaggcggg cggatcacga ggtcaggaga tcgagaccat 10560 cctggctaac acagtgaagc cccgtctcta ctaaaaaaata caaaaaaaat tagccaggca 10620 tggtggcggg cgcctgtagt cccagcaact tgggaggctg aggcaggaga agaatggtgt 10680 gaacctggga ggtggagctt ccagtgagcc gagatcacac cactgcactc cagcctgggc 10740 10800 gacagagtga aactccatct caaaaaaaaa ataaataaat aaataagaat tgttagtatt ttgcaggtgt gacaaatgat tctgtttctg tggcagaatg ttctcaggag atctcttttg 10860 10920 aactctcatg gaaagcatca tgctgttggc aacatcacat ttatttttat ttatttatta 10980 ttttttagag acagggtctt gctctgttgc ccaggctgga gtgcagtggc acaatcacag ctcactgcag cctcaacctc ctgggctcaa gcaatcctcc tgcctcagcc tcccaaagta 11040 gctgggacca caggcgtgag ccactgcact cagcccaatg taccttcaat atttacattt 11100 ctggcaaagg tagcaaaacc ttaacaaatt ttgaatctag ataataaaat tatgaggctg 11160 11220 ggtgcagtgg ccctgacagg gatggctcac atctgtaatc tcaacatttt gggaggccaa ggtaggcgga tcacctgagg ccaggagttt gagaccagcc tggccaacat ggtgtaaccc 11280 tgtctctaac aaaaatacaa aaaaattagc cagacgtggt ggtgcacgtc tgtcatccca 11340 11400 gctactaggg aggctgaggc aggagaattg cttgaacccg agaggcagag gttgtgatga geegagateg egteattgea etceageetg ggeaaaagea agagegaaae teteteteea 11460 11520 aaaaataaaa aaaaaataaa ttaatgaatt aattaaaata aaataaaata atggatagtc 11580 actgtaaaga aaaaataaat gtatatatca gccaacaagt gatggaatag agcaccccat 11640 ctccctggct ggacagatac atcccacaac acctggaagg cggctccatg tagaactttc tggactgctt gaggtgctgt gctggagcac ggtgacagag gagctggacc atggacctcc 11700 11760 cccggccccc accaagggcg aggtccccct gtggtgggtc tgagggaggc atccgtatgg 11820 cctctgcggc ttgggcaggg aatttggggt ccaagtactt ggtgcaaagc ctggaaagag

qqtttqqqtq ctqaqqqcat atcccctggg ccacatgggg gcagaagtgg ggccccctga 11880 agettggagt cetgggeagg ggeatetatt ttgetgtetg aggeetteag taettgaage 11940 12000 aaaatggagg cagaatgtcc caccttaatg cccctgattc ctccaaacca attccagaga cagcaagggc cagaacaggg atggccctgc ccagggtcat gcancgagga agtggccagg 12060 ctgggatctg aacccagget aatcccetce cttgteetee teeaggeeet cacceetgea 12120 tagageeete eageteacte ateeteggee ageteeatet eeteagettg taaaeeeeee 12180 cgggattttc ctttcttaaa aaacaaaggc ttggccaggc acggtggctc acgcctgtac 12240 tttgggggtg gctcccagca ctttgggagg ccaaggtggg cggatcatga ggtcaagaga 12300 ttgagaccat tctggccagc atggtgaaac cctgtattta ctaaaaaaaa aaaaattaac 12360 12420 tgggcatggt ggctagctac ttaggaggct gaggcaggag aatcgcttga acctgggaga aagaggttgc agtgagccaa gatcgcgcca ctccacttta acctggcaac agaacaagat 12480 tccgtttcna aaaacaaaca aacaaacaaa taaacaaaaa aaggcggagc gcgatggctc 12540 gcgcctgcaa tcccagcact ttgggaggct gaggcgggcg gatcacttga ggttaggagt 12600 12660 ttgagaccag cttggccaac atggtgaaac cccatttcca ctaaaagtac aaaaatcagc caggtgtggt ggtgggtgcc tgtaatccca gctactcagg aggctgaggc aggagaatcg 12720 cttgaaccca tgacctggag gctacagtga gctgagattg cgccactgta ctccagcttg 12780 ggcaacaaga tttgtttctc taaaaaaaaa aaaaaaaaga ctggcccttc cccttcagct 12840 ettecteagg gtecetgage actetacace ecegtetaca etgageacte caccetgetg 12900 totacactga gcactocaco otgocatota cactgaggao tocaccocac tgtotacact 12960 ggctgcctcc cgccctcacc tcctgctaag gccattcccc gctgcatctg tcttctagat 13020 13080 tetgeageet teageaeget gggeeeetee tttgteeeet tgageeaeet eeageeteee cctgagctgc tactcctctc ccagcagcct ccacccaagc ccctccagtc cccaagctgt 13140 cccttgcatc cagcactqcc cttccacqtg ccccttccct ccaqcttcac aqcagggtgg 13200 ggcctccagg ccctgcccac tgtgcccatc cacaagttgt ggtgggagct ccgaggggag 13260 gcaggggtgt gcatggactt gggacgtcca agtctgggac caggggcagc tggttggtgg 13320 13380 agtgtggagg gggataggga ctttcaggta gagaggctgt aggggcaaga tcgggacggc ggatgtccct aaggagggct ctgacctggg aaatattgtg cagcttcctc tttgccattc 13440 ctggagctca gacactggcc ggctctcacc ccgcccttcc tgcaggacac agctccatcc 13500 cagtgagttc ctagtgtaga catctccagc agcacggatg ggaaaggaag tcatcaaagg 13560

13620 tgcccaggac cggaggcttt ttctggaggt ggcagaggag ggtgtgggtc tcagggctct ggctgagggc aagcgtggga ggtcttaggt ctgcaccagc cccgtgaagg cccctcctgc 13680 tccctggtgg agtcctagag ggaacagcag cccctaggct ctagcaggag tgggtagggg 13740 cttttctggc ttcctactgt gccagcagga tagctgggcc tggcactgag cccaaagatc 13800 acatgccggg gcattggcgc agtgaggaac agacccttgc caaagctggc aaagaagacc 13860 13920 ccatggggtg cagctggtga agctgagagc tcaatgtttg ggggagcctg gcaaaagggg tectecete ectetgeagg ceaggatege aggtttteee tacatgttgg taatteteaa 13980 14040 acaatcccat ggccactgga gcaaagatca cagtgggcgg cggcctcggg agcagtggac agggcacgca gtgcctttga tgccagagcc ctcgccccaa agtcaacaaa ctctgcagcg 14100 gactttgcac ccggactttg ttttcaccat acaaggaaag ggacagatca caggccctct 14160 cgctgccctc gctgagccgg aagctgcagc gtgagctctc tcaagcccca tttctaggtt 14220 ccccaggcgc acccctgagc ccctactcgc ctattaagtt ctcctaatag cccttcaagg 14280 14340 tottaatgta tgtccattag acagagggga aaactgaggc gagggcaagt gacttgaccg 14400 aggttcctcg gcgagcaggg cgtggagctg agaacctcgt tattactgct ccccacacaa 14460 ccctctggcc gttcttggaa gaaggctgag ccccgggggg gccagagtga cccaaacacc atgggccgcc tgcggtaaca cgtgcggcca cgaaggggca gcagtttccc gcccggccgg 14520 14580 gctctctccg gcgctcagta tccgtcccag gccaagaaga agaaactcgg ggaggagggc ggagggggct gcgtggagg gcgtggaaga tggacgtggc caggggagtg gcagctgcac 14640 14700 acagtggatg ctgttaagat gaagggaaag aacgtgggct ccgagatcac tggacacggt 14760 tocacettte ttecegetea etgeatggee etgggegggt tgttgaaeee ttggaaaeet 14820 gtttttcctt ttttcctttt tttttgagac agggtcttgc tctgtggccc agactggagt 14880 geogtggcae gatettgget caetgetgee teccaggtte aagtgateet eecageteag ceteetgegt agetgggace ceaggtatgt gteaceaeag eeggetaatt titgtattit 14940 tttgtagaga cgggatttcg ccgtattgcc caggctggtc tcaaactcct gagttcaccg 15000 15060 gatetteetg ceteageete ecaaagtget gggattaetg geatgageea eegeaceeag 15120 cagagacete agttttetaa eetgtgeeag caggaataat gatagetgee tagettgget 15180 gtgctgggaa ttaagtaaga tgaccgggta gcaaatatga agtattactg gacacagagg 15240 gccccaggct gggttagcag cggtggtcag ggctgctgct tcctggcctg agctcgaagg agggccctca ttaccacctg ggtgagtcct cgtccaagcc tggcactgct gcgtgggaat 15300

15360 aacttctgcc acccaagttg gcagattgtg tgcaaagtta agtcctgact ctgtggggtg 15420 gacttcgagg cctcttcatc ggacctgctt ccggtgactg cattcgcacc tcctcctgtt cctggtttaa cacagcccag ctttcctcct gctgagccct ccctgggcct gctgtcaccc 15480 tegtgeeget gtgeetegea gtgeeactee etgtaceetg aataetttge eetgeetete 15540 15600 cacccagetg agagtcaggg cccetgtgag getetgeeca gecegteete egggtttetg 15660 cctctgctga gcacttccct gcatgattgc ttctgagagt ccccccagcc tgtgagcttc tcaggactgg gacagcttct caggaccgag gcttcctggt ctgcttgcaa ttttacaggc 15720 gggcacattt tecettggee aacateagag aetggaeate tgeagatetg tgetageeae 15780 tgagcaccca ggcaccccag caggtagctc tgtaaccaac ccattctgta aagctgaggc 15840 tcagagaggt gaagcgcctg gcctggggcc acagcctgcg tcagctgcag agccaggagc 15900 tgagatatgc acctgcggct ctgctcacag ggtcctgcac agactgctgc tggagccacc 15960 tatgtagagt caagagagtt catgttaact ccctctcaca tccctcagcc agggtggggg 16020 16080 ctgacgatag acactcaggg atggcctacc ctccccaaca acccccgtca ggtttgccgg 16140 16200 tagtggctta ggaccctcag cggtggataa gttgtgggca gaagagatgc aatcaggatt 16260 ctcacccact caccccttgc cagccccaat aagctcaata agctgggctc ggtctgagga 16320 agtgtccagg aaatgtgcaa atggcctggg acagccctgt gttcctttca gtaaggttgc 16380 tgaaggtgag gctgaaagtt ggagaaacag aagccagtgc ttatggtttt aattaagata 16440 16500 tagagtetea etetgttgee eaggetggaa tgeggtgaea eaateatage teettgeage ctcgacttcc tatgcccaaa tgatcctcct acctcagcct cctgagtagc tgggactaca 16560 gacacacgcc aactatgcct agctaatttt tatttctatt ttttgtggag actgggttct 16620 16680 cactttgttg cccaggetgg tettgaacce etagetteaa gcaateetee tgeeteagee 16740 teccaaagtg gagggattae aggtgtgage caccacacet ggeetggaat ttatttgtat 16800 tctgcttata aaattaatac attcttattg cagaaaagtt tgaaaataaa agaaaggaca 16860 aagaacaaaa agcgtatata atttcacagc tcagatctca ctgctattaa catttttatt 16920 16980 tattttatat tttattttat atttttatt tcattattt attttattt attttattat 17040 ttttagagac agggcctcac tctgtcaccc aggctggagt acaatggagt gatcatagct

17100 cactgcagcc tcaaacacct gggctcaagc aatcccccca ctcagccttc tgagtagttg ggactaaagt gtgagtctgg ctaatttttt ttactttttg tattgacaga ggtctcacta 17160 tgttgcccag gctgatctca aactcctggg ttcaagcgat cctcccacct tggactccca 17220 aagtgctggg attacaggca tgagccacca tgcctggcct aaaatgccac tttttgtcat 17280 ttactaaaat cccatggaca ctttgacatg tctgtattct atgctattga tctgactgtt 17340 ggcatctaca tcattatggc catctatcat ctatcataat ccattttaac attaaaattg 17400 17460 tgctgctgct tagatttttc tggcctgtct cctatttgta ttcttccaga taaattttag aatcatttta tcaaattccc cttgcagaaa aagccctatt ggattttggt tgaaaaatac 17520 tgaattttta cattaactta ggaaagggct gggcacggtg gctcacgcct gtaatcccta 17580 cacttttcga ggccaaggca ggtggatcac ttgaggttgg gagtttgaga ccagcctggc 17640 17700 caacatggtg aaactcggtc tttactaaaa atacaaaaat tgccaggcgc attggctcac 17760 ctgtaatccc agcactttgg gaggccgagg tgggtggatc acgaggtcag gagatagaga 17820 ccatcctggc taacacggtg caaccccgtc tctcctaaaa atacaaaaaa ttagccaggc 17880 gtggtggtgg gcgcctgtgg tctcagctac ttaggaggct gaggcaggag aatggtgtga 17940 acccaggagg cggagcttgc agtgagccaa gatcgcgcca ctgcactcca gcctgggcga 18000 cagagtgaga ctccatctca aaaaaaaata ataataataa tacaaaaatt agccgggggt 18060 cgtggcgtgc acctataatc ccagttactt gggaggctga ggcaggagaa tcgcttgaat ccaggaggtg gaggttgcaa tgagcagaga tcgtgccact gtactccagc ctgggtgaca 18120 18180 gagtgacact ctgtgaaaaa aaaaaaaaaa ttctgaagga ttgagactct tagactctta 18240 ggtcttccta tccaagagca caatatagct tttcatgtat tcaagccttt ttcaatgcat 18300 caacagaatt ttacagtttt tttcatgata tcctgctatt tcttataaaa tgtattccta gatattctgc atgttttccg gttgtttgtt aataaatatt tttcatttgt cattatttcc 18360 taattggctg ttatttgtat atatgacatc tgttgaattt tttgattact ttgaaaatgg 18420 ccattctttt gtgttttttt ttaactttct attttgagat aattttgact tacagaagat 18480 18540 ttgcaaaaat agtacagaga gttcctgttt cccccttatg ttaacccagt ttctccttat 18600 gttaacatct tacataacta cagaacaatt gtcaaatcta agaatcaacc tgggcacaat gctattaact aaactgcaga agctgttcag atctcaccag ttcttctact gctccccttt 18660 tetettecag tgttcaatee ggaateetae attatattta gttgtcattt etetttggtg 18720 tettecaate tgtgacagtt ceteagtett tetttgtett teatgaettt catttttta 18780

18840 tacttttgaa aaatactggc cggttgtttt gtagaacgcc ctcagtttgg gtttgcctga 18900 agttttttgt gattagatcg aggtcatgca ttattggaga gggtgccacc gcctcgatgt 18960 gcaagctcaa tgcatcatat cagagggttt gtaatgtcag tttataccgc cggagaccct 19020 aacctggagc atttcgtgaa ggtgctgtct gccaggattc tccactagaa agttactatt tttccctttt taattactga atgtctgagg ggaaatactt tgagactatg caaatatcct 19080 19140 gtttctgctt taacttcggc tcactaagtt tagcattcat ctatggatct cgcttatagc 19200 aagtattact gtggagttct aatggtaatt ttctgtttct ctcattcctt caacctttat taatatgctt cttcctcact tattcatttt gtttcagttg tttataccaa catggatttg 19260 tggatattgg ttttattctt tgggttgcaa ttgaatccta tcattatttt gttagtcagt 19320 tgttccatcc gaccttggtc attaggagcc cttgaaattt ggctcccatg ccttttttt 19380 19440 tttttttgag accgagtete actetgteae ecaggtttga gtgeagtgge atgatettgg cttcctgcaa cctccgcctc ccaggttcaa gcaattctcc tgcctcagcc tcctgagtag 19500 19560 ctggtattat aggcgctcca ccaccttgcc cggctaattt tttgtatttt tagtagagat 19620 ggggttttat tatgttggcc aggctggtct caaactcctg acctcaggtg atctgcccgc 19680 ctcggcctcc caaagtgctg ggactacagg cgtgagccac cacacctggc ctcctatgcc 19740 attttaacat gecegtettt tetttttett teetaettte tgtgaetgta agaageteea 19800 ggatacattt ttgctgccct agacttagcc tcaatcagtt ctcagaaaag ctctggttct 19860 ttttatggga tacttagaaa actagctctg tatggcctgg cgcggtggct cacgcctgta 19920 atcccagtac tttgggaggc cgaggtgggc agatcacaga tcacgaagtc aggagatcaa gaccatcctg gctaacatgg tgaaactctg tctctactaa acatacaaaa aattagtcca 19980 20040 ggcgcggtgg cgggcgcctg tagtcccagc tactcaggag gctgaggcag gagaacggca 20100 tgaacceggg aggeggaget tgeagtgage egagategge agecaetgea etceageetg 20160 ggccacagag cgagactccg tctcaaaaaa aaaaaaagga aaaagaaaaa agaaaactag 20220 ctctgtatgc tagttttttt tttaagacag ggtctctctt gccccagctg gagtgtagca 20280 gcacgatcac agctcactgt agcctcaacc ttctgggctc aagcaatcct cctgcctcag 20340 tetectaagt agetgggtet acaggeatge accacegtae gtggeaattt ttaaaaactg 20400 tttgtagaga tggagtctcc ctatgttgcc tggtctggaa ctcctggcct caagtgatcc 20460 tectgeeteg geeteecaaa gtgetgagat tacaggeatg ageeactgta eetggeetgg ccaaggtctg tctttttta aaagaagttg ttgtatagtt gtttttttt ttatttttt 20520

ttctgagacg gagtctcgct ctgtcgccca ggctggagtg cagtggtgcg atctcggctc 20580 actgcaaget eegeeteeca ggtteaegee atteteetge eteageetee egagtagetg 20640 ggcctacagg cgcccgctac cacgcccggc taattttttg catttttagt agagacgggg 20700 tttcaccgtg ttagccagga tggtctcgat ctcctgacct cgtgatccgc ccgcctcggc 20760 20820 ctcccaaagt gctgggatta caggcgtgag ccaccgcgcc cggcctgttg tatagttttt atctcgagtt ttctagcgat ttaatcatat tggttacaaa aaaggatgat tttactacct 20880 cctttccaat gtttctacat atttttcat tttatctaac tgcattttaa aataaacttt 20940 taattttaga atggtttcat atttacagaa aatgtgcaaa gatagtacag agagttcctg 21000 tgtactccac accoggtttc cttattatta tcttaacgtg atacacaatt aataaaccag 21060 taacattatt attcactgaa gtccacactt tettttttt tttttctgag acggagtcta 21120 cttctgtcac ccaggctgga gtgcagtggc gcaatctcgg ctcactgcaa cctccacctc 21180 21240 ctgggttcag gcaattctgt ggctcagcat cccaagtagc tgggaataca ggtgcccgcc accacgcccg gctaattttt tgtattttta gtagagatgg ggtttcacca tgttagccag 21300 21360 gatggtettg aacteetgae etegtgatet geetgeetea geeteecaaa gtgetgggat tacaggcgtg agccaccgcg cccggcgtcc atactttctt tagatatcct tcctttttac 21420 21480 ctaacgtcct tcttctggtt caggatccca tccagaaagc aacattaccc ctcgccatca cgtcttcaca ggctcccctt gacgggaaga gttcctcaga ctttccttgt ttttgttgac 21540 21600 cttgacagtt ttgaggagga ctggtatctt agtctgtttt gtgctgctat cacagactag 21660 ctgagaccga tacatgatac atgaaaaaaa atgtattctt acagttgtgg aggctgggaa gttcaagacg aagttgctgg ttggtttggt ctctggtttc aagatggcgc cttgctgctg 21720 21780 catcctctgg agaagaagaa tgcggtgtcc tctcactgca gaagatggaa gcgctaaaag 21840 gaatgaacte eetttgeeaa geeattttat aatgggeatt aateeacaaa ggatgaaace ctgagaaaca tcaagcttta aagcactggt tctcaacctt tttggtctca ggagcccttt 21900 atactettaa aacgttttga ggateecaaa aaaaggette tacaggttee atettttaat 21960 atttaccata tcaaaaatta aactgaaaaa attttaaatt atttattcat ttaaaataac 22020 22080 aaggataaac ccattacatg ctaacataaa tcatgtattt tatgaaaaat agctatattt 22140 atcaaaacaa aaattagtga gaagagtggc atgtataatt ttttttgttt attttttgtt tttagatgga atcttattct gtcgcccagg ctggagtgca gtggtgtgat ctcggctcac 22200 tgcaagetet geeteccagg ttcacaceat tetectgeet cageeteetg agtagetggg 22260 actgcaggtg cctgccacca cgcccggcta attttttgta tttttagtag agatggagtt 22320 tcaccgtgtt agccaggatg gtcttgatct cctgaccttg tgatccaccc gcctcagcct 22380 cccaaagtgc tgggattaca ggcttgagcc actgcgtctg gcctaaattt ttgtgaatgt 22440 22500 ctttaatgcc tgccttctca tatttgtttc tgcattcaag ttattgcaaa atgttgtgtt ggttgaagtt tgtaaagaaa atgtggcctc atacagttgt gtagttggaa aggcaagagt 22560 22620 attttgattc tctcttcaaa caactatgga caacctgctg ttacaaaacc agaatgcaaa aagttgtagt aaatacaggt taggtgtagt gtggaatctg aaagcatgtg aatgaacttt 22680 22740 ctgagttttg taacattaaa gtccagttgc gttaagctac tgtgatagca tatagcattg 22800 tcctaatact ggaattagta tcagaagtgg ggtgctactg ttaataaata aaaagaaata aataaatcat gtgatactgg ctcagaagtc aggcagtagg ctgtgtggaa cctgacatca 22860 cgccatgtaa tacattggca accatttgat ccagctgtct gtcatgatga cttggaaagt 22920 22980 caaccacata cttacagagc ctgtagacat aggggaaaat agtataaaac agaatactaa 23040 cagtggacct tggttcttgc cagttgcatt tagccaaata ttaaacaaaa gagatattct 23100 tgggcagcaa ctggaccatc ttcaagtaaa agtgaaaggt aataaacaga gtccagacat ttgtgcccat gcgggttaag aaaaatccag ttgcttctag acaccgtata tgaaaacaac 23160 gctgaaaaca agcctttgag tggtaaaggc cgattaacac tcagcgcggt aacaaagacc 23220 23280 aggtgggcta acccgaaatg aaatgagaag cctgtggtga tgaggaggca gagaagtaaa 23340 atcaagtttg agcatttcgt ttaggagagt ttgggctctg attacttgca catgcaaacg 23400 aactggaaac aaacagatca gatgtctacc acttcttcga gggaattgca ttgccaaaga agtcatgaaa gcagactcta tactgattag gcattaaaac aaaaacaatc tttaggcccc 23460 23520 taaacttgca tgggcaggaa gtgggctgtc aaagctgttc atcctctaag gtggacctag 23580 ttcctagtcc ccagtataca cttcagatgt ggccctggag gacactggac atggaggacc 23640 tcccagagga tgaggctagg gcttcatttc tccaatgacc tcagctgcct ctatttcccc 23700 ttetteetet ggaagteeta teategttat tattattatt ateateattt ttattttgag 23760 ataaggtete getetgttge eeaggetgga gtgeagtgae atgateatgg eteaetgeag 23820 ccctcccagg ctcaagtgat cctcctgcct cagcctcctg agtagctggg agtacaggca 23880 catgccacca tgcttggcta ttttttttt cagtagagat agggctctca ctatgttgcc agggetgate teaaceteet gggtteaaga gateeteeta eeteagetee tgagtagetg 23940 ggattcgggt gcacaccacc atgccaacta atttttaatt tttttttgta tggacaggat 24000

24060 gtacagtgtt agaaatggat tgcttgcaga ggcaggagga tcacttgagc ccaggagttt gatcacactg tgaaccatga tcgcacccct gcactccaat ctgggcaaca gagtgagacc 24120 ttgtctcaaa aaaaaaaaaa aagagagaga gagagagact caaagatagg caaaaaagtg 24180 ggaaagettt atagtggaca aaaaggaacg etetaagtet geeetattgg catggtgetg 24240 aaggtgggct aactagagat agggggtact atgtggttga ctatgggtgc atctttggct 24300 24360 ttccctgggt gatcctaagt tggaagcagg gacaaaaatt agggaagctg ttagttattc 24420 atcacgttct ggcagtagtg gactggttgt gatagaagtt attgttttgg ccaggtgcgg tggctcatgc ctgtaatcct agccctttca gagttcaacg tgggtggatc aggaaggagg 24480 gaggatttgg gaggtcagga gttagcctgg ctaacctggc gaaatcccat ctctactaaa 24540 aatacaaaaa ttagctgggc gtggtggtgc atgcctataa tcccagctac tcgggacgct 24600 gaggcaggag aatcagttga acctggggag gcggaggttg cagtgagcca agatcgtgcc 24660 24720 caatttcatc tcaaaaaaaa aaaaaaagtt atcgtttagc ttcctcgatt gttactggac 24780 gtagtaatct ggcttcctgc aagtctaact ttcagcagac tggctacatg ggctgtgtac 24840 tgtagataag gcagtaagta aagcaaaaat tgatagagca tcaaggataa atagaaaatc cgtaatcaag cagaagattt gaacacttca ctttcagtaa ctgataaaac aagtagacaa 24900 aaaaaatcag taaggatgta gaagatttga acaacgtaat taacaaactt gacttgattt 24960 acacgtetag aaccetgeag aacacacact ttttcaagca tactcagaac atttatataa 25020 agtgaccata tggtggacca taaagcagtt tcaacaaatc tcacaggagt aaaataacag 25080 25140 accgtgtttt ctgaccgtaa gtacagttaa cctagaaatt gaaaacaaaa agctagaaaa 25200 accccatgta totggaaatt ttaatataca otttgaaata acaaatggat cagagattaa ttcaaatagg aatttagaaa taccttgaac tgaaaaataa tgagaatact ataccccaaa 25260 actgtggggt gcagctgaac agtatataga cgaaaagtat actcatatgt gcatacctta 25320 aggagcgggg aggattgaaa gttaatggga ggcaaaagca ggtggatcac ttgaggttag 25380 gagttcaaga tcagcctggc taacagggtg aaaccccatc tctactaaaa atacaaaaaa 25440 25500 ttatccaggc gtagtgaggc tgaggcaaga gaatcgttgg aacccaggag gcagaggttg 25560 cagtgageeg egattgegee aetgeaceee ageetgggag acagagegag actecatete 25620 aagaaagaaa aaaaaaaag aaaaggccag gegeggtgge teatgeetgt aateccagca 25680 ttttgggagg ccgaggtggg cggatcacga ggtcaggaga tcgagactat cctggctagc 25740 acggtgaaac cccgcctcta ctaaaaatac aaaaaaatta gccaggcgtg gtggcgggtg

25800 cctgtagtcc cagctactca ggaggctgag gcaggagaat gtcatgaacc caggaggcag agettgeagt gageegagat egegeeactg tacteeagee tgggeaacag agagagaete 25860 tgtctcaaaa aaaaaaaaa gttaatggga taaacatcca tctcaagaag ttagaaagga 25920 25980 atqacaaata aaccaaaaaa aaaaaaatca aaagaagaaa atcataaggt caagactata aagagagtgg ctgggtgcag tggctcaggc ctgtaatctc agcattttgg gaagcagagg 26040 26100 tgggcagatc acttgagece aggagtteaa gaccageetg agtaacatag agagacetea 26160 tetttgetga aaataaaaat aaaaaattag eeaggeatgg tggtaetgag gtgggaggat cacttgagcc taggaggttg aggctgcagt aagccatgat tgtgccactg cacttcagcc 26220 26280 tgggtgacag agtgggaccc tgtctctaaa aaactaaaat aaggctgggc gcggtggctc 26340 aaatotgtaa toocaccact ttgggaggoo aaggotgagg tcagcagttt gagaacagot 26400 tggccaacaa gatgaaacct catctctact aaaaatacaa aaaattagtt gggtgtggtg 26460 gcatgtgcct gtaatcccag ctacttagga ggnnnnctnt ngattatatt ttctccttcc tacgtcgtta ttggactgaa ttcagaatga tgactctcat tggagctctt cctgtctcct 26520 26580 aactacagtg gcttccgacc ccactctggt tttcacttca cccctctgct gctcatacga 26640 gtagatactt ccttccttct ttctcacttg ttgctcttcc tcaacccccc ccgttggtgt 26700 eccetectet ttatettttt etegegacae etgegttete ttgecetett ateatecett tetegaggeg gteettteet ttateeaget taaataeett eteetetgtt tatttggggg 26760 ttgggttttt atctctcacc ctccctctaa tttctttcct ctttccgcac ccatcaagcc 26820 tetegtggtt tetetteete taeteteggg teecececet eteceettet tittitette 26880 accccccaa gcgctttgcc ttttttttct ttgcccttta ttcccccc 26928

<210> 7

<211> 29430

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (4336), (4345), (4349), (4392), (4447), (4490)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 7

		ta ta a sa a sa a sa a sa a sa a sa a s					
	aggggaaggg	ccggctccgt	agctcacacc	tataatccca	gcactttccg	aggagagagg	60
	atcatctcag	gccaggagtt	caagaccagc	ctgggcaaca	cagcaagacc	gcatctctac	120
	aaaaacttct	tttaaagctt	aaaaaaaaa	aaaaaagcaa	agaggacagt	tcaggagaaa	180
	agcctgtaga	ggcagcacac	taaggaggag	acgcagccca	ggcaccagga	ggggctggcc	240
	atgggcactc	actcctccag	caggcgagtg	cccagcacca	gctggcccac	ccagacaccc	300
	aggacacggc	ctgaatggct	ccgtattcac	gtgggtggta	ataaacaagc	aatacacata	360
	gccaataagg	acaccttagt	aatgttacat	cataaacgct	gcagatcagg	gaaatggtgc	420
	agggtgaagt	gggttggggg	gctgcatgct	acatgagaag	tgggtcgggg	ggctgcatgc	480
	tacctgagac	agagcaggcc	ttgctgggaa	agaaggagcc	ggcaggcctg	ggcaaaggtc	540
	ctggggtggg	agcacactgg	agcagagtgt	gggggtagca	tggcgggtgc	tggtcctctg	600
	ggcgccttcc	caccacgtca	tgtgcccatg	tgcccaaggt	ctctcgtttc	acagccccct	660
	gaagctcagg	ggtcacagct	acacagcccc	cagatacctt	ggcctgcccc	aggtcattcc	720
	atccagtgat	ggacctgctg	acctctagcc	tgacctctgg	gcagcgtaat	ttgagaagga	780
	ggagaaggga	gggcaacaga	cctggggcga	tgagggatgc	acagggtggc	agacacctga	840
-	ggctgcacct	tggagcctca	gttctgggtg	tgggtggggg	atggacaggc	tgagggctga	900
	agcagctggg	cccggccacc	atcacacccc	aggacccacc	agatcaccat	gaaaaaccga	960
	atgtcaactg	gcagcccaga	gtgcagaaca	aacctttcag	aaacacggtg	gtgactgccg	1020
	catcatgaac	ataaaataat	tacgccctct	ccccagggat	cacccctgca	ggagtttgtc	1080
	ccaagaaaca	ccagaaagaa	ggaaaacgtc	tgagtcacaa	tatttgctga	ggccttattt	1140
	gtaatagcaa	aaaaaaaaa	aaaaaagaa	caatctccag	cggcaggggt	aactagacta	1200
	ttgtctccgt	ggaaaggtag	caccaattaa	ctagtaacaa	aatgactgcg	gtaacaacaa	1260
	aacgttcgac	atgtcaacac	caaaaaccac	acacccagca	taaccgtgaa	ccatgatttc	1320
	tactagaatg	aatggcagtt	atgagaaagc	accagcggag	acaaagattg	aaaaagtaaa	1380
	ggtggcctca	ttagggagac	aagtctctgg	gtaatatatt	gtaatactgg	taaatatata	1440
	gtttttaata	tattttttaa	ttccaaattc	catatatgtt	cctatgaagc	tatttctgca	1500
	aatattttt	tcaggaccgt	acatcacaaa	ggcaaaaggg	ccaggtcagc	tctccagctg	1560

1620 agagtgacca cttcagagca gacggcagac tccagggtta gcaagcctgg ctgagacctg 1680 geccatgaca atcacteaac ecetetgace teaacateet gtetgtgaaa tggggataat tactgcacct ccacatcaca gagtgcgagg cttaaacagg atgcttcata gaaaagcgct 1740 caagaggtaa cagccgggag ggggtagtgg ttttcattaa ttaaatgttg ccttcatcca 1800 gccctgggcc agctccaaca caaagcacac accatccact cagactcagt tgcctggatt 1860 1920 caaagecegg cetggeetee agetgtgaga tteegggeag gattteecat eteccagage 1980 ctcagtttcc tcattcatga aacaggaagt gatcattcct tttattttta tttttatttt 2040 tattttgaga cggagtttca ctctagttgc ccaggctgga gtatgatggc gcaatctcag 2100 ctcactgcaa cctcggcctc ccagtttcaa gcgattctcc cacctcagtc tcctgagtag ctgggattac aggcacacgc caccacgccc agctaatttt gtatttttag tagagacggg 2160 2220 gttttgccat gttggtcagg ctggtctcga actcctgacc tcaggtgatc cgcccgcctt 2280 ggcatcccaa agtgctggga ttacaggtgt gagccaccaa gcccagttga caactgcttt 2340 taaagacacc tctggctgct gtggaaaaca gcctggtagt gcctcaaaaa gttacacata 2400 gaatgateet atgaecagta attecactee tacatatata eecaaaagaa etgaaeceet ctactcatgt atgtacacat acaggtacac gcatgttaac agcagtgttc acaaagccaa 2460 2520 aacatggaaa cagctcaaat gtccataacc gatgaacgga taaatgaaac gtagtctatt caccacctga cggaggtgag aggggccata aaaaggaatg atgcataaaa acgaatatta 2580 2640 tggccaggta tggtggctca cgcctgtaat cccaggactt tgggaggctg aggcgggcgg 2700 atcaegaggt aaggagtteg agaccageet ggecaacaeg gtgaaaceee atetetaeta 2760 aaaatacaca aattagctgg gcatggtgga gggcgcctgt aataccagct actccggagg 2820 ctgaggcaag agaatccctt gaacctggga aacagaggtt gcagtgagct gagattgcac 2880 cactgcactc cagcctgggc gacagaccaa aactccgttt cggaaaaaaaa agaaaaaatt 2940 agccaggtgt ggtgggggt gggtccctgt aatcccagct ctacttggga tactgaggca 3000 ggagaaccac ttgaacccgg gaggtggagg tagcggtgag ctgagattgt gccactgcgc 3060 tccagcctgt gtgacagaag gagactctgt ctctaaaaaa caaaaacaaa aaaggcccga cgcggtgtct tacacctgta atgccaacac tttgggaagc caaggcaggc agatcatctg 3120 aggtcaggag tttgagagca gcctgggcaa cacggtgaaa ccccatctct actaaaaata 3180 cagaaattag ccaggtgtgg tggcacatgc ctgtaatccc agctactcgg gaggctgagg 3240 caggagaatc gcttgaaccc aggaagcgga ggttgcagtg agccgacatt gcaccattat 3300

3360 ctaaacaaaa gcaaaaaaac caatgagtaa tgttgtcaag tgaacttcat cccaatggga 3420 atgcagataa tttgtttaaa aggcaccatg cacactgggc aggctggctt cccctgggaa 3480 cgtcttcttt tgcctggatt cccagttggt ttaatcgggc gtagaacact ttcttcaatc 3540 cgggattcag gcacccctgc tcagcacaaa ctcagtacac cccgcactct gctgtgggtt 3600 3660 cttggcacta ttaggagaat gtgagggggt gattcagatc tatctctagt gggtgcatgt 3720 ctgccactcc caggaacgcc cacttctggc aagtcagtgt cagagaaagg ccagctcgtg geceteetg cettgagtee caggaceegt gateagteet acceggagea gaateaggag 3780 tttgaaaacc caagtgccaa caatctcatt ttaacccatg taagcatatc caatatttat 3840 atatagaatt cataacagat gtctgggctt ccattccaat agcctatatt ttacactgtt 3900 tatttacatg gttacaccaa acaagactca attcaaggta acccaatcct ttgctactat 3960 4020 accaaaataa gcaacatttt cagtccatgc cttatatata ttcaccaagc attacactag 4080 gcctccaact gctcatcgga gcaagctgca gcctggacac aagctagaga ttaatcagtc aggaatgatc ctgcgtccag tgccagcatg atggaagaga cagagaaaca gaagacatca 4140 4200 gggctccaga gtcaaggagc ctgcaggtta gttgggcagg atatacacac atacacacac acacgcacac acaaaaccac ccaagaagaa aaggtgggat gaatgcatgg acaggtaatg 4260 cctggagcct ggggatggat aagctgactg caggtggccc aggcaggctt cctggaggaa 4320 4380 gaagacctgg ctgtangtgg ggtangcang ctttctaaat ggggaaaatc tggctgtggg 4440 tggagttggc angtttccga aaagaagaaa agctgactat gggtacacct ggctgttggt 4500 ggaacangca ggcttcttgg aagaagaaaa tctggctgtg ggtggatcan gcaagcttct 4560 tggaagaagt aaacctgact atgggtggac caggcaggct teetagagga agaagacegg 4620 ctgtgggtga accaggcagg cttcctagac agaggaagat ctggctgcgg ttagagtggg 4680 caggetteta agaagaggaa gggetgaetg tgggtagaee tggetgtggg tagaetggge 4740 aggetteetg gaggaggaag agetggagea ttgaaaaaca aacatgaett ggtgaatgtt 4800 gagcatgccc aggcctgatc cccagaggca attacgcact caagttactt aattctactc 4860 acaatgeete acaaacaact tetetgacae etaacacage tetgggcace ttetagette 4920 agetecteaa ageagttatt caegetaeta ecetgeacae etecteacae eceaaceeca gggacaggag ttctgccaga tgccaaagct cctgatgcca aagcctgggt ctgcttccgg 4980 5040 gctcctcttg gtctaactgt ccaccccgca tcggcatgat gtgcaaaaac aaggctttgc

5100 aatetgeeet gatgeetgge ggagegagte cetecegatt egteteette agaaacacet gggctgccct ggtcctgtta tacccccaac acattctaca gtcagctccg caagttccac 5160 aaagatcaac gctggcgttt ttatggcatt ttatttacag tttttacaat ataaaaaagg 5220 aaggatgcca cagctcagcc agcaggacag acagagatct atgatgcttc tgctgcacca 5280 ttgtttgtgg tcaagaaagt ctgttttcaa tgatttatta aattgtggtg ggagatggat 5340 ggtggcagtg gttaccagca acatgaatgt tcttaatgcc actgaacttc acacttacaa 5400 5460 atggttacga cgataagtgt tatatgtatt ttaccacaat taaaaacagg taaatgcagg 5520 ccgggcacgg tggctcacga ctgtaatctc agcactttgg gaggccaagg caggcagatc acctgaggtc aggggttcga gaccagtctc gccaacacgg tgaaactctg tctctattaa 5580 aaatacaaaa attagccaga tgtggtggtg catgcctgta atcccagctt ctcaggaggc 5640 5700 tgaggcagga aaatagettg aaacegggag geagaggttg eeatgagetg agattgtace 5760 5820 aaaataggta aatgcaaaca tatggtatag taatattatg ggctattatg agctacaaaa 5880 aagaatgact tgggactaca gttacagccc tcattcagga atttgtttta aatgtgggtt 5940 ggtcgctaag gcatgtacac aacattttga cgttcaaata ttcctagatt tggacagtga 6000 gcacccctct aagctggctc ttctgtccca gaggtcccca ccagtcctcc agaacttctt 6060 tgctttctta cacaataaga tgccccatgc tcggcttgta cctttccttg ccccagccct agaaccagct tettegtgga caagetetga eteetttggg tggagaatgg tatteagaaa 6120 cccagacctg ggctctggtg tgctcactgc tacttggggt cattgcttct aggcctctct 6180 6240 gctgatggag gtaggatata cacgtacagt cttccctctt cccagattcc gtacttgagc 6300 togoctactt gotaacattt atttatatoo cocaaattaa acctcacago acttotgoaa 6360 tcactcactg acttgcagag tgtgaaaaaa ctgagtcacc atcacacgtt ccaaactgag 6420 gtcaactgag gccacaacgc cccatcttct tgctccggct gtcgagatgt aagcaagtgt 6480 ccttctctcg gtctagctag tgccatgctt tccacatcac tgtgcttttt gtgggcaatt 6540 ttgctgtata aaatgtcccc tgcacatatg ctgctgtgta gtgctcctag gtgcatgagg 6600 ctgcccacg ccttacagag agaatatgca tgagaggctt tattcaggta tgagttatag cgtagttggc catgaattca atgttaatga atcaacaata tacagtaaat aaggtgcttt 6660 ttagagacag ggtctcactc tgtcacccag gctttagagt ccagtggtgt gaccttggct 6720 cactgccgcc tcaacctcct gggctcaagt gatcctccca cctcagcctc ccaaactgtt 6780

6840 gggattacag gcgtgagcta ctgcactcag cctaaataag gtgtcttaga aacacacata agacaaggtt atgggctgag tgcggtggct catgcctgta atcccaacac tttgggaggc 6900 caaggtggga ggttcacttg aggccagaag tttgagacta gcctgggcaa catggcaaga 6960 cctcatctgt atatttttt aaatcagaca ggtgtggtgg tgcatgccta tagtcccagc 7020 7080 tactggagag gctgaggcag gaaaatggcc tgagcccagg aggtcaaggc tgcagtgacc 7140 catgattgta ccactgcatt ccagcctggg gtgacacagc aagacgctgt cttaaaaaaa 7200 aaaaaaaaa aagccaggtc aggtatcgaa cagttggcaa aaacgttgtg acctgaggct 7260 cacaggaacc tagcccgatg tttcccctag gagcaatggt tcagtattca ataattcagg gttcccagtg actttatgga gcataacttt caagaataac aagaaccaac tgtacgtgtg 7320 tatgtatact cacactttta ttttatttta ttttattttt tgagacagag tctcactctg 7380 tcacccaggc tggagtaaaa tggcgtgatc tcgactcact gcaacctccg cctcccaggt 7440 7500 tcaagtgatt ctcagcctcc caagtagctg ggattacagg tgtgccccca caaccggcta 7560 atttctgtat ttttagtaga gacggagttt cgccacattg gccacgctgg tctcaaactc 7620 ctaacctcaa gtgatccacc cacctcagcc tcccaaagtg ctggaattac aggcatgagc tgccgtgcct agcctacata cacttttata cacacatgca tctatgacta tttctctatt 7680 totgtgcatg tgtgcgtggc agtacctaca gtttcagcta tgtgtctggg tactgtctcg 7740 7800 tccaagtttg taagcacctt ctccaaagtg caaagcctgg cttgtgttac tatccatatg tttacttatt tgctcaatca atttacttat tagctccata accagettce catctgctcc 7860 7920 agtageetet getgteagte acetetgeae eetaceecae ettgetteeg gatgetggat 7980 gccaatcacc cccgacacct ctacatagca ccaccctcga catgetgett ctttatttct 8040 tatttatttg tttgagatgg agtcttactc tgttgcccag gctggagtgc agtggcacga 8100 tccaggctca ctgcaacgtc cgcctcctgg gttcaagtga ttctcctgcc tcagcttctc 8160 aaatagctgg gattacaggt gcccaccacc acgcccagct aatttttgta tttttagtag 8220 agatggggtt tcaccatgtt ggccaggctg gtctcgaact cctgacctca agtgatccac 8280 cttggcctct caaagtgctg ggattacagg tgtgagccac cgcgcctggt ctgcttcttt 8340 aaatgccagg caccaacatt tgtgcaatgg ggtgggagga aagaacaggg aggagagcac actgccggcc cctgcactga atccactgat caatctgggg gcaactgcca tctccatctc 8400 8460 ctgtcttcct atccgtgaac atctactgca gtcctctcca atgtccttct gtaaagttgt attatgtttt gcatacaggc cttgcatatt agttctcaga tataatccat atactttata 8520 taaaattcaa accacattta aaaaaataaa actagcatga ctataacgga gtctgcaaca 8580 8640 ttctcacaga ctttatgata aaacatgaaa cttcaaagat acttagggtg gggcagggac 8700 aatgtttaag gctgcctgga agcctcccca tccctgagcc agaaagtcct atctcccctt caaggggaaa tgcttgaaaa agcactgatc aggctaaaat gacagggatc agggagtaat 8760 8820 caaagtacaa gtgagctggt ctcctccatt ctgagcacag caaagttcag tctctccaag tccaagaatc atacacctgt ttgccaagaa tgaagttcag gtgtctacaa gtggctgaaa 8880 atattcattg ctgggccatt aacaacattc ttggcaaaac cataccttag cttctcgtgg 8940 aaatttetta aggtagaaga aacaggaaac acccaggete gettttatgt agacagttee 9000 atgaagccag ggaccttccc cacatccacg tttcaattac ctgcacgcag ctcacagtgt 9060 9120 attcaacatc tacgcgtctc tcctactggg gtggcggtgg ccactcaaac cctcatgcag ctacgatgac cgcaattttg gcaacataat ttcatgtttt tccttgggct tttacccaag 9180 9240 tcagtgacac aattctgcag ttgtctaaag attcaaaatg agggacttga catttacaac 9300 aataataaaa tottgggttt ootttaacca agcacatgtt etgeetttta gagaaagete 9360 tgcaaactca agctggagtg ggatacttgc tgacatcttc aagcacccca ggaatagctc tactececca tttecacett ggetgaacea tetatateee accaatteee ecaacateee 9420 9480 tccatccgtc catccatcca cccaaggacc tgctaagcca ggaggtctct cccatctacc ccacagootg gootcagooc acaagggoto tototacatg aatoccacog caccagagta 9540 gaccaagtet ecegtagaet ecaceetgae cacetecatg cetecageea tteccaceee 9600 9660 taaaaaccct ccctggtctc tacacccagc tgatgaatac ttggctgaat gtgacctggc 9720 ctcctggacc caggtgaagc ccacgtcctc cgtaagcccg ccagctcacc ctgcctctgc 9780 accttcactg gagagagece geacttcace tectcaggge aggeatgget gatgecacee 9840 agtggaatet ggtgcaaage agggeeeggt geagageagg getgeetgea gageaaggee 9900 ctggtgctgg ggccgagcac ctccaatgct ggccgtggaa ccatccctcc cattccaggt 9960 gctgtctcca tcaagaatga gcgagctgct gacatttgca tgacaataat gaataaatac 10020 catattttgc ttcaaatcca gaatagatgt ggccagggtt ggcatatgac tgttgggaaa 10080 ggacagtttg cctcttccca aaccaacttg gattataaaa agcttttctt aacgaccaca 10140 agagcggagg agctcagggg cagacaaaag gaaggctggc tgcagaaggc gggagagtgg 10200 ggccttcagg ggcgggtggg gagagagaaa gcctggagct gcacccccaa ggtctgtgta 10260 catcaggtgc tacagaataa caccacctct tccagcttgg cccccacctg ccctctccca

10320 geccagteae ccagacagea ecceaetece cacacacae teacatetge ecgeeteaca ctcaccaget teggetetea atgeaacetg gaacetgeee ttggeetete ageteageea 10380 cccccattcc tgttggcccc tggcccccca tcgaattctc tctaatccta atgcacacac 10440 ttgcacactc aaacacacac acacacacac acacacacag cccagaggaa aaccataatt 10500 gactgaggtc caggcaagtt tcccgagcag ggaccacatt tcaaaggtca gggaagcagg 10560 cgaacaggaa acatacaggg ggcacgtttg ggggtggagc aggaaataag aaatcacttg 10620 10680 caaaagataa aaagaaaatg aggtagctgg tttcagacac ctcggagcac acagaacagg 10740 acaggegeet eegggtette eeteaacagg gagatgggee aggeaggtee etgetgetee accgcagagc tgggggctat ggccctgaca ccaaggccct ggggcaggcg gggaggcagc 10800 10860 tgttctcctg cctgtgctcc cgggcagggc ctggccccac aagggaactg gccgaaggct ctgcttggct actccggaaa gtcctgggag acaagcaaag gacttgctag gtcactccaa 10920 10980 acggcccaga tgtgacaact gtgaagaagc cacaccaaag caaggtgaca gaacaatgtt ggtgacgtca ggttatcagc ttacgctcaa ctccacttac ccggactcac ccgtaacctg 11040 11100 ccgtctcttc ccaaccagta aaggatgcct aggtagaggg gcacaaggcc tggagcataa ttaccatttt aaaggetetg agaagteetg eggtgaggaa geetagttea etttetetee 11160 cctaggattt cccaactgcg cctgatcaca gaacattttt tcatttccac tcaggaaaca 11220 11280 tattttgaaa aacactggcc tagaggcaga agtgaaatgg aaaacacaaa agtaaaactg 11340 aacaggaggc actgggcaga gaacggtcag aggcgccctg aatcctggac cggtggagat 11400 ccccagcttg gcatgctccc ctccctgggc ccagaccgcc tccccccatt tcctggataa 11460 gaaggctaat gcgcatcagg gtgaagggct tgcctgggct acacccccag gctcgcccca 11520 caccaatcgc gctcctgcga gagccagtga ctttcttgat ttggctactg tggaattgtt 11580 tgcaactaac caccccagat acagatacaa atgacaggat gatcagatgt aaaggaccca 11640 caggtetetg tgatacgget teatgeagee ageatggeta gtgeegtgea gaatgagaat 11700 gaccccaggc aagtccttgc ctcccagacc cagaacccca tggagcccac cagggctggt 11760 tcacaagcac tgtctgggtc gggcagagat tccagcaaga ggagggaaca tccatgcacc 11820 ggagccagtt accagaagca aatcgcctct tccaaaaccc aggctattaa tggagtccac 11880 tgttgagtgg agctggggtc tagctatgga atactgcaca gcagagatct tcctgagaga aagcagtttt ccctgaaagc catgtgtcct ccactaactg tgttttaatt gggcgaacgt 11940 12000 ctgtatctca ttgcagtggc cgcgcatgtg ctgacaaggg gctgggggcg gggtggggag

12060 cagaagctca ggggcctggg agggaaggaa acaggccacc agggctcccc agaaggcatg tatetetete acaaacacae geatgeacae acaegtgeae acataetetg caageeetga 12120 gttagcaact gtggaatgtg accagctcag tgatcccagg acaagctgct agggaatatg 12180 acatttgatt gatgtctgca aatgtgcgtt ttcactaatt agaaggttta gggcagagca 12240 12300 gagaaaaata tgtatttcag agtcccagtt tgacctgcca gaaaccagcc cattactaac 12360 attettattt teaacaaaat atageattet gattacatae catettggtt ecaegeetee 12420 tgccttgcca agcccccgga agcggcccaa ggccatggca aatagtgaga gaaacagttc 12480 cagggtggag actgactcag gggtgtcagt cagtggggcg ctgatggccg gtgggaggcc agcagtcatc accetetect tgggacagtt gagtagetet ecceeagggt catgtggeca 12540 ctcaggttca tatgggaggc gagaggagtg gcagagtcca ggagagtggc tccgaagtca 12600 ctgttccctc caggcctcag tgtcttcatc cattaaatgg gtaggctgag gtctgggatg 12660 12720 acaaggaggg cttgcactta ctgaaaccca tgggaggctg ttcgccgatt tcttttattg 12780 atggaagaaa acactcgtat aattcaagta ccaattaaaa ggcaggcact ggaaccaccg 12840 totgocaatt octagttttg cotataccaa atttgagcaa gttaattgac ctctcccagc ctcagtttct tcgtctgtaa aatgagggta gggatggccc ccagcccaca gggcagctgg 12900 aaggattaaa gaaatcaaac atctcttaga gcccacctgg cacactgtga tacacaacaa 12960 atgttageta tttttgteta tgaagtetag attttatate ttgggtgtte taaageagga 13020 13080 tacatttatt taaaaacaag gattttcatt aaacacgtac cccacagaca gcaaccccat 13140 ggagactgct cttaattcag gccagtatcg aaacgactct aactacaagc tttatacagg 13200 totottggot gtoottoaaa tooaactaag gtggtactto tgaagcactg tgcacatgtg 13260 tgtgtgcatg cacacgtgtg ggaagggcgg gctcacggat ccctcaggta ccccacccac 13320 gcagteteaa gteacaaage gacagageag eegaggaagg tetgtgeece aetggaceet 13380 cgtgaagcca ccaactctac ctctgcgccg tgtcctgcag actgggctac cctttgggtg 13440 gggaccagca tttgatgcaa gaaaggcaga cagaaaagga aaagggcaag ttcgactcca 13500 gataacacag acagtaccaa gccccagggt ccataaatgc cacgcagatg gaagcattta 13560 ctgcgaggcc acacagcaaa cgcacggatc cagggacgga ggtgcagact gcggtgcccc 13620 tgagccatga ccctgcaaat taccaccatg ggaaaggagg ctgccaaacc ccccgacagt 13680 cggctgggct ggcacagact cgtggtttcc atcgaggtgg gaggaggtgg gacgtcccag 13740 cccctccccc atgcccactg cagagggaag cggccgtttc ccctgtgtgg ttacaaaggt

13800 ctcattgttc ttcctcacag ggaggaaact ggaggaccga gctcagaacg cattttagaa ctggcagaaa agaacatctg gggaaggaaa cacatttcag aaacaaacat acctttgtac 13860 cagettttat tttetttaag tgttgaaaaa ataataataa taaagacatg ecaaatttat 13920 catcgctcta caaaatccct ttattgagca aaacgtggca gctctacttt caaatgatta 13980 ctgttcctgg aaaattgcag caacgtggat gccaaggccc gaaggccgcc atcagcagcc 14040 14100 aaacaaaaga tgccacctcg ggctccgcga cactgtacca tgccagggaa ctggacagat 14160 ttggggaatg ccacggtttg cctttaaccc cttgcctcct ggtctcctga tgcatctcag aggctaacat totttgagga actggcattt ottagttgta aatatgcatg tgggtttggg 14220 agetgeetge aaagteeagt gttgaegate agetttgatt teettggaat caagtttaeg 14280 tgtcgagtct ggaagttaag aagaatttgg agaagctgag cactatggtg ttgcaggccc 14340 tgggtgaact cttccaccaa gcattcattg tggactgaca gcgtgcgagg ggctctgcag 14400 14460 gcaggtgcac aggacgaaac acattccgtc cgggggaaac ctgcaggaaa gctccctctt 14520 cttectaagg tgeegggeet agetteatgg gteectaeee teeaegeetg teacaettte 14580 tgagtctcat gtgggagctg cttctggttc ctgacttcac tcagtcctca taggaggtgg 14640 aactactgtc accccatttt acagatgggg agactgggca caaggggacc aagaaaccaa 14700 tgcaaagtca cacttgtggg atcagtgaca ggggagatca attcccaggt tctttctgca 14760 agagttaaat tgttttcatg ctgcctaagg gggggcaact gaaagaccac tgcatatctt 14820 tgccaaaagg gtcaagcaca ggagccgcag ccagtgggtc agatccgcag aggcgctggg 14880 gtgaccctcc ccatacctgg agggatgett gtecceteet ggeetteact gggteecete 14940 atgaccgtgg cctcccagga cctcagcaca atcccggtcc tgtgctccag gacaagccct ccgtccccaa gactgtgagg aaatggaacg aagaggggct cgctgcagcc cagcacccac 15000 15060 actgcccctt ctcaggggca agaaccgtcc tggaggactt ggctttggag ggggagcctg 15120 ggaggccagt aagtcaacaa gcctctactg ctcatgggtg ggatcccacc gcaggccccc acctgctggg gcgggcaggg acgggcggca cagcttggcc agggcagata acccccacct 15180 15240 tggccagggc gaaggcagga cacgtgggct ccagcctggc cccaccatcc ctgcacaaca 15300 ctgggcaaag tccacgtttt cctcaactgg gtgttgacat ctgcaggaca ggggcatgga 15360 ggtacagagc gctgaagcca cacagcaacc taggagcgag actccatgcc tccccgggga cccctcccca ccatgaggac catgaaggct tcccatgtgc cgcaaggact ctggtgtgga 15420 gacacacgtc tectacacag ecaggeetaa egetettgta aetgggtggt eccaeetggg 15480

ctcacagctg gagggccagg agctcaaggc ttcgcagggt ctgctctcat cccagaggcg 15540 atggggagcc acagcaggct gcaggagaga gggtgggccc cctccacttc agaggcccca 15600 tetggcecae agaetggaga geacatetet cageaaceae ggagegecaa etgegeacag 15660 ggcctggtcg tcagagcggg gcaaaggcac tgaccgtcac ggccagggcg agggaagacg 15720 ggtgggcagg gaccttgggc agagggggaa gaacctggtg cccaggctgg ccctgccttc 15780 agcagtgaag ctgagtgggg aggcgctgat gcagggggcc agaaagggct gctggtcagc 15840 15900 cgggaggagc cccccacaga ggaagcagcc agcccagacg cagatggcag ggtcccctca 15960 acaatgtoot otgaaaagga gaggogggga otgototggt gacacctaca aatagatagt 16020 cageceteag ecceetgeea taettetgae aaageagagg ecceeagggg aggegeacee gaaggtacct gcacctgtcc cccagactcc tagagcccac ctgaccccat cccaccaggg 16080 ctccagctac aaaataaatg ccgaggccag ctaggcaagg acgcacactc ggtaccgact 16140 gaataggete caegttgtea tgagegeaae eeacaggeea eeaggeeaca etatgeagag 16200 16260 16320 gggtcgtcac tatggagtaa caattgcgat gcgatggtaa ccctaacagc taaccgtcac 16380 tgagecagge cetgagetag gtaettttea aegetgeete tetgeageet caggaegage 16440 ctgtgggagc ataaagatca ttccctatca cggatgggga aactgagctc tgaagcagtt 16500 aacgtgcttg tcccagaccg cagagctagg agcaggacac aacagcaggt caggcaggaa 16560 cgggtgaggg gggcctgcat gggcttctct ggaggctgcg catacacgca acccccagga 16620 ccccgaccct gcacctgcag ctcgctactg ccccctcagt gactccagca aacctcgggg 16680 taggggaagg aggctgggaa tacctcgggt gtccgaaaca gcagcttctg cttggaggcc 16740 actgctgcat aatggttgct gcccagcaca ccccaagcca cctgtgccac ctgtggtgac 16800 cttccagcat gccttggtga ccaagctggc cttaggtgct gtgggcagcc aagaatagaa cagggcccac ccctcctctt cacactaaca caaagcaaga ggcgggcact tcgactgagt 16860 16920 gcatccctct agctcaaggg cctcacggat cacaggggtc agggcaagat cccaattctg 16980 cattecegte tgeettteat eetgetetge caacaacage cagtgagget ggggacatee 17040 ctgaacctgt ttctcacctg aaacacatca taccattgga ccccagccct ccgggagagg 17100 ccctaatccc tgactgtggt gagatcagat cactggttaa gtacccagaa gggccttggt 17160 caggggctcc aggggtgggg ggtgatgggc gtggtggtat cccgctctgg gctatagtcc 17220 accetgatgg aggaggtetg tggteagaae egggetgtge agggeaeagg ageeeagagg

gacccccaga gctcacctgg tggtctctga gcagggctcc ctcaaccctc agagaaaagc 17280 17340 acagcaagga ggccgcccag agcccagcgc ctagcaccca gtggcgtgcc agacctgcct 17400 ggatectgga gateteteat caccetecaa gteagteatg eccaacecag ggacecacag cccacggggc cgtgaaggtg tgctgagtcc aagaaggcct tcgacactgg gaagccaagt 17460 ggcacctcct ggtgtggagc aggcggaatc ccaccagcct ctgctctgcc agtgggcaca 17520 17580 gctggacgat gagcagaagg ggctgttgct taataaacgt catttcctta agaggataaa 17640 acctttcaaa acagatggaa atttttttt aattaaaact ggtggccaaa gagatggaaa 17700 geacceettg tgeeteete ceategtgae ceatectetg cacaceteaa getgtteget 17760 geccaggtgt etectgagge actgggggeg ggtgagaate egtgageeet eggecageeg tggctctctg gagctctgcc ccaggccatc agggcacacg ccgggcaccc tgggggccac 17820 acagggcaga gcccagctgg gtcagcacac agggccacac tgggcacaca agtctctgag 17880 17940 cctcccctgt ggacgcagct ctcactatcc caccccacta ggtcccgggg atctgtccca 18000 cagggtgata tgctgtcaca gaccactacc agagccatgg cctgctgttc cgcccgcagc 18.060 caggtagtca cttgctccac agggacaggc aacgccgcac ttggggggctg ctctgcggca 18120 ggactagage tecageaget cageceteet gagaaggaga actecatget etaagaggea 18180 gacgcagcgg acggcaccaa agccaccaca agcccacggg gccctgcatg gcaggtcagg 18240 agtecetgae caetegetet tigtaaceag agetgeagtg gagtetaega ggeaaggaet 18300 gtgggcggca gtggccacag caaatgaatg agtgtcccaa gggagcaggc ggctgcgggg aggeacagee gggaceeagg agteeteegg caetgeagea aacteeetgg geeceetgag 18360 18420 cagegaceag gtggcaagtg catgaactee egggggcata acetgggagg gtgacaetet 18480 cttcgtgttc aaattcttga gaacgcatta aaaatatcac tcagtcacct actctatagt 18540 tttaactcaa aagtaccaaa gtagccaggc gcggtggctc acgcctataa tcccagtact 18600 ttgggaagct gaggcaagag gatcacttaa gcccaggagt tccaaatgaa cctgggcaac atggagggac cccatttcta caaaaaaagt gttttaaaaa attacctggg cctggtggtg 18660 18720 tgtgcctgta gtcccagcta ctcaggaggc tgaggcggga gaaccacatg aacccagggg 18780 aggtagaggc tgcagtaggc tgtgatggca ccactgcact ccagcctggg taacagagtc 18840 agactetate teaaaataaa tttaaaaaage accaageeag gettggtgge teacacetgt 18900 aatcccagca ctcagggagg ctgaggcaag tggatcacct gagtcagaag ttcgagacca 18960 gcccagccaa catggtgaaa ctccatctcc actaaaaata caaaaattac ccaggcgtgg

19020 tggcgggtgc ctgtaatccc agctactcag gaagctgagg caggagaact gcttgaaccc 19080 aggaggcaga ggttgcagtg agccaagact gtgctactgc actcaagcct gggagacaga acgagactcc atctcaaaaa ataaataaat caatcaaaac caccaagact ttttaatata 19140 aacatttatt attocataat toottttttg catgattaaa aatgtttata taaagtttoo 19200 19260 tgaaaatggt aagaatgcca agtgaaggct gcaaatgccc aagcccccac cgtggcatct 19320 cacggagtct gggccctagg aggctggtgg gtaccacgtg gacccgagac ttcacagtca agtccctttg gggtacactg ggtttcccac accccagaaa tatgggctct tactgcagga 19380 19440 ccatgggggt cctcacactt ggcccagaag ctgtcacata gccagacagg tgttctacaa cctaggctag agggagctca tgctccagca gaattcgagc cagaggaggt aaaagatggg 19500 19560 taagatetge teeetggaca gatgaggeet tggeeteaga acagttaetg atcatetace 19620 agacatcaca ctagaggcag aggggcgcag acgaagacag cccctgtcct caaggccctc 19680 ccaggttggg tggaccatgg aaggttccag acagatctgg caagagaagt gcccacacca 19740 ggggcagaag atgggcaggt ctgctcaggg cggcacggcc tgccaggcca aaaagttcca 19800 acttcagatg ctggagaatg ggcacgactg tctgagaaag ggaaggatgt gatgaaaact 19860 acttggagaa aaattaatct ggccagagca taagataaat gggcaaaggg gaggttccag aaagcaagga gaccaagtaa aagctgatgt cattggctct gaatctaggc tttcactgaa 19920 tatgcaccgc agggcctgta ggtaaagcct cagagcccag ggagtctgag tggaggagag 19980 ggcaggggac agagctgggg cctgtgtcta cagtgctcag gaggaatagg catggacgtc 20040 20100 agcteggagg etecagetga agtgaggagg eggeeaggge ageaeggeea egeeeggate 20160 cagactcctt ttgggaagca agttcgctct gggggaaagt ttggagaaat ggcctttacc 20220 cgcagaagca agccccagaa catatettge tecaaaaeta tetegtacag tgaggaegtt 20280 aagetteagg teccetagag gagacagtet geteetteet ggggeagaae ecaaggtgge 20340 cagageetgg aaggeaceea geaceeagge tggtgtgtte cageecagge cacaegetea gatagctatt aatgccccgt tgagcaattt cctgagagct ttgccaggca ggtaccgcct 20400 ccccatctga actaatacag gggtacatcc caaggaagaa atgaaaggtg cccacatttt 20460 20520 gctctgggat taactaggga ggggagtgat aattaactca gtaattatat ttgccatcgg gctaatgcta aaattagtgt gcattagaat ttctttcctg agcagacacc ggagtgagtt 20580 20640 gggcagcagg agtggctcgg gcaagtcggc acaaagggca cctccagagc cttccacaaa 20700 tgtcagcaaa acccacaaat gtcaaggccg gctccactgc acccagcaga tgaattcact

tccacagcct gagaccgcca gctcatcgga ggccatttaa aatccagccc tctgacacct 20760 gctggatatc accatttacc gtccccagat caagagatca aagggtggaa cctgatagga 20820 cggctctgaa gttcaccaca aaagcataaa cgtgcaagca gagccaatac gtcttttgaa 20880 aaggacaatg aggtgggaat ttacataact gatcttaaaa tatgttctga tgcttcagag 20940 atggagacag cagcattccg gtacacaaag acactcacag gcagtggagc acagtgaagg 21000 21060 gtctggaatc aggacccagg tgtctgtgga cactacacat aaaagagcag catttacaat 21120 gaatggatag gatggaccat cccaccaagg tgttggacaa ctccctattc actggccaga 21180 21240 ctgaatgtaa aacataaaac agtaacagtc ctggaagaaa ataatggagg atatatttat aatctggaga tggagtaaca agggatagga aaaaagccat agggaaaaag tagagttatg 21300 21360 attatatgaa gcttcttaat atctttatga taatgtacca ccagaaacaa ggatgaagga 21420 ctagctacag accagcagtg aaacctgaaa caaacagaac aaagaattaa agtccatacc aaataaagac ctcccacaaa tctataagaa aaagataaac aggctggcac cgtggcttat 21480 21540 gtotgtaato coagoacttt gggaggogga gatgggtagg toacttgagg toaggagtto 21600 gagaccagcc tggccaacat ggtgaaaccc tgtctctacc aaaaatacaa aaattagcca ggcgtggtgg cgcatgcctg tagtcccagc tacttgggag gctgagccag gagaacagct 21660 21720 ggaacccggg aggcagaggt tgcagtgaac caagatggca atcgcgccac tgcactccag 21780 21840 gaaaagaaaa agacaacaga aaaatgggcc aaggataagt gtaggcaatt tgcagaaaag taaataccaa taaaccagaa atgagggttg tgcaaatcaa aaggtgttat aatttttaac 21900 21960 caaactggac caaagaaaac accaaaaacc aaaatcttgt aattgccagc atcagagagg 22020 atataggaaa gtgtgtgttc tcgtagatgc ttgcaggtat gaactgctac agccttttag 22080 gagttatgta tgtatgtatg cttgtatgta tgtatttgag acagggtctc gctctgttgc 22140 ccaggctaga tctgttgcag tgctgtgatc atggcttact gcagccttga cctcctgagc 22200 tcaatagatt ttcccacctc agcctttcaa gtagctgaga ctacaggagt gtgcaatcat 22260 actcagctaa tittttaaat tittigtaga catggggggt cicccaatti tgcccaggci 22320 ggtctcgaac tcctggactc aagtgatect cctgcctcaa cctcccaaag tgctgggatt 22380 acctggatga gccactgtgc ccggcctcaa tatctttaaa aacagaaatg gacacactct 22440 ttgactagga atgtatecta taaaaacaet tatacacatg cagagacaca egagcaagca

22500 tgctttgtaa tagcaatgaa ggctggaaaa actcctcaat caggtaaatg ctgtcaagtg cacctgtgta ctatgaaatg gcacttggct tttaacaaga gcaaagacag aaaagcaaaa 22560 gtacaaagta gggtgtgatg gcacatgcct gcagtcccag ctactcagga ggctgaggca 22620 ggaagateet ttgageecag gagttggagg ecaggagetg ggeaatagtg agaaaaaata 22680 aaattaaata ataataataa taaaataggc tgggcacagc ggctcatgcc tgtaatccca 22740 22800 acactttggg aggctgaggt gggaggatcg cttgatccca ggagttcaag gccagcctgg 22860 gcagcaaagc aagacaccca tctcaacgac aaattttaaa aaatcagcca ggcaggctgg 22920 gcatggtggc tcacgcctgt aatcccagca ctttgggagg ccgaggcagg cagatcactt gaggtcagga gttcgagacc agcctggcca acgtggcaaa accctgtctc tactaaaaat 22980 23040 acaaaaatta gctgggcatg gtggcagatg cctgtagtcc cagctactga ggcacaagaa 23100 tegettgaac cagggtggca gaagttacag tgageegaga tegtgeeace geactecate 23160 cacggtgggg tgagggaggg cacagaagca gcgcctcttc tgggggcacc cccaatctct 23220 agcgatccag aggcctcagg atcctgaagg gagaaaaaac gtgaagctcc gtgctagaag 23280 agaccataga gattggaatc agctggttct attttacaaa aaaaggaaac tgaggccctc 23340 23400 agaaggtgag tgcctctcaa tgccccacag ggaggcaggg agagggctct gagccctgca 23460 gggccctgga ttcttgcaat ggggtggagt ggagcctgtg ccgccccac caggcacctt 23520 ctcaggagag gagccgttgt catatecttg aaggggteet tgageceete aaaaggetaa 23580 aaaccacttt cctccttgag tgaaccttca cctcagttta accacaagaa aaactacatt 23640 aaggcccagc gcagtggctc atgtctgtaa tcccagcact ttgggaggct gaggtgggtg 23700 gategettga geccaggagt teaagaceag eetgggeaae atagtgaaae eetgteteta 23760 caaaaaacaa caaaatcagc tgggcgtggt ggtgcacacc tgaggtccca actacttgcg 23820 ggctgaggtg agaggattgc ttcagcccag gaggtagagg ctgcagtaag cggtgactga 23880 23940 gggtgtggtg geteacgeet gtaateceag caeettggga ggeegagegg gaggateagg agatggagac catcctggct aacacggtga aaccccgtct ctactaaaaa tgcaaaaaat 24000 24060 tagccgggcg tggtggcggg tgcctgtagt tccagctact caggaggctg aggcaggaga 24120 aaggegtgae eetgggaggt ggagettgea gtgagetgag ateacacege tgeactceag 24180

acattaaggc aaactaaaag atgtttaaaa tatatatatt aaattaaata cactccaata 24240 gagcaaatac gaaaataccc agaaaacaca atccccgcac ccccaggaca acctcccagg 24300 gggtccacag caagagaccc caagcacgag agacagagaa cagtgtccct gtggcggaac 24360 24420 ctctggccca tcaggctcta ttagaaaata aggctcttgc cactgagaga aagaggcaca 24480 gtcgcccagc agccacgggc tctggcacac cacgagtcag gccagcaaag tgtcaactgc 24540 cccctacaag gtgacaaact aggacaaact ggaaaccaga ggctggacct ggagcacagg gaccaccaca tggggctggg gaatgggcag ggacctcaga gcgccaccca catgcctaag 24600 agcagcgcgt atgcgcatgc ctctgcatgg cttagggaca cagggagctc cccccacccc 24660 24720 caacccagga aggcagccc cactacccag gtagggaacg gataggacca gcaccccgtt 24780 ctgctcgtaa ctcagggctc caggccccct cgggggcaac cagcacagag ctcagacccc aaatatette acceacetee tggteeceat etggacaagg gtgetgggga etggetetea 24840 24900 gtcacaccct cggggtactc ttcaaaggac agctggatgc cccagggcag gagcttttgg 24960 ccccagctc cctcacccca gacaccagct cttgggaccc caccagcatg ggcaaggtgg 25020 acaccatcgt cccgattttg cagatgagga aactgaggct gagggctggc acacggctct 25080 ccagagctga agagaatgca gagagcagcc ggagccagcc ggtgggtccc tgaggccggc togtagoaag coacagotgo otoogoocat cacacttgga cotoactggo cocaggacag 25140 25200 ccctccaggg cggcctggca cagagcccac accctgctgc ttcctgaaca aataagtgaa 25260 caaggccacc aagccgagga cctggatgta gccccggctc ccgccagggc ctccccaaca 25320 gactececat ttggagageg cattaagtgt ttecaaagee teacaaacea cagatgteeg gctgtctcac ggcttctgta acctgaactt ggccctcact ctgccctccc agcactcctc 25380 tcagggccca ggcccctcct ctgagatgcc agcactgact ccccaacttg tccccatcac 25440 25500 ctggctcgtt cctgaacctc ggcaggagag tctcaggcca gatcctccca ccagccacct 25560 ccaccaggat gcaggaggca tgagacctgc tcgtgccggc tgggagatgc aaccaaccaa gatcaatcca atcageggat gaactgacaa atataatgtg gteeeteeac acaatggaat 25620 25680 attattcagc cacaaaaagg gctgaaatag gccgggcgtg atggctcaca cctgtaatcc 25740 cagcactttg ggaggccgag gccggcagct cacttgaggt caggagttca agaccagcct 25800 ggccaacatg gtgaaatccc gtctctacta aaaatacaaa aattagctgg gcgtggtggc 25860 gggcacctgt aatgcaagct acttgggagc ctgaggcagg agaatcactt aaacccagga ggcagaagtt gcagtgagcc aagatcgcac caccgcactc caacctgggc aacagagcaa 25920

25980 gactccattt caaaaaaaaa ataaaaggct gaaacaccca tacgtggtac tacttggatg actectgaaa aegttacagt aaccaaggaa gteageeaeg aagaegeatt gtaagattee 26040 cttcatgcaa aatgcccaga acaggcagaa ccacagaggc agaaagtcga ctggtgttca 26100 ccaggggatc cggggagagg gaacgggaag tcaccgtgta atgggtatgg gttttatttt 26160 ggggtgatgg aaatctctta taacttgata gaagagaggg ttgtaaacac tgtgaatgta 26220 26280 aaaaaaaaaa actcgacacc tttcacctag gaaagatctg gctttagctt gcatttcctg 26340 taactcctgc ctaaagcctt ccagaagctt ccgctgcctt gtggatcaca accagactcc 26400 acaccatgat ctggcctcta agggcctctc gcaggacacc ccgagggtga aggagcaccc 26460 26520 gtgggcccac ctctgcatag ctgcaaaget tettteeetg teeteeete tacatgggaa 26580 getetgeeeg caggggeggg geettatetg ceattetate geacteaace etageactte 26640 actoggtago agacaccaaa gcaaaacago aacagoatta tacogggooa ggtgcaogtt 26700 aactcactga attcatggta ggaaggattc tattcccatt ttacaggtga gaaaactgag 26760 gcacacaaag gtagcatcag cttcctaagc ctcccagcac aggaagcggc caggctggaa tcagaccctg ggcgcagggg ctctgtccac agtgctaact aactactcct gcccccgagg 26820 gctgcagcgg tgagtgagtg agtttgtcag tggactggat gtccaaggtc atacaggaaa 26880 aatccagact attgtaataa cagcctctag accggctggg gccagaaaga tcgaggacgc 26940 27000 tgacacacaa ctgcgctcac tgcagctctg ccagggatgg ggctaaaggt ctcacacagg 27060 gcagttaggg ctccccatag cctgggagag gaacggggtg agataacaga aactaggtat 27120 ggtgcccgaa gtcaaacagc cactgagcat gtaaacccag gtgggtctga ccccaaaccc 27180 ctccacccc atcagecetg caaccegteg etgcaaggga gaaagcaact cagaggeete acctgcctac atcccccacc cgtgtgtgtg agttctacta aatgcctgag cagtgacaca 27240 gcacggctga aattaaacgg gttccaaaaa cgacaggaag cacgaagtga atctccccag 27300 27360 gaaagtgctg aacaaatgct ggatcgggtt caccggcgaa tttcttggaa ctgaagaggg gagetaaaca caeggggeee tgetttggag gggaetetet cagggtgete caeaacageae 27420 27480 ttggttaacc ccactcagcc cttctgggct ctcccagagg gcccggcctt ggccttgggc atctacagga ggaacctcca gggggagagg gggtgcctgg acaggccggc cctggaacaa 27540 27600 gcacttgggc cccgaggaga gaggactagg gcttgggagc tggggaagtt ctcagcactg 27660 ggaccactag aacaaagcca tttccgtgcg ttcacagctt ccaattgcaa caggaagcaa

27720 tcaggaaaaa taattagcgg cccacttact ggcttcgctg aggtccgagg catgtatttc acacagtaaa accagggata taacatcaaa accgttctgc agaaagattc ctccctttcc 27780 ttccatttta ggcctggatc accacattca ctggggctcc caggccttgc tgcctaatgt 27840 taaaataatc aactctattt ttgcctcaca cacaactgaa ctctacagct ataattcttt 27900 ctcctcaggg gctcgaacca catggacgac aggcatttga ctccagcaac atcaccccaa 27960 28020 aacgtgcaca aaacccaaaa ctgcaatgag gtgaaaggca acgcggtcgg cctagaaacc 28080 ccccctttaa aacaaacagt ttccccaaaa ccccttttgc ctccttgacc caggcatttc cggaaaaagg agcggcgctg gcctgtactc cccagatact gtcgctgttt tgtcttcacc 28140 28200 ttgttttgct agctccagac aaggccccac aatgtaaaca cgctcctgaa agaggcagat 28260 ttggggtgaa actgtccata gaatctctag gcttgggtca gaggcaggag gacgtgaaac aaactccaag ctcctcctgt tccccgctgt cccccacacc tccaagcaga ggctgcagcc 28320 28380 tgggggatet gactacaggg ceaceceget geaceattea caetggaaat atteagggag acagetgttt geettaagga ggeecagaea aaggggeeeg aggteeteee egetaaaetg 28440 28500 ccacaaacag aacaggagcc gcggcgtgca caggcacttg cggccgtgcc acttggccag ccatactcca gaaaaacaaa acacgcacat ccgaagagaa tgatttaggt agcaagaggc 28560 ttgcttgaaa aaccacatgg caatctccaa attaaaagaa catgtgtagc gtttcacgac 28620 tgcttaagtt teetgagtee teetgaeete aacteeaeee eetgggaaae accaaaagtt 28680 28740 ggatgagaaa gttcccccgc cctacctctc cccacgggag tgtacaactg aggcacaagc 28800 ctgcctcccc cactgccccg cgatctggga ccacgtctcc tccgcgtagc cgacccgggg 28860 atggacacta tetggggace eggeggeeae aeggggeatt egggtegeee gggeaeetgg caggtgtcag tecgettgga aacceacage caegeggete acaggageag egecaeegge 28920 28980 taggeegeee egegeeeggg eteagaaett tetegetgee aetteageee gteeteggag cacgeggge ggeegegg eegetggaaa eaggettgeg aaceggetee eegggeeagg 29040 cccgcctccg cgccccaagt ccccgctcgg tgcccggccc gggccacacg ggcccagcgc 29100 29160 gggetegget eggeteeegg etteeegegg getegggeag gtgaggaeee geeegegeeg 29220 caectggegg agegggegee etectegeea geeegggaeg eagegteeee ggggagggee 29280 cgggtgggga gacaaagggc ccgcgcgtgg cggggacgcc ggggacggca gggggatccc 29340 gggcgcgcgc cccaactcgc tcccaactcg ccaagtcgct tccgagacgg cggcggcgcc 29400 cgcgcacttg gccgcggggc cgcccgggcc attgtccgag caacccgcgg cccgtcttac

<210> 8

<211> 33769

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (33739), (33749), (33758)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 8

cttcccctta	cactggtcct	tcgacccgcc	tcggatgaaa	actgaatggg	tttagcctta	60
gaggctctcg	gtctctaagg	gaggtgggtc	aggatgccgg	ggacagggtc	ctcttcctgg	120
ggcaacgtgg	gggaacgagc	cacctacccc	tccactgaat	tgccctgggg	tgtgggtacc	180
gacggctcat	teggtgteca	gggtctgaga	tgtgttgaca	ggaagaatga	aaggggatgg	240
gagggatggg	gcgaaagaag	ccacctgcag	ccccaggaac	tatctggcca	gcacaccgtc	300
acccagcggc	ctgagccacc	cctgccagag	ccaggaggag	accctgccaa	tgggtcacca	360
gtgtgcagga	actcagaagg	tcatcacagt	taataccctc	catgccccaa	tgtgggaaaa	420
caggttttt	cacaacaaac	aagataattt	ttgttatttt	ggcaaaagga	ggcagggcag	480
ccccggacac	ctccatccca	cctcatcacc	cagccgcagg	gccccggcca	tccctgcaga	540
cagagtggat	gtcacaacct	ccctgcaccg	aaccaagtgc	agctcccagg	ccacaggcca	600
cccaggaaag	gtccagtggc	ccccggaggc	tcccaccgca	ggcctcccac	cacageegge	660
accaacccag	gatagetgtg	ttctcctggc	ttcttttcac	acgggtagca	gaaagctgag	720
atccggggaa	agctgagatc	cagggaaagc	tgagaatcgg	cctctgctgc	ccggacgccc	780
acccccagct	ctgctcccag	ctccagggcc	tectteteag	gtgcccttac	aggaggcaga	840
gggcttgagc	cacctcctgg	gcctggggca	cgcaggatga	acggggtcac	ggtgcaggcc	900
actgtccact	gcgcagatcc	caaggccata	aacagcctgg	ccacagtggc	ttcccagctg	960

1020 gcaggcggcc agattatttt tgttgtttag caattgatta agtttctccg ctgcccccag gggtaagtgg tggggcaaat gccgcaaccg cagcatttga cccgggatcc tgtgccaagt 1080 gaccataggg tcacaaagca caagggaagt ggctgggccc gatgctggct ctgctggaac 1140 ctgaggccgg ccactgtcac ctgcacggtg cctgggacct tccagcaagc acagagaagc 1200 1260 tatggccctc caggagcagc tggcaggcac cttggcctgc agtcaggggc tctgtctgct cagetetaaa acaggaaagt egetgetetg eetggggtea gggeageeag agagtgaeea 1320 1380 agtcagtgcc ggcctcagga agggacctgc aggcgggtcc cttcctctcc catccctcgg tgccagccag cccctcctgt ggccccccac tgcctgcctc tgcccccatg ccccaccaca 1440 acctcaggcc catggctgca tggccactcc ccaggcaggc agtggggatg ggatttcacc 1500 atgttggcca ggctggtctc gaactcctga cctcaggtga ggagttccta aagtgctggg 1560 attacaggcg tgagccaccg cgccagccct ccctgtggta ctaaacactc acaccccctt 1620 1680 gctggggacc ctggtgaggg aacacagcct cacaagtgaa gtgtggtttt gttgagcaaa 1740 tgacgcctgg gcagccctct catctttgcc taaaactgaa gaatttaggg gcgtggatgt 1800 ataaaacagt tggtgactta aatgaaaaag aaggccacac tccccccttt aggcaggcgg cctaattett taaaageeag cacagggtge etttetgaae eeaggeacae agtaggtgtt 1860 caatggacag cagcggttac ttgtactgct catgacaccc tgtctgtggc ctctgcagct 1920 ggctccagcc tgacgcatgg ctgcgcccct ccgcaaggcc accccggtat acatggaaac 1980 2040 tetgtggaga aggeettggg ggeeggeeag gaegeeagge eeagateeea tetgegeeet 2100 tectecatag aceteagega geteteggea ceatgtgeet caggeceatt taagaagtag 2160 ggccggccag gcatggtggc tcatgcctgt aatcccagca ctttgggagg cccaaggtgg 2220 gtggatcacg agatggtcag gagatcgaga ccatcctggc taacacggtg aaaccccatc 2280 tctactaaaa atacaaaaaa taagccgagt gtggtggcgg gtgcctatag tccaagctac tcgggaggct gaggcaggat aatcgcttga gctcagcagg cagaggttgc agttagcgga 2340 gategegeca ttgcacteca geetaggtga cagagagaga etetgtetea attaaaaaaa 2400 2460 aaaaaaataa aaaaaagaag cagggccagc cacggacgac ccctcacaca gctcccagga 2520 cgcgtgcctg ggtatagggc tcaggaccat gaccgctgca gtggccccca agaaacgtta cttttgtcac ccaccccgcc tcagtggcag tagccaaaat aacggattag aatggaacca 2580 tgtgacaatg ccactgcccc aactgacaga agatggctat cagcagttca cgcggcccca 2640 cctatcacaa gtgcagggca ctctacaact tatgcatcct tccccagaca ccgtcctttc 2700

2760 gaccetecca ggteageaag geacacaggg cetacattte acagecacae ageagaggge 2820 tgaggctgga actcggatgc tctgatttcc gttcaatcac atccccagag gtggcacaga gacgggggc ttctcttgac aaagtcaaga aagtcactgc cagctccact gaagaccaaa 2880 gaacctcagc teteaaacce tettgaaggt gttacegaac teteccagee tgttteetgg 2940 3000 gtcccgatgt tggtcccgtg ggacacagga agaggaagaa gctccctaga gcagagcctg 3060 gtgcacctgc cacactctca gagggctgcg cacgggcgga ggagccgtgt gcaggagtgg 3120 ggtctggatg gaggggcgct gtggccgggg gcagggggca ggggaagggt gctccaggtg 3180 gtgggcacag cacgagcagg ggcagggagg tccacactca gatgtgcaca gggagaaaca 3240 aatcgtgcat ttccattgga ataggcggta aaaggtagaa aaacagagtg ggggccagga 3300 agggagtegg ageettetag tgtetetetg caggtgageg geageeegag gtgteagete 3360 agcagacttg gggtccaggg gccgtgtctt ctatcactga ccccagggca cacggaactg gggagggaga gcagaggcac agggcacggt cagtgaaacg aaacaaggag tcatcaccaa 3420 3480 atgeggaaag ggeaaggagt geeegeagee geacaagggt tetgtetggg caaegtggge 3540 gtcccaccag gccccgcacc ctgcaagcgc aaagctcgcc actgaagata aagggaagct gttggagctg cggagctggt ctggggtccg catggagctg ggcttatgct gcagtcacaa 3600 gggggacatg qaaqaggctg caggggacaa aaccagtgac cacagtctaa ctctgagcct 3660 gtggaaagge gcccacagca ttcacccatc ccagagatge cattccccct gtgcccccgc 3720 tecaeggtga cagegttete caggaatatg atgegeeest etectettge ateageeetg 3780 3840 acagtgagta ttcaggccaa aaagcagaag agcacagctg cgtggttcca tttccatgta 3900 gttctggaac aggcaacgct aatccaaggt gatagaagtc aggagagtgg tggaggggc gggggttgag gatggcaaag gggcaccggg aactttccca gtggtagaaa tgttctctgt 3960 ctggaccgtg tggtagttat gcagacatat gcagctgtca aagttaatcc aaatgtacac 4020 gttaaaatgt gtgcgtttta ttgcctgcaa gttatacctc aattaaaaaa ataaagttag 4080 4140 cactcagget tettecacaa etteetgaac egtgtgaget gattttettg etattaaaaa 4200 ttcacggtcc atggctgaga acagcagctg ccttctgttt gcaaagtcaa cgccaatcac tgcccggccg cggcagactc ggccccacag gacctccttt cttttttccc tttgacctac 4260 ttccctgata agtgacaaga cagccagact ctgggaacaa acgcccgtta ttcggccccg 4320 agetgagegg gecetgette etgagetaat eegeeeggae agaeggaggg aegtgagggg 4380 ctttgccgtc ggctccagct gtcagtctgc ccgtcagact cgacagtggc cccctctgtt 4440

4500 cctcccgctg ccccactcc atccccgact tctttttgtt tcctgtccct gacagacgaa 4560 catctqttaa aactctgtct gggtgagctg tggccagcgg cccacaaatc cccaagccgc 4620 accocageet catetgggeg etgeegggag caetgeetgg ceaecetetg gacatagete tgagagccac cggccagggc acgtgtggcc cgagtggcat ggtgcacgcc gctaagccca 4680 4740 ctgcccaaag gcccccaagc aggagggatg tgcaggagac aaaagtcaaa agaacagggg 4800 cacgttccac agaggatggg gctggagggg tggcagtgag gaacagcagc ttccgaggat ggcggtggca actcccaaat aaggcctcac tcctgctgtt tttagctcat tccacataat 4860 4920 tggaaaaaca tggcagaaac cgaagccagc tgctgccttg gtcctggggc tgtgtggagg gggtggggag gccggaggcc caggctctgc actcgactgc tggggatgag agtgactctg 4980 agetgeagag ageageateg cageegeeat ggteecattg ageceeggee aegetgggeg 5040 5100 gcagaggctc gtgggatata cctgccctgt ctcatggggg tcacttcagg aggggcgggg 5160 gagccaggac acagcccagg gctagcggtc accetgcage tcaggggcca cgtaaatagt 5220 gccaccttga aggcacacag cagtgcgggg ccccccccgc caccaacgca tccctacctc taggaggccg cctgtgtgcc cctgggaacg ctgctccctg tcccttgggg tcctggtgtg 5280 5340 accaccetet cageceette ettggggaag geacetgaet cectacacce agetggettt 5400 catttgctca aaatcaggaa aaagcagaat tcaagacatc acagaaatgt cttcgcctgt 5460 aactccatga aagataaacg gtcagacacc caggagggag tcccagggac ccttgagtct 5520 cacctgagge tetggettea aacctegaga tgtttecage catgetageg eegeceeca 5580 caacetgece cacacagtee teeettggga acteacagat ttggccccca cetgeceegt 5640 ttcttctggt ggagtgggtg cgttgggttg gggtggggct ggggactctg gatgtgtctt 5700 aagagtetga gtgattetga cacagecagg ceetgeeee eteetgaeet tegeeceaca 5760 qqaaaqqqaq ccacacgcct gaagcgccca gcacaccccc ctccgtcctc cccaggtcac 5820 cogotygocy tytyagocyt gotococact gococttoac coaccocago toctcotygo 5880 agcacccage ettggaaget acttetgatt acaacegeeg aaggaagaet egeteeeteg 5940 gcactgaccc agacagectg caccateaeg etgeteagea caacceaeae ageetteete 6000 caaaccccat ggagcggga gtataatcac cccctttcta ccaacggaca aactgaagca 6060 cagagaggtt aagtcacttt cctaagctcc caacacgatg acaaaaaata gaaggtcagc 6120 ccgcaagtgg aactaggtgc tccaagtccc cggtctgcct gacactgcac ctcctcgccg 6180 ccacggtccc gggtccgcct gacactgcac ctcctcgccg ccacggtccc gggtccgcct

gacactgcac ctcctcgccg ccacggtccc gggtccgcct gacactgcac ctcctcgccg 6240 ccacggtecc gggtecgect gacactgeac etectegeeg ccaeggtece gggtecgect 6300 6360 gacactgcac etectogoog coacggtooc gggtoogoot gacactgcac etectogoog 6420 ccacqqtccc qqqtctgcct gacactgcac ctcctcaaca ccaccacqgt cccqqgtctg 648.0 cetgacactg cacetectea ecaceaceae agtecegggt etgeetgaca etgeatttee 6540 tcatcaccac agtcccgggt ctgcctgaca ctgcatttcc tcatcaccac ggtcccgggt ctgcctgaca ctgcacctcc tcaccgccac ggtcccgggt ctgcctgaca ctgcactttc 6600 tcaacaccac tccttggccg gctcccaact acaaaccaag ccatgtcttc catcctgaat 6660 6720 cctcttggcc taaacatcac tcacaatgcc tccctcggga acaggcacaa gtcccaccag 6780 cacagoetee ttegttacet gegttteege tageecaggg ceageteeag ageeeteace 6840 acagagecte tateetteac ecceggacae tggaceteac caacceatag cetggaggag 6900 atcoctgtgt gaccccaggg cetectetge eegactetga attteactge ceaacgtgae accteggaag getetetggg caetggeage cetecatggg caeegeteet tetggecage 6960 7020 totgacatoc oggotggtga ggtgocotgo acgaggooto tgoccactgg gacotcacag ccgtgctgtc agctgcaaca agcgacagaa tttcacgttt tcttcacgtt gcccctgggt 7080 gagcagetee aggtagtttt cagtegagge gaggegteee gteagcagee aggeggeaca 7140 7200 gctaattcat gcccgccggg cgcacggccg caataccaat gggcacctgc agcctggaaa 7260 gccacagagg aaccgagaac agcgactgtg ctcaggtgac aggactgtgg tcttttaaca 7320 aaacattttc ctttaacgtg atattttacg gcaaggaatg aaacctggag ggcaggacat 7380 ttggatacta aagccccagg ctgccgcgtg gtctgctttg tgaagtctga agcccgcgcc 7440 ccattetgge eeegeteaca ggteeggete tgaeteacea getteaatge taggeegtge 7500 ctgtcctcca accagaacat gacttcctta aggacaaagc cgtttctcgc ccatcccat 7560 ctccctctgg attaagaaat atgggaagat cttctagaac cacctcaaat ttgcagagag ccatcctggt gacaaaccct tgaaatgctt ctaagaagag tttaggtttc ttctcaactc 7620 taaaacctct agaaaactct atttccacac cagctgcccc tggaacactt cagcttcaaa 7680 7740 agggcccagg gcagggagac ggaggagcca gcatccacac cgagcaccag cctgttaatt 7800 aacgggaagc gggtggggcc catctccagg cagctctgag gtcagactgg ggaaccatgc 7860 ttacaaaaaa aagtgaactg aaacgeteac gteeteatge aaaaccagae teecagttge 7920 atctttctgt ctcattgagg agctttttcc tccctttgac agaacaccct acacacggca

7980 tctggaacca aagcagaaag attcaggctc agagtaaaac agtccccaca ctggctgcat 8040 gtggacgttc ccggcccaga gtctcgccca agcagggcct ataaatgaca caaaatgttt ttctcctgcg tgccagtcat gctccaactg agttatgtgt aaaagtgcct ctcacggctg 8100 agggcaaaaa cagttcccac aagactagag aaaggtgacc cctgacggct gagtctctag 8160 8220 ggagcgtgga gctgcgtgct cagccctgcg gccctgacgg ctctggaatg gaaaagctat 8280 ccaactggaa gggcagggct cgctgctagt ccagcggtcc aaccccacag gtgtctgtgg tgtcagctcc atgccacaga gcccagggct ggggccagag ccaccaggcc ccctgccagc 8340 8400 ctgcaggggc ctcctcctct gggtagccta accacccct gtgagcgcag gcagcctcct 8460 ctaatcacca cagggcetgt ecceeetet ecceegettg caggaaaatg agecetgagg actccccagg gctgctctgg gcctggacat ggagactggg aattacattt gcagaaggag 8520 8580 cgcaatgccc ttgaagggct cagccacgag cagccagtcc ccagggctca gaaggcccag ctgttagaac cctgggagcc agcaaagagc caggggctcc acctaagtct atagcccctg 8640 8700 cctcttctgg ttgggaaaga aatcaacgcc cctttactgg ctcccactga cagcccactc 8760 ccccaggtat gggaggattc tgggacgatg caggcaaacc tggaccctga gtgaacctgc 8820 cccagctctc acgggcctgg caccagccac agcacctaag gcgccggtca tggtgacaac 8880 atgaaggtga taagggcatg gacagtggac atggcagctg gacactgggc acccactgga tgccaggcac ccagcacggc tccgtcaccc ctggatgagc agtggccctt tgcaagccag 8940 9000 ggtagcctgg gcaagttatt tgggggtctc caagcttgtc cagctgtgcg acttcactga gccatgagtc tgggatttta tcagggccca cacccgttcc tggaactctg atacgtgagg 9060 9120 gagecacaca gggaccetta acaaaagete ecagggeaac atgttetett geeteagtet 9180 cccaaatagc tgggattaca ggcgcacgac taccgcccgg ctaatttttg tatttttagt 9240 agagacaggg tttcaccatg ttggccaggc tggtcttgaa cccctgacct caaatgatcc 9300 ttccactgtt agggcaaggc acctgacagg cacgactgca cgatctgctt gttgggggct 9360 gtgtccattc cccactcctt cgacaaatgt ccacacccag ccttgctttg acaccccaag 9420 aacagagatg gtgacacctg cttcctacat gcccattgct ctcccaaggc agacatcccc 9480 agcagatgca acacagtgtt taggcagaca tcaccaatcg atggtggcaa cagacaccag 9540 geoetgetee etetaactee agtggeeagg eeccaageea geteteacet geceacteee 9600 aacccacagc agcaagactc agaaatggca aaaacacaaa gagaacagaa acgccccata 9660 gcgggaggat gactaaaaga catgtcttga taagatattg ttcaggcata ggccaggcac

9720 agtggctcat gcctgtgatc ctagaacttt aggaggctga ggtaggtgga tcacctgagg ttaggagttc aagaccagcc tagccaacat ggtgaaaccc catctctact aaacatacaa 9780 9840 aaattageca gacatagtag egggegeetg taateeeage tgettgggag getgaggeag 9900 gagaattgct tgaacctggg aggtggaagc tgctgtgagc cactgtactc caacctggac 9960 10020 atgtctttga tacatattta cctcctgcaa tcgcaaatgc ttctgcagtg cataaagtga 10080 aataaatagc aggaagcett acggttegat cacceacaca gacacacagt cacatacagg aaaaacgcag ggagggctgg ggaacaaaaa aacagaagat aaaatgtgga gacagacaca 10140 10200 ccaagagagt aagagaccac ctccagacct cccttcagct tctcaaacac acgagccggg cccgttacag aatttgcggg gaccgctgca aaatggaagt gcagacagcc ccttactcaa 10260 10320 aaggtaggaa tttcaggtca acaacagagc tcacctcata tgactacaca ggtcacacag 10380 cccgtgaagt cggtcccaac accagcatge tectgcctca aagccgctge acgtgctgtt cettetegee titecetett tragteette agateteagg eeteetgaga gagacetetg 10440 10500 acctgccggc tcaggcggcc acacccccag tacaggagtc tccggctcag cccctgctgt gttccgtacc cgatccaggt ctgtcctatg tccatctgtg tgccggcttg cttcctgaca 10560 tggcccccac cacacgtgtg cctcggggca ggggaacagg cccgtctcat taactgcttt 10620 cttctcagat attttctgga atatttgtgg atattgggca acatatatgc tccacctttt 10680 tcagactagc caggacgagc tgcatttttt ttttttttt tttgagacag ggtctcactc 10740 10800 tgttgcccag gctggagtat agcggcatga tcttggctca gtgcaacctc cgcctcctag gctcaagcaa ttctcctgcc tcagtctccc aagtagctgg gattacaggc ccgtgccact 10860 10920 actgeceage taattittat attittagta gagatggagt ticaceatgi tggecagget 10980 ggtettgaac teetgacete aaatgateea cetgeettgg acteecaaat tgttgggatt acaggegtga gecaetgege eeggeeegag etgeetgttt tacacetttg ecatatteeg 11040 11100 gtgattetet eteceeteeg teeceeggee etgactgtgg tggecactee etgeegteat 11160 gagecegtat gteeteacte ttteeettte egecaggaet teaaceaaca etgeagageg 11220 cagggtccag ctccagcact gagttcagcc tcttctcacc aacagacagg caggaaagaa aacaaactet gagaaggeea aggtteeegg geageeagea ageeaageat eetteteege 11280 tgaggettgt geageegagg caeceette tecagggage aggeagegte etggggeagt 11340 ctgcgaggga gaccagggcc cttgctccac cagggcccca ggtatggggg cagcagcaaa 11400

11460 ctcatggctc tgggagccag accccacctg ctagaaccta ctatgccacc tgctgtgggc 11520 aaccccaggc tggtgacttg ccctggcctc ctctgtaaac aaagggctca tccaacctgg 11580 tcaaaccact cotoccotto aagggtotat aatootocot taacctgott ggtocaaacc cctggtgtcg ccaggtcact caggaggcag ctcatctgga ctccttccct gggtccagtt 11640 11700 totototoaa cattgoottt gaggoogagg tgaacggtca acagegaagg gooccagagg 11760 tgatggagga gegggtgtee aagacaetea ceetttetaa tgeactgaet ceetegtgga 11820 ctcacttqtq ccqtctcccc cacccaccca gccccagagc ccagagtgcg agcgccagag 11880 gcccgggatt ctgtctgcac cgcggggtcc ccagtgcctc ggagcaatgc cagcacccgg caagtgttcg acaaatgcct gctgaatgag caaatggatg gatgaacgaa tgaatgagca 11940 12000 agcagatgaa tgaatggggt gctgtccaga gccgtgagga ctaggccgcc caagtcccca 12060 tttctcaaat tctccttctc ccgacttggg aaacaagatg cttggtcggg gaggctctcc 12120 aaccatecee tqeaqeagee ggeacagegg acagaceett tgatgtaaca gecatgtett 12180 cattaaagat gccctgctct cagaaagaga aagacaaata caaacctgga aaatcctcac 12240 caaacgcagg acccctgcca gggagcagag aaaagaccca cacgccacgg gcgccacgac 12300 cacacacaca ccccagccgc tgcacacaaa cacagaccct agccagcaag aacaggggga 12360 ccaggaaact gttcctaaag tcaggacccc catgtgctca gacagcagtg agagcaagga cactteteca tecaceggat gecaggagag teettttagg gggeeceaca eegagaetet 12420 12480 gcccttagga ctgttcctga gtgtggaagc cagcccactt ggaagccccc tgccctcccg 12540 agtgggacac cggcacagga agcaggccct gtcccccacc actttctgca agctgggccc 12600 catcacgcta cagaaacggg gaggactggt cccagggatg gcgctttcct gacacctctc 12660 gttaccccct cqcttqccag gccccagggt cagccccaga ggccagactg gctatcccag 12720 gcccgggagc atccccgaag gcgagctgca tcctgaacgt gtgtgatttc ccgaagggcc 12780 cgccccgaac cgacacctgg aaagaaagat cctcagccgg tgccccagag gagaagagcc 12840 atgcctcact gcaacacagt cccaggaagc accaagtgcc tgaggaccaa ggcggagagt 12900 12960 ggctcaagca atcctcccaa ctcagcttcc cgagtagctg ggaccacaga cttgaatcac 13020 cacaccegee aagtggatea tttegaaegg gtttgeegag gtteettetg gggeaeeeee ggcggccgca acccattccc gccaggcccc gcccgcccg cccgcccgt cccgtcccac 13080 cgcctcacct gccttacacg tcctgccgtt gtcctgcagc tgcacacccg tggggcaggc 13140

gcatgtgtag aaaggctcgc ttggggacag caggcacagg tgggagcagc cgccattgtc 13200 ctcctcacag cgagtgtgga ctgagaaaac caggacagac tgagagaagg ttccagaaga 13260 ggaccgtcac ttgtttctga atgagtcaca tcctgcctcg tcccccgtga cagcctccag 13320 tgtgtccctc tgcccaaaca tcggcctcaa gtggcatcag ggacctcccc gcgggcacca 13380 ttccacctgc ctcatcgctg gccccgtcca catggggccc tcagcctggc cagacggcct 13440 13500 gcaatttccc caaaaccagc cgtgaccttc ctggccaccc tcacacccag atgtgacctg 13560 cccatggagt gacatcctcc ccatctgctt cctcccacca agctcctatg actagaacac 13620 cotcoccago tootoggago coccaaagga caccoctotg caaaggotgo coccaaget 13680 ccaatggccg gggtcaggac ctgcctgtgt ggtagtgacg ggaaccccag agacaatggg ctcctgggca aaaggcttgt cttgtctttg tgctatgtgt ggacccagca gcttccatag 13740 gaacactgtc cttcttgctg ggatggccaa gcttgtcact ctcccaagcc ctcctatgac 13800 13860 caacagcaat tgaacggaac tcgataaatg cttccagcac ctcattcaaa ccaggggaaa 13920 gctgggtgta gcagcccaa aatacggata taactggaac aacaaactca tcaaaatgaa 13980 cctctccctc cctcatgctg ccccaagtgt agatgggttt tgtgaccacg actttctcac 14040 caggaaacag ctccagagag ccccaccctc ctgtgtcctg ctctgggaac agctggcacc 14100 cctaggccc acatttcaat tcaaagtcca aaccttccat aatggcctgg ccagaaatct 14160 ccatccctqq tccctgtggg agtgggccac tgtccccaga gccgcagccc cactgtcaca 14220 gaagetggtg cattteccca teagggacet etgteacaae ceagegtgge ecceaggetg 14280 agaactgctg attctgggca gattattcat tgataaatac gcgacttgca gggccaagca tggtggctca tacctgtgac cccagcactt tgggaagtca aggtgtgagg atcactggag 14340 14400 cccacgagtt tgagacaagc ctgggcaacg tggcaaaatc tctcatctct attaaaaata 14460 catacacaca cacacacaca cacacacaca cacatatata tgtatatata aataaccata 14520 tatatatata cacacatacg tgtatgtgta tataaataca tatacacaca cacacagaca 14580 acttettetg ggeettgaaa aegaggeaae etteettgga aateeeettg eeaetgetga gcctgaaata gcccccatga gctctgcaga ggggtcctct gcaggcccgt gtcccccagc 14640 14700 cagocacaca cotocotoca ttgcagcagg tacccottta gagagggggc cocccagagc 14760 atgggettet geagggaggg gteacetgee eccecacece acceaegece gegeacecee 14820 acgececege atecteceae teccetgece egegeeeeeg etecceceag eececteace 14880 ctctcccccg tgccccaacc ggcactcaca aaaaggctgc cgctcctggc tcagcacctg

gatgtccatg ggtgagtata gggcactcag gatctccttc ctcttccccc cagtgcgctt 14940 gttgcaggca tggatggagc gggtctgcca gtctgtccag tacagagtgt ccccggagag 15000 cgtcagggcg aaggggtgcg tcaggctgcc ctccaccacc ttctgcctgc agtcagggaa 15060 gcggggtgga ggagccatca ggagggtccc ccgacagtca ttgctgctga cccaattaat 15120 15180 ttettttttt ttttttgaga tggagteteg gtetgtegee caggetggag tgeagtgatg 15240 taateteage teactgeaae eteegeetee egggtteaag eaattateet geeteageet 15300 cccgagtagc tgggatcact gatgcccacc actacgccca gatgattttt gtatttttag 15360 tagagacagg gtttcatcat gttggcaagg ctggtctcga actcctgacc tcaggtgatc 15420 cacccacctc agcctctcaa agcgctggga ttacaggcgt gcgccaccat gccaggcttc 15480 ccatttgctt tcaaccagac aagtgaggcc aggtcaagag ccccaggagc tggcgcctc 15540 gtacatttet eceggegtge acagggeace teccaaacae ageetgtgat ggtgacacae 15600 gggctccccc aggtcaagtg gcaaagtctc ccccagggaa gaaaggagga agccatgcct 15660 ggcaaaaagc acacctctcc tgcccaacgc tttaacctct gtatacaaat caggccatgt 15720 gcactcgctc cttcttacaa tgctcataat ttatactttc agagtaaatg aaacttggca tcaacccgag aaacagctat tottttctag atgcttacag tgcccagcaa atgaggactc 15780 gggtgtaatg agattatgga cactggaaac aggatcataa tgtgacgtgg tcggtaatgt 15840 gcagttitat tigcttaatg accetegece egigaeagge teeetgaggg tgggeetggg 15900 ggcagaggtc cccgccacgt ccccagccct cagcacagtt gccaggagag ggtgacactc 15960 16020 atgaagtggc acagggaaga tgggagctgt gggctctgca gatccaccac ctcttctgtt 16080 catttttgtt gatgctgttt tttaagaaaa ttattgaagt aaaattcaca ggacatacgt ttactttttt ttttttttt ggagatgggg tctcactctg tcacccaggt tggagtgcag 16140 16200 tggtgtgate teageteact geaacetetg ceteceaggt teaagegatt eteceacete cgcctccaga gtagctggga ccacaggcgt gcaccaccac acccagctaa tttttggggg 16260 gtatcttttt ggtagagaca gggtttcgcc atgttgccca aggctggtct tgaagccctg 16320 16380 ageteaggeg atecaceege ettggeetet caaagtgetg ggattacagg cataagceac 16440 tgcacccagc ctaaatttac cactttaaag tgaatagtgt tacctagtgc attcgcaagg 16500 cggtgcagcc tecaettetg tetagtteca aagcaettee attgccccae aggcaaacce cacaccoggo agcagteatg coccagtoco egoccodago coeggoaaad actititgatg 16560 gacttaacta cacacattct caacatctca tataaacgga atcacaatat acagcctctg 16620

16680 atgtctgtct tctttgactt ggcaccatgt tttcgaggtt catccaggct gtagcatgtc 16740 agtgcttcat cccgttttag gggtgaacca tattccagtg tgcagacaga aaccaatctg tgcatccatt cacccactgg gggacctttg tgtcatttcc accctcggct gttgtgcaca 16800 gtgctgctac ggacattact gtccattcac attttgtgtg aagacctgtt ttcgattctt 16860 16920 aagagtatac agctaggagc ggaattgctg ggtcatacgt aaatcaatgt ttacgtctca 16980 aggaatcaac aaactgtttt ccacaatgtt gtcttttttg tttgttttct gagacagggt 17040 cttgctctgt cacccagget ggagtgcggt ggtgtgatca tggctcactg cagcctcaat 17100 ctcctaagct caatccatcc tcctgcctca gcctcctgag tagctgggaa cacaggtatg taccaccatg gccagctaat tttctaattt tattttttt tgtttttgtt tttttgagac 17160 agagtetege tetgtegeee aggetggagt geagtggtge cateteaget caetgeaage 17220 17280 tetgeeteee gggtteacae catteteetg ceteageete eegagtgget gggaetatag 17340 tcaccggcca ccacgcctgg ctaatttttt tgtattttta gtagagatgg ggtttcaccg 17400 tgttacccag gatggtctcg atctcctaac ttcatgatcc acctgccttg gcctcccaaa 17460 gttctgggat tacaggcgtg agccaccacg cccgacctta cttttaattt tttaatttta 17520 ttattttatt ttatttttt tttttttgag acagagtctc gctctgtagc ccaggctgga gtgcagtggc gggatctcag ctcactgcaa gctccacctc ccaggttcac gccattctcc 17580 17640 tgcctcagcc tcccgagtag ctgggactac aggtgcccac cacgatgccc ggctaatttt 17700 ttgtattttt agtagagaca gggtttcact gtgttagcca ggatgatctc aatctcctga cctcgtgatc cgcccgtctc agcctcccaa agtgctggga ttacaggcgt gagccaccgc 17760 17820 gcccagcctt ttttttttt ttttttttt ttttgagata gagtcttgct ctgtcgccca 17880 ggctggagtg cagtggcggg atctcagctc actgcaagct ccgcctccca ggttcacgcc 17940 attetectge etcageetee egagtagetg ggaetacagg cacceaceae cacacetgge 18000 taatgttttg tatttttagt agagacgagg tttcaccgtg ttagccagga tggtctcgat ctcctgacct cgtaatccgc ccgcctcggc ctcccaaagt gctgggatta cacgcgtaag 18060 ccatggcgcc cagcccatgt ggccattttt cagtgagaga agccagaggc ccatcactct 18120 18180 eggttgetee etgggeeatg etetgeetea geeagaagea etgagggaag gteageeteg gcccttgccc cagccacagt:cacagataaa ggggcctgca caggtctgtg tggctccaga 18240 getegteace caacacacga egettecatg tgaatageec caggtgeate atgaagageg 18300 18360 atggccgctg cagaggcaga agaatcccgc ggggaagcag gtgggagaga ggctgagaac

18420 agaccagacc ctggagctac agaccctatg ttccaaccct ggctgggact agctgtgtgg 18480 ctctgggcaa attcacatgc ttctctgtgc acaggggatc aaaatagcaa acacaggcta 18540 ggcacagtgg ttcacaccta taatcccagt gctttgagag gccgaggtgg acacatggct taageteagg agtttgagae eageetggge aacatggtga aacetegtet etacaaaaa 18600 aataccaaat aaattagcca ggcgtggtgg tacgtgcctg tggtctcagc tacttggaag 18660 18720 gctgaggcgg gaggaacact tgagcccaag aagtcaaggc tgtggccgcg tgtggtggct 18780 cacgcctgta atcccagcac tttgagaggc tcaggtgggt ggatcacttg tgatcaggag ttcaagacca gcctggccaa catggtgaaa ccccgtccct actaaaaaaa tacaacaatt 18840 tgccaggcgt ggtggcgggc acctgtaatc ccagctactt gggaggctga ggcaggagaa 18900 18960 tagttagaac ttgggaggtg gaggttgtag ttagccaaga tggtgccgct gcactccagc 19020 19080 agaggtcaag gctgcagtga accatgattg tgccaatgca ctccagcctg ggtgacaaag 19140 tgagaccctg cctcaaaaca ataaaaatat aaataaaaat aaaacataat agcaaacgtt 19200 tcatagaggt ggtatgagca ttaaatgaac tgataaacgt ccctggaaaa cagtaagtgc 19260 tatggaagga ttcgctgccg ccaccgccac caccattagc atgtttcaac ctccatcacc 19320 ctcactgtcc cctgtcacca tcctttgacc agggcactcc cagctgcagc ctttctatcc 19380 tottgtccac cottcataac tgtaagatca ctcagotccc aagaaccaca gtctacaggg taaccacatt tecaaatete aaaccagace egetggtetg caettecagg gacaacagga 19440 19500 tattttcaaa ccagcccaaa agagatgtgt ggctcagcat aagaggaaca ggagaaactg 19560 aggeetettg ceetgagaat gagettggaa gtggatgtee eggeeteaet caaacettea 19620 gatgactgag gcccagccag gagcttgagt gtaccctcag gtcataccct gagccagaag 19680 cacccagcta atccactcct catcactgac tecetececa taaaaaacct gtttgctgtt 19740 tcaggctgtt aagttgtggg ctgttttgtt acacagcaat ggataactaa cacacgaggc 19800 ctggcaagtg tggagcaaag ctgcccaagc cctcaagtct gttcatgtgg gtgttggcct 19860 gtgtttgcag aaatccagcc actgagtcct cccatgcagt cactactgcc ctctgcacag 19920 acacctgcca catecetgce tgggccagga getecaetag tgcaggaatg gggtetgccg 19980 teccaggagg attectgaca cetageacag ggetageage aggeageact tggttagtga 20040 ataaactgcc cttcacctgt acacagaagg gatgtttcta taaggggtaa ttaagtacag agctgggaag ctatgctgac cagaaggctc taaaagcaat taaccaacga ggggaaaacc 20100

20160 cttcctactc attctcggcc cattttattg agcactgacc atgtggaagg ccccctggtg 20220 agactgggga atgcaccaat aactgagaca gcttccggct gttgccctca ggatgcctga gctgggatag ggccagggtg ggggtggtgc gtgtgacagg gttactgttc acaaccctgc 20280 cgggccataa gccctcccca acaattccaa aatccaaaac gctctgaaga tggaaagctt 20340 ttgttgctca tctggtgaca aaacctcatt tggtgcatgg gccgggtgcg gtggctcacg 20400 20460 cctqtaatcc caqcactctg ggagccgagg ggaaggatcc cttgagctta ggagtttgag 20520 accageetga geaacatgtg agaceeegte tetaceaaaa atacaaaaat tageeaggtg 20580 tggtggcgca ctcctgtagt cccagctact cgggaggctg aggcgggagg atcgcttgag cctgggaggt gggggctgca gtgagctgag attatgacat tgcactccag cctgggtgaa 20640 agagtgagac tctgtctcaa aaaaacaaag ttaaaaaaaa aaaaactgtg catgggtgtg 20700 ggctacagat agtctttct gccctactta gaatgaacgt gccacatttg ctatagaaat 20760 attcaagggc tggtggcaaa tgccacacag accetgaege tgttecaagt tetgagaagt 20820 20880 cctgcattcc tcagggcccc agagtttcag agaagagtct gtaggcctga gttaagaagg 20940 aacgccttca aaagccctgg ggacaaaggg gaaaggggtg ccccaggact gcgtgggtac 21000 ctaccggaac gagccgtcca ggttggcacg gtggatgaag ctgagcttgg cgtcagccca gtagagette tgeteeteea ggtegatggt cagteeattg ggeeagtaaa tgteegagte 21060 21120 cacaatgate tteegggtge tgecatecat ceetgeeege teaateeggg gegteteace 21180 ccagtctgtc cagtacatgt acctgtgacg ggggcagggc aagagaagca gctaacacag 21240 atctgttttt tgtttttgtc tgcatagatg cagacatgaa acaacagaca gtgaacttgc 21300 cctaaaatct cacccatcgg aaataaccaa caggtatggt ttcaggtatt cctgccttaa 21360 gctgggcaat caaaatatac tatttccaac ttgttctcag ttaacagtaa attctgggca 21420 ccttcccttc ttgtggatag aaagattcct tgttcttttg atgattgcct agtgtactct gctgtaagtt ttttaaagaa cttcaggtta tttctgattt ttttgctacc atgaaaatgc 21480 21540 tgtaaatgaa cctctaaaag gcaattcaaa acactcagga tggaatatta tttagtggta 21600 taaagaaatg agctatcggc tgggcccagt ggctcacacc tctaatccca gcactttggg 21660 aggccaaggc gggtggatca cgaggtcggg agatcaagac catcctggct aacacagtga 21720 aaccccgtcc ctactaaaaa tacaaaacat tagccaggcg tggtagtgag cacctgtagt 21780 cccagctact taggaggctg aggcaggaga atcatttgaa cccgggaggg ggaggttgca 21840 gtgagcagaa atcgcaccat tgcactccat cctgggcgac agagcgagac tccatctcaa

21900 aaaaaaaaaa aagaaaagaa aagaaatgat ctatcaagcc atgaaaagac atggaggaaa 21960 cttaaatgca tgttagtagg tgaaagagcc aatctgtatg agtccagttc taaacactct ggaaaaagca aatacacaga gacagtaaag catcagtggt tgccaggagt tggagaggag 22020 agggatgaat gagtggagca cagaaaatca gggcagtgga actatcctgt atgacatgga 22080 22140 atggtgggtg catgtcctta ctcatctgtc taaaccaaga atgtacaaat caagggcgaa 22200 ccctcgtgta aacgtggatt ttgggtgatg gtgcgtcagc cagctttcat cagttgtaac 22260 aaatgtacca ccctgcacag gatgctgaca gttgggaagg ctgtgtgggt gtgaggacag ggatgtatag gaactcagta cctgctgctc atcaattttg ctgtgaacct acaactgttt 22320 22380 gaaaaaatta agtctattta aaaacaacaa aacatggcca ggcacgatgg cttgcacctg taattccagt acttcgggag gctgaggtgg gtgggtcact tgagccaccc tgggcaacat 22440 ggcaaaatcc cacctctaca aaaaataaaa attaaaaaaa agttagctgg gcatggtggc 22500 acactettgt agteccaget acttgggagg etgaegtggg aggatecett cagecetggg 22560 22620 aggtcgaggc tgcagtgagc tgtgactgta ccactgcact ccagcctgga tgacagagtg 22680 agaccctgcc taaaaaaaaa aaaaaaaagg ctgggtgcgg tggctcatgc ctgtaattcc 22740 agcgctttgg gaggccgaga tgggcggatc acgaggtcag gagatcgaga ccatcctggc 22800 taacacggtg aaaccccgtc tctactaaaa gtacaaaaaa aaaaattagc cgggcatggt ggcggacacc tgtagtcaca gctactcggg aggctgaggc aggagaatgg cgtgaacccg 22860 ggaggcggag cttgcagtga gccaagatca caccactgca ctctcagcct gggagacagc 22920 22980 aacactccgt ctcaaaaaaa aaagaataaa acccatggct gggatggacc ctgaacctgc 23040 agetgeaget gtteetgggt aggtetgtgg gegaegtgge tttgettete catgtteeca agagacaagc atcacccatc catgagaaac aagcacatcc tcagggcgcc cttacgtgat 23100 23160 ctctggccaa tgaaccaaga caaagtgagc agacaccagg tctgggatgg caggtcccac 23220 ccccaccagt gcccagtgtg ccctgtttgg aggtgaccac agggtgtgtg cccagaggct 23280 gggcgtgact ctcagcggag accagagggg aaccacacca gcttggagga ctcagttccc 23340 atcccagcca gctgggatga gccacaggac acaagggctg gcagacctat tgtgttttgt 23400 ccaccettca cagcagagaa aggggacagt geccagaatg teetetgagg ageeteetee 23460 cactettggt cettgtaaaa tggtgetgae teeettgete eettetteet ggggtgggeg 23520 gcaaacccca ttcccctcag ccttagcaag tgatttagaa acaggcagct cgcccaagcc 23580 aggeatgaga gtgatecegg gacacaggga gaacaageee egetttgeee tetgggggte

23640 tccattcagc agaagaggca aatgacagac acacageege eteeteece accatggtge 23700 totgoagoot caggagooto aggtgoacca agggooacco catocagggg gocatgotto cttgagtggt atcgttcctg agcgagtacc atctccacct tccagagggg ctgtgacaag 23760 atcaacaaga atgagggcat aggagcctcg aaccaaacat gccctcttcc ctgcagaggc 23820 tgactgcgcc cagctgctat caccaagccc ctgctcctcc ggccccgtgg ggacagggta 23880 23940 agaggggtgt cacatggaac agetetecaa acagtecete teaagetget gteteetgtg 24000 catctagtga gaacccaacc aacaaaggga aggtgggaat tgctattccc attaggcaga tgagaaaact gaggccccga aaggctggcc tgttccaggt tacaggcgct gagcggctgc 24060 tctgggaaca cacttggtgt ctgctgaggg cccgagcccg gccatcatat gactcaccct 24120 tegecageaa agecegggtg tgggtgaact ttteetggea geetgggaet ecaaggtget 24180 24240 ggcagccagc ccagggaagg ctcccgcgtg cctgcggcag acgccttgct ttacctgcac gtococacco ctaggageet ggacagagee cagaccetee gecaccteet gagaaggtat 24300 24360 caggggcatc agtctggact tgggggggaa tccacacagg ccttccccaa atgctccacc 24420 gtggcccatg gaaaaggctg gaaaacgtgc aggagcagga gcctccgcat ggagcataat 24480 tcacattcct tccccgagtt tcataacaga ggcctgctgg tttccttaaa tggggaattt gcgagccagt cggtgaccag agactggttg gcgtggacgt gctcttgcag agtctcaaac 24540 24600 gctaccacaa gcccagccaa attccacgga ggaaaatcga cttccgaaga aaagagctgc 24660 agcatggcct tcgtgcagag ccagctgcgg ttgtggttgt gtgttatttt agggaagggc 24720 cattttgcat tttaaagagg gggttgggtt tcaccctggc tttaatttga gacccggggg 24780 ccactgcagc cccttgtcag gctggtacag gccggggact cctcccatgc taagccagtg 24840 tetttetgge eccagateet caggggeeag agggteatee ceagageeeg etetgeeace 24900 cacatgggta ccctgggcct gggagggatg tgccttccct caaccctgcc tggatgtccg 24960 cacggggcca cctgcattgc tgaaactgca acgaagtcga gtctcaggag gggcccccct 25020 ggctgcaggg ctcttgatcc ttttggccac gtgcacactg aggtggacgc tcggacccag 25080 agaccccctt catgatgatg gccggggcag gaaccccctc ctctgaggaa ggaccctggt gggggacagc actgcaggag ggcacaggag atgacggggg ctctagcagg gccgggagga 25140 25200 aggecaagat geteetegea acegtittee tigtiggecagg acagaggaca aacceaeeet 25260 ccactgtccc cactctcagg acagcagtcc tgccccagga ctcagcgccc acacttatgc ctgaggacca ctattcaagt cagtatttgg cgagcagggg ttgctgccgc gggcgctgtg 25320

acaggetgga atcetetece tetecetete ceteteegga gacatggage etacagggae 25380 agagtcagca cctcagggta ggaccatggc tggcgtcatc agcatcactg gatctgatga 25440 gtgggagccg gcatctcact gttttcactc tctcattcaa atgactggag caaagggaag 25500 gtgtggggag aggcccagga atcaacacta aggtcaactt tgcccccagg ggcaggggtg 25560 ggagtgaaca gccacaggtg tgatcctggg gagggcttct gggagagaat tcagaggcaa 25.620 gcatgtagag gaaccatttc aaatagttaa gaaaagccag agccaaacag ggacagttgg 25680 ctcgcagaga tgatgcaggc aaagccagct cagatctgag catgggaaag actactccca 25740 25800 accaagggcc cagcatetee caaccaagca ccaagtacet cecaaccaaa tgccaagcac 25860 ctcccaatca aatacctccc aaccaagcac ctagcacctc tcaactggac accaactact cccaaccagg caccaagtac ctcccaacca agtgccaagc acctcccaac caagtaccaa 25920 ttacctccca accaagegee tageacetee caactgagea teatgeacet eccaacagag 25980 catctagcac ctcccaactg atcacctccc aacctagcac cgagcacctc ccaaccaagt 26040 gcagagcacc teccaaccaa gtgecaagca ecteccaate aaatacetee caaccaagca 26100 cctagcacct ctcaactgga caccaacaac tcccaaccaa gcgccaagca cctcctaaca 26160 aagtaccaat caccttccaa ccgagcacct agcacctccc aactgagcat catgcacctc 26220 26280 ccaacaaatc acctagcacc tcccgactga tcacctccca acctagcact gagcacttcc caaccaacat agcaaaagcc ataaagaagt aaaaagacaa aaccacgtag gcatggagac 26340 tggacttctg gtggcgagga aagggcattt ttattataac gacagctaac atttgttgaa 26400 26460 ctcacaaact gttcttggtg ttttcctcat gacatgcagc atggtcacgc ctctgtacag 26520 acaaggatac tgaggcacag agtggcaccg tgccaacctt gtctcatctt tttatcgaac 26580 ctacatgcag agtgccagca aatccagctg tettteetet teagaacaga teccaaatet cgccactcct tacccccaca agtgaggtgt ccccgctgct gctttctgtc gccaggatcc 26640 cggtaataac cgtggagagg geteetgeee ceaegceaee caeeccaeag eteaeteteg 26700 ctccagccac caggggatgc cttccagcac gagtcagagc tggcacctcc tctgctcgag 26760 26820 acctcatgtg tecteteete acacettggg ceetgtttee etacattetg etacageece 26880 tcaaacaggc cccgcccaa accagcccag ggcctttgca ctggctgatc cctctgcctg 26940 gaccgcgctg cccccagaca gccacacggt tctcagcctc atctgcttcc agtctcgact 27000 caaaagtcac caagaggcct tcccagcacc tgagctccga cggaagcccc tcgccacagc 27060 acccaagcac tgctttatcc ccctacgcac acgtcccttt caaatactat tcatttacca

tetectecca eteactgaaa gggeeagaga etgggetata eeegetgegt ggggageagg 27120 accaggcgca agggctcaca aatgcagtgg atgcctggtt gggaggtgag ggagctgcag 27180 27240 cgacccacgc tgggagggaa cgcaatgaca ggaggagcgc aggtcctggc gacacgatgg ccatggcagc cgctggtgag caaccgcagg ccggccctgg gagagggctt ctagcaagct 27300 getatettea geeteteega etaetgeaga tgeeceetee tageeagaga caetgetaca 27360 27420 ccagccgacc cttccaaaaa gaaggtcagt aaccccgcga ctcctggagc cacagtgcag ggggagaggg ctgagaggc aacagttcac caagcggaac agaggctgcc ccggaggtca 27480 gctggctccc cggcagctgc aggggtggct agcccactcg gagggcagcg agggcatacg 27540 aggggctcca gggatgagtg gttgcccagc acagcacccc tgggaggccg ggggcacttc 27600 tcaggtagtg ggggcacgag gctgctctgg cctgacctca gggactcaaa atactttggc 27660 gataaattee acegtgteee acceetgetg gtaceeeata ettacacaca gaetggttea 27720 gatgcagaca ctctcgcgca catactcgct cacacgggca catacacgtg cacacagt 27780 cacatgcgca cactcataca cacacaaata tccactcaca cgcatgcatg cacacacag 27840 27900 gacacacaca ggetcacacg tatgcacgca tatgcgtgca cacgcacaca cacacacaca 27960 egeteacate eteceactee cacacteagt tgeteagaca cacacaegee tggeteteac 28020 acaaacctgt tgggctctga aaggctccag cccttcccat gctcgtcaga agccagtcaa 28080 tggcttccta agtcaccaca cagatcaaag aggtgaactt ggccacatgg cactctgctt cctgagctcc caaacaccag ccttggtgag gacagaccct caccccacac cctcattccc 28140 actaccetgg geaggeecag aggagggea tetgeaggat etggeaacea geeceteecg 28200 28260 cccggctcct gcagccggca ccatgggagt cagggggagg tcactgcaaa gggcaacagc 28320 aagttggtgg ccccaggact agagcccagg ggtcttcagt cctactccag agcttggaca 28380 ctgtcccaca gggcatggcc aagggaaggg cttccagagc cctgacttca gggaggaggg 28440 caggoggget cetgtggcag geetggatge atggeegeee acteetggga etttetaace tagaatatet aggteagget gggtgeagtg geteaegeet geaateeeaa eactttggga 28500 28560 ggccgaggag ggtggatcac ttgaggttag gagtttgaga ccagcctggc caacatggcg 28620 aaaccctgtg tctactaaaa atacaaaacc tagccaggtg tggtagtgca cgcctgtaat 28680 cacagctact caggaggctg aggcaggaga atcacttgaa ctcgggaggt ggaggttgca 28740 gtgagctgag atcgtgccat tgcgcaaaga agatctaggc cggcccctca accggtgagg 28800 tccaggctgg gagtgctgag agactgtggt gacactgaat gaactaacag gcaaagggct

tccaactgag cctgggggtg gtgggaaatg gctcttgtgt tctagtcaag acctctgcca 28860 accagttetg acaetgaece ageacagaac etgacaggte ageaagggee agggettage 28920 acageceagg taagggtgtg tgtaeggeee ceagagteae teeeaggetg caagaaaagg 28980 gacaaaggag ggacaagggg tggccaagca aactgttccc tctgctcggg agtctggggt 29040 gacctggcct agctggccag tggagctggg ccacctcccc ttaaactctc caccccggac 29100 ttcgactcca aagetttect gccacccacg ctctccccac ctgggatcac ggccaggccc 29160 tgagcettca agggeecagg tgaacteage cagactagga getgaggagg acaeagggea 29220 gcttccagaa cggacccgag aaccactccc agcaggttct gcttccagac aaggagctgc 29280 29340 actttttcag ccaatgcaat tagaaagcca ggagaaggtg caaattccac ctgcctgagc gtccgcactt cccaggccgc ccaccataca cacagcaaag atgtgtttaa ccattcaaac 29400 ccatggccaa ccacatcggt tgcctcagac atgcaagttt taaaaaggaa cataactatg 29460 ggccaggcac ggtggttcac gtctgtaatc ccagcacttt gggaggccga ggtgggtgga 29520 29580 tcacctgagg tcaggagttc gagaccagcc tagacaccat ggtgaaaccc catctgtacc aaaactacaa aaattagctg ggcgtggtgg tgggcgcctg taatcccagc tacttgggaa 29640 gctgaggcag gagaatcact tgaacccggg aggcgaaggt tgcagtgagc cgagattgtg 29700 29760 aaaaaggaac ataactatgg agtctcaagg ggaagtaatt ccttcaacaa taacaaatct 29820 tgaaagetga getettttt ttttttgaga caggatetee teaetttgte geccaggetg 29880 gagtgcagtg gtgggatcac agctcactgc agcctcgatc tcccaggctc aaatgatcct 29940 cctacctcag cctcccaaga agctgggatt acaggtgcat accatcacac ccgattcatt 30000 tttgtatact ttgaagagat ggggtctcac catgttgccc agtgtggtct tgaattcctg 30060 gactcaggtg atetgecege ettggeetee cagagtgetg ggattacagg eetgagecaa 30120 caccccacg ggttcatttt cagagtcgca ccgagtgctg gggttacagg cctgagccaa 30180 ccccccacg ggttcatttt aagagtgaca ccgagtgctg gggttacagg cctgaaccaa 30240 ccccccacg agttcatttt cagagtcgca ccgagtgctg gggttacagg cctgagccaa 30300 30360 ccccccacg ggttcatttt aagagtgaca ccgagtgctg gggttacagg cctgagccaa cacccccacg ggttcatttt cagagtcaca ccgagtgctg gggttacagg cctgagccaa 30420 ccccccacg ggttcatttt cagagtcaca ccctttttct gaaaaacaac ttgggctcat 30480 gcaaattcga gagagagatg gtgacactcc ccgccccctg gacccaggtg gagtcgcagc 30540

30600 agggtttacc cgtgagcggg gtccaaggcg atggccctcg gctggtcaag gtcctgccag aagagcacct teegggatgt gecattgagg ttggecacct egatgeggtt ggtetetgag 30660 tecgtecagt acagettett geccaeceag tegeaggega ggeegteggg agagaceagg 30720 ccggagatga ccacgttctg cacggeggec cccgtctggt tcaggtaggt ctgcttgatg 30780 30840 gesteetege teacgtetgt ceagtacaeg geteestigg aaaactggaa gteeastgeg 30900 geogeatect ceaggeoget gaccaegatg gtggacteca gettgactec geoggegtee 3,0960 accagoogta ogtocoggog gttggcaaat agcaggagog gogaggotgt ggggcagaag caaaccgtga gggccactgg ctaagccagc aagatacaca gccctgggat ggagcactat 31020 31080 geocagagea etectggtae tgeeetgeee atgeeeaaga eetecagtte ettecteeea cccctaaggc gttgtcagga agttgcctgg gcagcccggg cccgcatcat tcagaggctc 31140 ctgcagcgca gcaaacagcc ttcttcccac attcggtgac agcacctgtt tgtttaccaa 31200 31260 ctgttacgtc tgttccccca gatatgggtg accettcctg ccatgcccaa aacctcccac ategteetee agaggetaea ggggeeetgt cetgttetge agagaageea cateccettt 31320 31380 gttggcctga cacaggggat ggggacatgc aggcacagca ctggccatgc tgctcgctac agacccagec acagggecae attttttgag gggtteagag eccaggecag acagageete 31440 aagatteeet tacaagtett tgaccaetgt ccaageteag geeegtttee ttggeegtgg 31500 catcagette ceatecacee etgtatteea tgttteteee accetgette tggacattee 31560 tacatttaaa gggtcactct ggaatgccac cccttggctc agacaccttc cacagctccc 31620 31680 tgtgccagtg ccatgcagaa caaggtcaga ccccctagcc tggcctccaa ggccttggcc 31740 totggootca cotacactto totocaccae occaceccaa geattootga totgeotgeg 31800 gccaggctgg ctccctcacc tccctgtgca ccgcagccct cagccccttc tgcctgtgca 31860 agaageetea teteacagae aaeggtetea tteecacaae gggeteaatg agaaateagg agaggeette agaccateae eecaccagae aceteagaeg teggaeeagg agggteeage 31920 31980 aacccccaac acagactcag agggactaag aagccacatg aggagtgaac acaagatgtg 32040 gacaggagga ggttaagggc ctccagggag ctccatcagt ccgtgttctg ctgtcagcag 32100 ggttaggctg ggctggccac aaacaccccc aaaaaacatc tgaagccttg gcttgaaaca gctgacattc ctcatgaaaa ctgcagaccc ctgggtcctc ctgcgcagat gggggagccc 32160 32220 agccaaccc acactccac cttcaccaag aaagagaaag ccaaaacaaa ctcaactcag 32280 ccaatgacaa tcacagaact gaatcctgta gttagttcag ttggtttcat ttcagcaggg

32340 gaaagatttg cagcctctat gagggtagct gggaacacaa agggccagag catggcccag 32400 gagaccccag cgcagtgggg tagatggttc cgagcacagg cctccctgcc aagacaagca ctggctcaaa tcctggcccc tcccattccc aggagacatg ctccacagga tgggaggaca 32460 cacagaggac ctgaggccag gaaaatgaca gcggcgcctc cgccgcccca cccgtgctgt 32520 32580 catcatctta ggtctacagt tctttgtggc aacgagggac actgtgaaag tcaaacaaca ggaaggcata ggccacaaat aaagacaaac gggacttcat gggaagctaa agattttgtg 32640 32700 catcaaaaga cactatcgag agagtaaaaa ggcaacccac agaatgagag aaaatatttc caaatcatag atctactaag agattaatat ccatgaaata cagagaactc ctaaaactca 32760 acaatgagaa aacaactaag ccaactcaaa aatgggcaaa caacttgaac agacatttct 32820 32880 ccaaagatga catataaatg gccaataaac acatcaaaac aggcttaata tatccctaat 32940 catcagggaa atgcaaatca aaactacaat aagataccat cttgcaccaa ttaggacggc 33000 tactatcaaa aaaacaaaat agcaagtgtt ggtgaggatc tggagcaact ggaacccttg 33060 tgcaccactg gcaaaaatgt gaaatggtgc agctactatg gaaaacagca tggcagttcc 33120 ccaaaaactt aaacacagaa ttaccatatg acccagcaat ttcgctttgg gttatatacc 33180 caaaagaact gaaaacaggg acacaatcag atatgcatac accttggatc acagcagcat ccttcccaac agctaaaaca tggaggcagc caggcatggt ggctcacgcc tgtaatccca 33240 gcactttggg aggctgaggc gggtggatca cctgaggtca ggagttcgag accagcctgg 33300 ccaacatggt gaaaccccgt ctctactaaa atacaaaaat tagctgggcg tagtgacggg 33360 33420 cacctgtaat cccagctact cacaagtctg aggcaggaga atcacttgaa ccctggaagt ggacgttgca gtgagccaag attgcgccac tgcattccag cctgggtgac acagcgagac 33480 33540 tctgtctcaa aaaacagcaa aacaaaaaca aaaaaacaaa caaacatgga agcaacccaa 33600 gcgtccctct actgagggat gaatagcggg gcaaaatctg ctccatccac acaatggagt actattcagt ctcaaaaagg aaaaagattc tggtcaggca cggtggctca tgcctgtaat 33660 33720 cccagcactt ggggaggctg aggcgggtgg atcacctgaa gtcaggaatt caaggcccgc 33769 ctggccaaga ctggcaccna gctacacana aagtatangg ccccggaaa

<210> 9

<211> 72049

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (8356), (8385), (38585)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 9

tataccttgc	gcggaccttc	ggctcctgtg	gtgaagacaa	tatgaagaaa	atagaaatta	60
cccataattt	tgccacacag	acttagttgt	gtccatgtat	cttgtgcacc	ttttttctgt	120
ttacggatca	aaatcgactt	ttagggtcag	gcgcggtggc	tcacacctgt	aatcccaaca	180
ctttgggagg	ctggagttgg	ggttgggggg	tggatcactg	aagatcagga	gtttgagacc	240
agcctggcca	acatggcgaa	actccatctc	tactaaaaat	aaaagattag	ccaggcgtgg	300
tggtgggtgc	ctctaatccc	agctactccg	gaggctgagg	caggagaatc	gcttgaaccc	360
aggagacaga	ggttgcagtg	agccaggatc	acgccactgc	actccagcct	ggcaacagag	420
cgagactctg	tctcaaaaaa	aaaaataaaa	ataaaataaa	taaatacata	aattgacttt	480
taggagattg	gttcaaacaa	tgtgtgtaat	gttgtgtctg	agtgttttc	atttatcgtt	540
catgcaaatt	ccgacatcat	tcactcttct	ccagagtgtg	ctgttttcct	gcctgtgtca	600
tcacccgtca	ccttgaatgc	cctcgtttag	gtaaaataag	tacattttat	tcaaaaatat	660
ttgaggacat	ttgggttgtc	tccaggttct	tggtcttgag	ttttgctgtt	cttgtggagc	720
catggtggtg	tctggttgca	ggaacctcca	tgcgttccag	ctgctgcttc	tgcctgtgtt	780
cttagagagg	aaatgctggg	gtccgcggtt	cccgggctgc	tgaccaggaa	gcctgcggtg	840
ctttacggcc	cttccagaag	cgggagatgc	ccccacttaa	gtgtcagaca	ggcctttcca	900
cctcactggc	agctctgagc	ggctcccttc	tatttgcaga	tgactgagaa	gttaccaatt	960
tccacgttta	ctgactgctg	tttctcctgt	taatttgtat	ttatagtctt	cgctaattta	1020
ttgctagggt	tttggtgttg	tccctattga	cttgtatgcc	tttaatttt	ttaaacaaca	1080
ttaatatact	tcatttttt	agagcagttt	taagtttaca	ggaaaattaa	gggacaagta	1140
cagagagttc	cttccacctg	ctgtcctcct	ctcctcctcc	ccaccttccc	teetteecet	1200
attgtaactt	tetttetgat	attataaaag	tcactcatgg	ctgggcgtgg	tggctcacgc	1260
	and the second second	Annual Control of the State of the Control				

ctgtaatccc agcacgttgg gaggcagagg caggcagatc acctgaggtc aggagttcca 1320 gaccagootg gocaacatgg tgaaaccoog tototactaa aaacacaaaa agttagocag 1380 gcgtggtggc gggcacctgt aatcccagct actcaggagg ctgaggcagg agaatggcgt 1440 1500 gaacctggga ggcagaggtt acagtgagtc gagatcgcgc cactgcactc cagcctgggc aataagagtg aagettegte teaaaaacaa agteacacae gettettgta egagggteat 1560 1620 ttggccgagg ggccagatgg ctcaccatct agttgggaca ggccatgagc tcggaatgct ttttacatat ttacatggtt gagaagaaaa tcaggagaat aatgttttgg gacatgggaa 1680 aatgacatgg aatttgcatt ttagtgtcca taaatgaagt tttgtttgct cccagctgtg 1740 ttgactgagg caggctggct tcctacagct gcggcagagc tgaggaggcg ggaaggagac 1800 cgtgcaggcc gcagcaccga aaatatttgc tctctggccc ttcccagagt gcttgccgac 1860 ctctgtccga cagctagaag gaaggatagg acccgtccga cgataaccac tgttgacatt 1920 tgagcgcgtt tccttcccgg cttttgtgtg agagtggcag tctgtttgct tttgtggtcg 1980 ggatctgctg cacgcacggc gggctgtttg catgaggctt cctggaggat agggctgggc 2040 2100 tcggagctgc acgcagtggg gcgtgtcctg catgcagtgg ggcctcagaa gagagctgtg 2160 gtgggcgggg cagtgccaac gctggtgggt gccaggcctc cacgctcaga tcagcccgg 2220 cgacaggttt gggccaccct ctctctggcc tctgtgcagt ggcccaggcc gtctgctctg 2280 cctggcacac ttgcctctgt ccttccactg aagcgctcct cttaccctct gctcccggct gggtacgttg aattgtgtcc ctcaaggaga tatgctaaag gtctaacccc aggaacctgt 2340 2400 gtatgtgatc taatttggaa acagggtctt ggctgatgta atcaagcgag gatgaggtca 2460 ccctagagta gggggcctat atccacggtg ctggtgtcct catgagagca ggtgagcaga cactgacact caggggtgaa ggctgcatgg agtcagaaca gggcttagtg cgatggcggc 2520 2580 cacaagccaa ggaactccaa gtatttcctg caacaccaga agctggaaga tgccaggaag gatectgeee tggageette ggagggagte tgteeetgea gaegtettga ettttgattg 2640 2700 cagggatgca tgtcttaggg tgtgtggggg ggtgcatttc tgatgttaga agccacctgg 2760 ttggtggcga tgtgtcacgg gagccctctg caggttctgc gtgtccatgt ggtcggggac 2820 agaggtgggc agggacggac ggtgtcgagc tggacatgtc catgacgtcg gccatccctt 2880 gggatggctt ttttgttttg aggataaggc tgcctgccag gaagctgtgc cctgcctggc 2940 ccttgcccca agcccctggc ctgtgcttgg cctcgcggaa gggatgtcgc ccttctctcc 3000 tgcatgcgtg cagggaggaa ggggagaggt cagcagcccg cctggaggag gctcgggcga

ggggaaggtt tcactttcag gcaatgttgt ggggctgttt aaacaacccc aaagaaaacc 3060 atttggccaa actgttagtt tccaaacatt ttacttcctt ggtgtttaaa taaattccta 3120 ccaagactet gtagetggte ecagggaagg agttggeete tettetttat ageeeggeae 3180 agteagtece etgeacetge eceteceaac eceaggeetg etteecegtg gecatggetg 3240 3300 ctgcccggac ctctctacac acagaacctc ctggaggcca gctgtgggca ccagccttgg cagggetgtg geggagecca ggetgetggt actetetetg cagetgetee etgetggeet 3360 ggctggacag cgtccccacc accactgggg tcacctctgt gctggtcaca gctcactcag 3420 accttcaggc aaatgggttg gatcctgcct ctctcccagg tgtctcagtc tctgcaaaac 3480 3540 tcaaaaacct cagaggcctt gcagcctgag gggtgtcaga gacacctcct tcgaatcagt aaacacctac agattcaccc cagcagtgaa aggactgctt cgccacagag gtttgattta 3600 ctcctaagta attggaaggg atgccgagaa taggttcctc atggtgggac tagaggccct 3660 ctgctgacct agttaacaga gggctagggc tgggtgtgct cagcccctga aggttctagg 3720 cccatttggg acaccccgcc agaacctgcc acaacctgcc atgtggtgac agctacctaa 3780 3840 atcccagagg ctcttgagct ggagagcaga cctctcaatc tcagcaggcc ccccacacag 3900 accccataac cctagtctgc cttcacagta cagttcgtgg ctatgtgttc acggatggtg ttgttcacct aaggtctctg ccctgtgacc ccaagggcgt cctgagggca gattccaagt 3960 4020 ccacagagat actggtggga tgatgaaggc agccaggcgg caagtgaaaa acgcacttcc 4080 4140 tgcatgtgct ggctcctggg attgaagtgt ttgaggaagc aaagtgaagt gagctttcct cttgcggctg tgtgtccttg ggccgggagc ctaccctctc tgagcgttgg ggtccttgtc 4200 agtagaatgg ggcatcctca tagctcaagg ggtggtgtgt gaaaattgtg ctattgtgtt 4260 4320 actttaatga ttttttttt ttcgagacaa agtctcaccc caacgcgcag gctggagtgc 4380 agtggcgcga tctcagctca ttgcaacctc tgcctcctgg gttcaagtga ttctcctgcc tcagcctccc aagtagctgg aattacagga gtgcgccacc aggcccggca tatttttcta 4440 tttttagtag agaggggtt ttaccatgtt ggctaggctg gtcttgaact cctgacctca 4500 ggtgatccac ctgcctcggc ctcccaaagt gctgggatta caagcatgag ccaccgcgcc 4560 4620 cggcctactt tagtgatttc ttaggaggac agagggaacg ggctggcaag acaggcttgg 4680 aatgtgtttt gggatcaagt gccggtttct gtctggcact ggcgttctct gtggggccat 4740 gatggacaca ctgctgaggt caagcgtgat tcgtcttgcg ctgtgcctgg cagtctcatt

4800 ggaaagttct gtagacatcg tgtggatggg gctcttcccg gccaagccct tggggacctt 4860 ccaggactgt gatctcccca cagtggctgt taagcaggga cctttcgtga agtggagtct ctggtcccct ccaagtcata gctagacagg gactcgggca tcgccaagcc tggctgatta 4920 ttcactggat gaggagacag gcccagagag gggcaggaac ctgcccgagg tcacccagca 4980 ggccccagag gtttcggtct cggattctcc ctgctcatcc ctggatgtag tgctgctgtg 5040 gatgtggttc tgtgctgggg gctgtggaga gcagggggct tgtgccagga ccccagtgag 5100 5160 ggtggcgccc tcgccatgag gccgactgtt ggtatgggc ggccatccac tggggtgtgg ggaggaacag ctttcctgag gaggaggtgg cgggaggaac agcttccctg aggaggaggt 5220 ggcggtgctg tgtgacctgg gccttgaagg acaggtccat tgtcaacaga acattttggg 5280 agtggageet agagggagaa aatttgttga aatteagatt eeeeteeee taccaataca 5340 caccaaatca gatgcccctg accagatcta aatttggctc tcagagattt ccattgtagc 5400 tgggcacttg gggaacette taagtgetge etetgeetet eeceageetg eetgeeteag 5460 5520 tttccccagc cctgggcccg tgtcgctgtt gccatcacgt gggcgccctc tagtggagga 5580 atcagattat gcactccggg gcttggagca ggagtcagga ggggctcctg tctttccttg 5640 aaacgttgga tgccgggatc ctggaacagt ctctgcattc ctcctggcga gaaccagagc ctgggcacag gggaccatct gttgtttgaa ggctgcagcc tggcagggca ctcaggagat 5700 ctggcagttg gctgcagggc caggtctagg ggccagggca tcagggaggc tctgggctgg 5760 ttcagccccg ggcccctttg cagattgtga cctgggcccc tgtgcagggg catggccaca 5820 5880 ggatgctggg aggggtctct gaccctgacc ttcttggctc tgtgcatcct tgagaccaga aaggtotgga acaaatgagt agacgatgee etaaeetggg gagggageea cateetgate 5940 ccagcaacct cgggaaggat ctgtcaggat tatggggcac cctggggggcc ccaagtctgc 6000 atgggtctcc acttgcaatt tctgtaggaa gctctgataa atccaaactg ggggtcctag 6060 6120 gacacagtca gaaatgctga taccgttgtg tgtggagcct cgggccctgg gggtcaggag catgtggagg gtgggccacg ggggttcaga agagaateet gtaaceceec acceecaaa 6180 ctgaagccca cttgagggcc atggctgaaa ggttgggggg tctccgtgcg tcctgtggag 6240 6300 tgggtggtga ggagtccttg ggtttgcacg cctctgggcc tgagcggcgg gaccccgtcc 6360 acagcggatc cctgggccct gttgctcaga tgctctcaga gtgttgctgt ggccacggag ggagcctgag ttaagcttct cttgtgccgg ttgtacgctg tcaggtcaca ctggtgagtt 6420 aggcagggca cagatgccca gagcagaggg aactttcctt ggggattcaa cacgtgcaag 6480

6540 tettagggge tggeaaatee tgeeeteage tagagagggg gettttattt gagaceagaa teacetgage atceteetgt ecceagetgt gtecageetg tetgeaggga cateetgaga 6600 ggaccagget eteceeteat ecacetgeet aagtgecaet etgaaccetg tecacetgtg 6660 ccgtggaggg gcgtgacctc aagctgctca gccagcagca ggcttggccc tggggggcag 6720 cagagaccca ggtggctgtg gggtgggtgc ttcgtggcgt ggttctgaaa cttcgttgga 6780 agtgtgtgga cagtgccttg cctgttctct gtgggaccct atttagaaac gaggtctgag 6840 ttactggggg tcatcactgt gttctgatgg cccagctgtg tggaggccgc ggtgcagccc 6900 catccaagga gccagggccc tgggtctagc cgtgaccaga atgcatgccc cggaggtgtt 6960 7020 teteateteg cacetgtgtt geetggtgtg teaagtggte gtgaaactet gtgttagete ttggtgttcc tgaaagtgcc cccgggtctc aggcctcaga accagggttt cccttcatct 7080 7140 cggtggcctg ggagcatctg ggcagttgag caaagagggc gattcacttg aaggatgtgt ctggccctgc ctaggagccc cccggcacgg tgctggggcc tgaagctgcc ctcgggtggt 7200 ggagaggagg gagcgatgaa gtggcgtcga gctgggcagg aagggtgagc ccctgcaagg 7260 tgggcatgct ggggacgctg agcagcatgg ccagcagctg ggtctgcagc ctggtacccg 7320 gcgggacttg tggttggggc tggtttgtgg ccaggagagg ggctggcagg agacaagggg 7380 gactgtgagg cageteceae ecageagetg aageceaatg geetggetgt gtggetetea 7440 gctgcgtgca taacctctca gtgcttcagt tctctcattt gtaaaatgag gaaacaaaca 7500 gtgccagcct cccagaggtg tcatgaggat gaacgagtga ccatgtagca tgggctgggt 7560 gcgtgtcacc taacatcacc agcctttgca aggagagccc tggggggcctg gctgagtatt 7620 tcccttgccc ggcccacccc aggcctagac ttgtgcctgc tgcaggccct tgacccctga 7680 7740 ccccattgca cctgtctcca caggagccga ggaggtgctg ctgctggccc ggcggacgga cctacggagg atctcgctgg acacgccgga cttcaccgac atcgtgctgc aggtggacga 7800 cateeggeae geeattgeea tegaetaega eeegetagag ggetatgtet aetggaeaga 7860 tgacgaggtg cgggccatcc gcagggcgta cctggacggg tctggggcgc agacgctggt 7920 7980 caacaccgag atcaacgacc ccgatggcat cgcggtcgac tgggtggccc gaaacctcta 8040 ctggaccgac acgggcacgg accgcatcga ggtgacgcgc ctcaacggca cctcccgcaa 8100 gatectggtg teggaggace tggaegagee eegageeate geactgeace eegtgatggg gtaagacggg cgggggctgg ggcctggagc cagggccagg ccaagcacag gcgagaggga 8160 8220 gattgacctg gacctgtcat tctgggacac tgtcttgcat cagaacccgg aggagggctt

gttaaaacac cggcagctgg gccccacccc cagagcggtg attcaggagc tccagggcgg 8280 ggctgaagac ttgggtttct aacaagcacc ccagtggtcc ggtgctgctg ctgggtccat 8340 gcgtagaaag ccctgnaaac tggagggagc cctttgtccc cctgncttca gtttcctcat 8400 ctgtagaatg gaacggtcca tctgggtgat ttccaggatg acagtagtga cagtaagggc 8460 agcctctgtg acactgacca cagtacaggc caggcctctt tttttctttt ttttttgag 8520 atggagtete actetgtege ceaggetgga gtgeagtggt gtgateteag eteactacaa 8580 cetetgeete etgggeteaa gtgattetee tgeeteagee teetgagtag etgggattae 8640 8700 aggtgcctgc cactgtgctt ggctaatgtt tgtatttttg gtagagatgg ggtttcaccg tettggccag getggtegca aacteetgae etcaggtgat ceacetgeet cageeteeca 8760 aagtgctggg attacaggca tgagccacca cgcccggtca ggccaggcct cttttgaaca 8820 ctttgcacac catgggtctt ttcatccagg ggggtaggta cagttgtaca gttgaggaca 8880 ctgaagccca gagaggctca gggacttgcc cagggtcaca cagcaggatg tggcaggtgt 8940 ggggctgggc ctggcagcgt ggctccagct ttccagcata gaaatctgtg aaagcagata 9000 gtttgtcggt cggtagggga gactttctga gacccgcccc agcggctcag agggtagtag 9060 ccaggggcct tcctgggggc tcataaccca gaacactgaa tgggaaaacc ctgatggagg 9120 aggegeagtg gagetgtggg tgeegatggg aagteecaga ggagetggga ggteagtage 9180 ggtgctgccc tctgtggagc acttagtggg caccaggtgt gtttccaggt tcatggccct 9240 gggacctgaa gctcagaagg tgaagtaact tgcccagggc acccgtcggg cagcggcggg 9300 cagaggattt gtgggctgtg gagcctgtgc tcgtggccca gccctggggg ttgtgagtgt 9360 9420 getggeeggg gagettttee tgeaagtgga etggtgteta ggageeagea tgteaggeag 9480 caggcagcgg gagtgcagca ggcagcggga gcacagcagg cagagggcgg ggctcgagca gccatccgtg gaccctgggg cacggaggca tgtgggagag ggctgctcca tggcagtggc 9540 tgaagggctg ggttgtgccc cgaggagggt ggatgagggt aagaagtggg gtccccaggg 9600 getttageaa gaggaggeee aggaactggt tgecagetae agtgaaggga acaeggeeet 9660 9720 gaggtcagga gcttggtcaa gtcactgtct acatgggcct cggtgtcctc atctgtgaaa aaggaaggga tggggaagct gactccaagg cccctcctag ccctggtttc atgagtctga 9780 9840 ggatcccagg gacatgggct tggcagtctg acctgtgagg tcgtggggtc cagggagggg 9900 caccgagetg gaagegggag geagagggge tggeeggetg ggteagaeac agetgaagea 9960 gaggetgtga ettggggeet cagaacette acceetgage tgecaceeca ggatetgggt

teceteettg gggggceeca gggaacaagt cacetgteet tigeataggg gageeettea 10020 getatgtgca gaaggttetg etetgeeeet teeteeetet aggtgeteag eteeteeage 10080 ccactagtca gatgtgaggc tgccccagac cctgggcagg gtcatttctg tccactgacc 10140 tttgggatgg gagatgagct cttggcccct gagagtccaa gggctggtgt ggtgaaaccc 10200 gcacagggtg gaagtgggca tccctgtccc aggggagccc ccagggactc tggtcactgg 10260 gettgeeget ggeatgetea gteeteeage acttactgae accageatet actgaeacea 10320 10380 acatttacaa acaccgacat tgaccgacac cgacatttac cgacactgac atttaccaac actgtttacc aacactgaca tctactgaca ctggcatcta ccaacactga catttaccga 10440 cactgacatt taccaacat atttaccaac actgacatct actgacattg gcatctacca 10500 acaccaacat ttaccgacac caacatttac caacactgaa atttaccgac accgacattt 10560 accgacaccg tttaccaaca ccgacgttta ccgacaccga catttaccga cactgatatt 10620 taccaacact gacatctact gacgetggca tetactgaca cegatgecag catetaccaa 10680 caccgacatt taccaacact gacatttacc aacactgaca tttaccgaca ttgacattta 10740 10800 ctgacactga catctactga cactggcatc tactgacact gacgtttacc gacactagca 10860 totactgaca ctgacattta ccaacaccag catctaccaa caccgacatt taccaacact 10920 gacatttact gacactgata tctactgaca ctggcatcta ctgacaccaa catttaccaa 10980 caccagcatc taccaacacc gacatttacc aacaccagca tttaccaaca ccgatgttta ccaacgccga cgtttaccga cgccagcatc taccaacact gacatttacc gacaccgaca 11040 tttaccgaca ctgacattta ctgacactga catctactga tactggcatc taccgacact 11100 gatatttacc aacgccagca tctactgaca ctgatgttta ccaacaccga catttacgag 11160 caccgacatt tactgacacc aatatttact gacatcaaca tttagccatg tgatggggc 11220 cggcttgggg gcaggccttg ctcttggcac tggggatgct gcagagacca gacagactca 11280 tggggtcatg gacttctgct tcttctccag cctcatgtac tggacagact ggggagagaa 11340 ccctaaaatc gagtgtgcca acttggatgg gcaggagcgg cgtgtgctgg tcaatgcctc 11400 cctcgggtgg cccaacggcc tggccctgga cctgcaggag gggaagctct actggggaga 11460 cgccaagaca gacaagatcg aggtgaggct cctgtggaca tgtttgatcc aggaggccag 11520 geceagecae eccetgeage cagatgtacg tattggegag geacegatgg gtgeetgtge 11580 11640 tctgctattt ggccacatgg aatgcttgag aaaatagtta caatactttc tgacaaaaac geettgagag ggtagegeta tacaaegtee tgtggttaeg taagatgtta teatteggee 11700 aggtgcctgt agacacagct acttggagac tgaggtggga ggatcgctgg agtccaagag 11760 tttgaggcca gcccgggcaa aggggacaca ggaatcctct gcactgcttt tgccacttac 11820 tgtgagattt aaattatttc acaatacaaa attaagacaa aaagttaatc acatatccac 11880 tgccctgctt aagacagaaa acatgggtgt tgttgaagcc agaggcagct gctggcctga 11940 gtttggtgat tggttcctaa gcagttgaag gcagttttgt ttttccatag atgtctgttc 12000 tecetttget gggtgeagee tegecetget getgtggteg ggttteagtg geetegteee 12060 12120 gtggacgcag cctcgccctg ccgctgtggt cgggtttcag tggcctcgtc ccgtggacgc 12180 agectegeee tgeegetgtg gtegggttte agtggeeteg teeegtggae geagectege cetgeegetg tggtegggtt teagtggeet egteeegtgg acgeageete geeetgeege 12240 tgtggtcggg tttcagtggc ctcgtcctgt ggacgcagcc tcgccctgcc gctgtggtcg 12300 ggtttcagtg gcctcgtccc atgggcgtgc tttggcagct ttttgctcac ctgtggagcc 12360 12420 12480 tgttgtcgtt gttgttgccc aggctggagt gcagtggcgc gatctcagct cactgaaacc 12540 totgootoot tgggttcatg coattotoot gootoagoot cocacatago tgggattaca 12600 agtgcccgcc accacgcctg gctaaatttt gtatttttag tagacagggg gtttcaccat gttggtcagg ctggtctgga actcctggtc tcacatgatc cacctgcctc ggcctcccaa 12660 12720 agtgttggga ttacaggcgt gagccaccgc gcccagccct ctgttgagca tattttgagg ttctcttggt gccagtgata tgtacatgtg tccccatcgc accatcgtca cccattgagg 12780 12840 tgacattggt gcctctcctc ggggtggatg cctccctctg tttccagcaa cttctgaagg 12900 attttcctga gctgcatcag tecttgttga cgtcaccatc ggggtcacct ttgctctcct 12960 cgagtgtgtg tctgtgttgc aggatttcag accetgette tgagegggag gagtttcage 13020 accttcaggg tgggggaaccc agggatgggg gaggctgagt ggacgccctt cccacgaaaa 13080 ccctaggagc tgcaggtgtg gccatttcct gctggagctc cttgtaaatg ttttgtttt 13140 ggcaaggccc atgtttgcgg gccgctgagg atgatttgcc ttcacgcatc cccgctaccc 13200 gtgggagcag gtcagggact cgcgtgtctg tggcacacca ggcctgtgac aggcgttgtt 13260 13320 ccatgtactg totcagcagt ggttttcttg agacagggtc tcgctcgctc acccaggcga 13380 gagtgcagtg gcgcaatcac ggctcgctgt agcctcaatc tccctgggct caggtgatcc 13440 tectgeetea ecetetgagt agetgggaet acagacacat accaccacac ecagetagtt

tttgtgtatt ttttgtgggg ggagatgggg tttcgctgtg gtgcccaagc tgatctcaaa 13500 ctcctgaggc acaagcgatc cacctgcctc ggcctcccaa agtgctggga tgacaggcat 13560 cagccgtcac acgcagctca atgattttat tgtggtaaaa taaacatagc acaaaattga 13620 tgattttaac cattttaaag tgaacagttc aggctgggcg tggtggctta tgcttgtaat 13680 cccagtactt tgagaggctg aggtgggcag atcacctgag gtcaggagtt tgagaccagc 13740 ctggccaaca tgatgaaatc cagtctctac taaaaataca aaaattagcc gggcatggtg 13800 gcaggtgcct gtaatcccag ctactcggga ggctgaggca ggagaatcgc ttgagcccgg 13860 gaggtggagg ttgcagtgat ctgagatcat gccactgcac tccaatctgt gtgacagagc 13920 aagactctgt cttgaaaaat aaataaataa aaaaaatttt aaaaagtgaa caattcaggg 13980 catttagtat gaggacaatg tggtgcaggt atctctgcta ctatctactt ctagaacact 14040 ttettetgee etgaaggaaa ecceatgeee aeeggeacte aegeeeatte teeeetetet 14100 cccagcctct gtcaaccact aatctacttt ctgtctctgg gggttcactt cttctggacg 14160 ttttgtgtga ctggaatcct gcaatatgtg gtccctgcgt gtggcttctt tccatagcat 14220 tgtgttttcc agattcaccc acacattgtc gcacgttatc agaatctcat tcctgactgg 14280 gtgcagtggg ttaggcctgt aatcctaaca ttctgggagg ccaaggcggg acgatcactt 14340 gaggcaggag tttgagacca gcctggccag cctagcaaga ccccagctac caaaaaattt 14400 taaaagttaa ctgaacgtgg tggtggtggg cacttgtggt tcccagctac ctgggaggct 14460 gaggttggag gatcgcttaa gcccaggagg tcaaggctgc agtgagctat gatcgcacca 14520 14580 gttcctttct ttttgtggct ggatgacatc ccattgtatg gccacagcac attttgtttg 14640 tetgtttate gggtggtggg cagtggttte cacettttgt etectgtgaa taatgetget 14700 gtgaacattt gaattcaagt ttttgtttga acacctgttg tgaattattt ggatatatgt 14760 gtaggggtag gattgctgag tcctatggta atgttaggtt tgacttactg aggaaccatt 14820 aaactgtttt caacagtggc tgcgccgttc tgcatcccca ccggcagtgt gtgagggttc 14880 tgactttacc tcctcacaaa cgcttctttt ccatttaaaa aaatattcag ccaggtgctc 14940 tggctcacgc ctgtaatccc agcactttgg gaggccgtgg cgggcggatc acctgaggtc 15000 aggagttega gacgageetg gecaacatgg tgtaaceeca tetetaceaa aaatataaaa 15060 attagccggg tgtggcagcg ggcgcctgta atcccagcta cttgggaggc tgaggcagga 15120 gaatcacttg aaccogggag gcagaggttg cagtgagcca agatcgcgcc actacactcc 15180

15240 15300 atttattaaa acattcatca cagccagcct agtgggtgtc ccatgtggct ttgcctcgca 15360 tttccctgat aactaggatg ctgagcgtct tgtcccaggc ttgccacacc tcagcacttt 15420 gagatacgtc gcacagtccc catttgcgaa cgagaaatga ggtttaggga acagcagctg tgtcatgtca cacagegage agggggtete tgageegtet gaeeceacag eegaeeaage 15480 tecaateett acegeeteet agtgttgtgg atgtageeca gggtgeteec acatttttea 15540 gatgagaaca ccgaagctca aaacaggagc gttttgtcca cattggatac acgatgtctg 15600 tggtttggtc ctgaagtcac tttatatctc agtggtccag actggagtag gacagggggt 15660 tctggggaat ggggaaggtg tctcaggtga aaggaaggaa ttccagattc tccatactgt 15720 ccttgggaag ttagaagact cagagggtct ggcaaagtca gacaaagcaa gagaaatgca 15780 gtcaggagga agcggagctg tccaggaaca ggggggtcgc aggagctcac ccccaggaac 15840 tacacttgct ggggccttcg tgtcacaatg acgtgagcac tgcgtgttga ttacccactt 15900 tttttttttt tttgaggtgg agtctcgctc tcttgcccag tctggagtgc agtggcacga 15960 teteggetea etgeaagete tgeeteeegg gtteatgeea tteteetgee teageeteee 16020 gcgtagctgg gactacaggc gcctgccacc gcgcccggct aatttttgta tttttagtag 16080 agatgggatt tcactacatt agccaggatg gtctcgatct cctgacctca tgatccgccc 16140 gteteggeet eccaaagtge tgggattaca ggegtgagee acegegeeeg geeegattte 16200 ccactttaag aatctgtctg tacatcctca aagccctata cacagtgctg ggttgctata 16260 gggaatatga ggcttacagg ccatggtgct ggacacacag aagggacgga ggtcaggagg 16320 tagaagggcg gagagaggga acaggcggag gtcacatcct tggctttcaa aatgggccag 16380 ggagagacac cctctgagca tggtaggaca ggaaagcaag attggaacac attgagagca 16440 16500 accgaggtgg ctgggcgtgg tggcttacgc ctgtaatccc aacactttgg aaagctgagg 16560 tgggtggatt gcttgaggcc aggagttcaa gaccagcctg gccaacatgg tgagaccccg tctctactaa atatacaaaa attagccagg cgtgatggtg catacctgta atcccagctg 16620 16680 cttgggaggc tgaggcagga gaattgctta aacctgggag gcggaggttg cagtgagccg 16740 agatecegee aetgeactee ageetgggee acagagtgag aetecatete aaaaaaaaaa 16800 aaaaaaaaga taaaaagacc aaccgaggaa ttgaagtggg ggggcgtcac agtagcagaa 16860 gggggatcgt ggagcaggcc accetgtggt catgcactgg aagetcatta cetgacgatt 16920 tggagctcat cactgggggc ctaaggagaa tagatactga aggatgagga gtgatggcgc

16980 ggggcacggg tgtctttggt ggccagaact tggggactgc tggggtgcct cactgcaggc cttctcagcg ccctttatat gcttacacag gctgtttcta agagggggat acattgcata 17040 17100 agogttttca gactacctca tcatgggtcc ctttctttac cctctgtggc cctggtggcg 17160 cactetetgg gaaggtgeag gtggatgeee agaeeegeee tgeeateeae etgeaegtee agagetgaet tageetegag attgetgetg geaceteetg eeeegggaea ceteggatgt 17220 gcccgtggag atgctggctc tgtgttttct gctggagttt ggtgcgtctt ttcctcctgc 17280 aagtggccac cgctcttggg tatgtcctca ggcttctgcg agtcatggct gcttctcagg 17340 17400 teettgeeca gegecaggag caaaccetee tggeaetttg tteaggggtg gatgegeeag tgttcctgct gtggaccgcc atctcacatg agggtcttgg gcctgcaggc tcgttcagga 17460 17520 aacacccgct gagtatgcag tgtgtgccag ctgtgtccca ggcaatggcg gggacagtgg 17580 ctgctgctgg ggttgtggtg gcttctgggg actctgggga cagctgaggt gcaaggagcc 17640 acggctcctt gaggatgcag ttggactcca ggtggaaggg atggttgggg gaggtataaa 17700 tggggtcagg gaggagacac atttggaaca atgggaacat ttttaagatg ctatgtcggg aggcaacaag gtggccaacc caggtgctga ggagcccaca ccagccctgg acgtgttttg 17760 ccgctcacct ttgctgggga gtggtgggag agaggattcc gttccacgtg gtggtgtgcg 17820 17880 cagctgggct gtgtggagct gggcgctagg aggaaggtgc tttctgcggg gctagccggg ctctqccttt qaacacaatc aggctccagg ttttcagcat ccagtgcatg agaggacttc 17940 18000 acgggcaget gtggctgate cettgatgaa ttgggagaag aacaaaggte tatgaaatga ggtttcatgt agatggcatt agagacgccc acaacagatt tacagagtgg agcggagacg 18060 geggatgggt etgggaggee ceteetgetg geettgaetg tgaeagetgt eetgggaate 18120 18180 agettecagg eegeecage ageetgaetg acacacag gggttttage eecateetge gaccagctgt tgccatcatc agtgacagct gggagtggcg gtggttccag ccctgggcac 18240 cetececace tgetggggee cacceaggge agteetgaca cetacaggtt gettggagee 18300 18360 gcatccgagt cctgcccac cacgtgtgaa gcccgagtgg tcgtgggctg aggtcccctg attgcatccc cacttccctt ctgcttcaca tagctgcctc ttctcaccgt ttttccagcc 18420 tectgggeta ggaatteeag tgttgtgetg getttgeece aggaeaeete ettageeete 18480 18540 ttcctgagtc tagagccccg ggggttggaa gtcctggccc ctgggacacc tgcagccaca ctcagcttct cctgtgagcc tccagcatgt cccctcagga ccaagccctc acgttcttgc 18600 18660 eteccegeee acetgggete agecagggga aggeetgget gggagegtet eccetetgee

etgecettet eccetectae cetgecette tetectetge eccgecatgg ettttatate 18720 ctgtgccaca agacatggct gtgtgtgaaa gtggcagggt ctggcatctc tgtgggtctc 18780 tgaggcccac gctccagtgc cactcttccc acccgctggc cgtgccctca tgctggaggg 18840 acageceage ectetecega acceeagece catgtgeeca getgeeceg geeeteteec 18900 ctggaagccg gggtcactcc agccgtatgc catggtgggg acatcctgct tccttggcct 18960 tecagggaag gteetettte caaatggega caeetggtee etgeetggag getggaaget 19020 19080 gtggcccttg tatgcccctc cagggtctgt gcgctcggtt ggcccgagtt cccatcaccg 19140 teateateae cateateatt greattrege trgtergra geeggeergg tereceagag cagagaccet ctgaggteca geetgagttg gggteteegt getgaeceet gaeggggaet 19200 caggacgtac caggtctggg tcaggagtga cccccaaacc tcgtgccctt tgacaggcac 19260 ccctgacttt tgctaagtgg gtggaggtga catcacttac agcgggagtg atgggacagg 19320 gtctgttggc tgcactgtgc tcccagggat ctggggagag gctatatccc tgggctttgg 19380 cactgcagag ctgtgtgtgt ttgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt 19440 gtgtgtgttt gcgtgcgcgc acatgtgtat aagatctttt tttattacat gaagcaagat 19500 aactgttgct gtttcctttt gggttttgtg ttcaacagag tggggtactt cttccctcag 19560 acaacagaac tctccccttt aaacacgtgc tgtcagaggg tgggtcttgg gctcatgtct 19620 gtttgcacag ccgagtcaga ggaaacacag ggttcttcat aaaaacactg cacagcaggc 19680 gactgtecag agteageetg caggaeggea geageeetge eeeteagage acagetaggg 19740 tgggctgctt tgggatctcc cgtcattccc tcccagctgg cagccggcgg ccggccatt 19800 19860 agetggeage teggagagga eagggetgga ecettgggtg geetetgget ggaceatete 19920 attgtcctca gacacagcct ctcgggtcta gtttcatttc ctgaaaaaca agtgcacaga 19980 20040 actagagcag gagtcgagag ctacggcccc cgggccagat ccagccctgc cacctgtttt cacaccatgc tcaagctgag tgggttttac attttttaat tacttgaaaa aaaaaaagcc 20100 aaaggaggtt tcatgaccca tgaaaattat atggaattca aaaaaaaaa attatatgga 20160 attcaaattt cagtgtccat aaataatttc ttgagacagg gtctcgctct gtcacccagg 20220 20280 ctggagtgca gtgctatggc atggctcgct gtacccttga cctcccaggc tcaagcgatc ctcctgtctc agcctcctga gtagctggga ctacgggtgt gtgccaccaa gcccggctaa 20340 ttttttttta attttagtaa agacagggtc tttctatgtt gcccaggctt ttctggaact 20400 ccatcttggc ctcccaaagt gctgggatta caggctcgag ccacggagcc cagcctgttt 20460 ttgttttttc actgataaag ttttgccggg tgtggtagtg tgtgcctcta gcgatttggg 20520 aggctgaggt gggaggatcg cttaagccca ggagtttgag gctgggctca agtgatcagg 20580 aggtgaacta tgatcatgtc attgcattcc agcctgggtg acagagcaag aacctatctc 20640 ttaaaaatat atatttaaaa agtattgggt gtggtggctc acgcctgtgg tcccagctac 20700 ttaggcatct gaggtgggag gatggcttga gcccaggagt ttgaggttgc agcgagccaa 20760 20820 gatcgtgtca ctacactcta gcctgggtga cagagcccag accctgcctc tttaaaaaaa aaaaccaaaa aacatgtatt ggaacacagc catgcctgtt cagtcacgtg ctctccatgc 20880 tgctttctgc tccagagacc cttatggcct gaaagctgaa aatattttct atcctttaca 20940 aaaaagtttg ctgacctctg tcctggaaaa ttcatctccc aagttctctt ccggcactgg 21000 cgttcctggg tgtcctaaat ttggcccctg ttatttctga actctgtttt ggctctgttc 21060 cctcccagga gccaggacag gcacgttctc tgcatcttgt cccctgacgc ccagaggctt 21120 ggctcggctc aggcattctt ggaaatatct ggctccagga aaggcagagg cctcctgagt 21180 cggcccagag ggaacctgcc ccaggtctgg gggaggcctg acccagcaga gtggcttttg 21240 ccgatgggtt gggccggtca agatgtgctg aaagttgtcc tcagaaggcc actttgggat 21300 tecttectee agtattagag caactgagag etgeteattg caageetgat gtttteecag 21360 ttggccgggt ccaccgggtg ccctgggatt ctgggatctg ggtggaaagt agggggcttg 21420 21480 ggggagtgtc ctgggttctg gaatccaggt ggcaagtggt gaggttcagg gagtggcttc tgagccacca taggggtctc tgtgggaggc tctgcccatc caggagattc cgcaggccct 21540 geeggeecag ageeagegte ttgegettge egaggetaca geeageecca geegggtgga 21600 21660 acagecegte geeteetete aetttgtttt ggggeeaeet gggagtgtgg ageaagggta gagagggagg aagtggctgc cggccgctgc ccagcaccct tgtttgcctt gggccctctg 21720 tgggctcctt tttattgctc ttcaatgaag ccagggaaat ggacttcctt gcctcacttc 21780 agttcaacat gtctggaagt ttggtattaa aattaagaaa gtgtggaaat agagcaagaa 21840 21900 gagaaaaatc tctccaagag ataatagtga cctctgagct gggcgcggtg gctcacgcct gtaaatccca gtactttggg aggctgaggc gggcagatca cctgaggtcg ggagtttgtg 21960 22020 accggcctga ccaagatgga gaaaccccgt ctctactaaa aataaataaa taaataaata aataaataca aaattagcca ggcatggtgg cgcctgccta taatcccagc taaggcagga 22080 22140 gaatcgcttg aacctgggag gcaaaggttg cagtgagcca agatcacgcc attgcactct

agtetgggca acaagagtga aacteegtet caaaaaaaat aaataaataa aaaataaaaa 22200 tagtgacete tggecaggtg tggeagetea taccegtaat cecageaett tggaaggaag 22260 gccgagatgg gcagattgct ttagcacagg agtttgagac cagcctggcc aacatggtgg 22320 aaccccatct ctacaaaaat agaataaaat ttaagaggta atagtgacct tttggtagat 22380 cgaaacctgg attgctttct ttttctaaat gctgattctt ttctttgtgg tgtttgtgtt 22440 22500 ctgtgccgat gtccctcccc cagccctgtt attgtgagtg gaagaagggg aaagggttcg 22560 cccgctactg tgagcccctc ctctcacgct gggtgtcctt ggagaagcct gcacttcttc 22620 attgtacgcc agggctgggt ccctccctgg agtggttctg tgctgctggg atggggccaa cccctcagat gttttctgag tgtcacacac aggtgtgtgc attcatggcc tttgcgtgtc 22680 ttcctgttgt ggaggdaaaa atgtgaagaa ccctagatga ttttgggacc agggctccat 22740 22800 cacctgctgt tcattgcaca ccggagcatc caggcatggg tggagagctc agacttccag gcacggtcgc aggggctggt ctaaccatgt tecegecege etgetegtca gaacegeetg 22860 ttgggagctg ttatcatgat accatacctg ggccctgggc tatccgattc tgacttaatt 22920 gctccaggtt ggggccaggc cgttgtttgc tgttttgttg tttcttctgt gacgttagcc 22980. actgggctaa tctgagcccc tcagttacag gtggagaaac tgagacccat gggggtgcaa 23040 ggacttgccg aggacccaga gccccttggg ggcagagctg aggcggggcc tggctttggg 23100 teccagaget tecagteece ttecegetet ectaacaget ttttttttg agacaagate 23160 tcaccctgtc acccaggctg gagtgcaatg gcatgatctc ggctcactgc aatcttcgct 23220 agctgcgttc cagcgattct cctgcctcag cctcccgagc agctgggatt acaggtgtgt 23280 gccgccatgc ccagctcgtt tttttttgta cttttagtag agatagggtt tcaccatgtt 23340 23400 ggccaggctg atctcgaact cctgacctca aatgatccgc ctgcctcggc ctcccaaagt gctaggatta caggctggga tcacactgtg cctggcccta gcagctttgt cctgtgccat 23460 ccaacaacag atgaccgaag tetttgttte ttaacatgca ttecatetge ettacagttt 23520 tgccacctgc aaaacagagg acttgtcgct tttctggtaa gctggaaatg taatctggta 23580 gcaggaggcc tgtggaagct tgcctttaat ggccttgtgt ctctttcatc ctgtcctgag 23640 23700 agccggagaa cttggatgtt gcacctaact caaccttcct gttaacatac agttctgcag 23760 gctcatggat catcagaacc acgtcctatc tcacgcggct gtatgcttcc gttggttcag 23820 gtgtttttac cttgacagta ttttctcctc ggtggctttt gcggtggttg cttttaatca 23880 gcattgactc ttcaagaaaa atatttagct gctacatctc agaggagaca gggtggaaag

catctgagac ctgcaggctc agacttagaa ccagaagtgc cctcagagtt catccggccc 23940 tgacccagcg ggaaatgagt tcacagagaa gcgggagaac tttgccccag gccctgccgt 24000 tgctcataac tgccccaggt ccttacattt gctccaggtc ctgccccagg ccctgcagtt 24060 geteataact geceeaggte ettatatttg etceaggtee tgeeceaggt eetgeagttg 24120 ctctgtgtgg tgggtgtgat ctggagccct ccgcccattg ctgcacctgg ggcaggcatt 24180 gctaattgat cccaggactc cttcctgcgg agcacgccct ggttctccag gcagccgctg 24240 cetgtcagec tgcagtggtt egggagagga cacetgettg cetggtetgt tecaaatett 24300 getteteate ecageacagg tagggggtge tatgggaaag ggateeteag ttggeeetgt 24360 cactgeteta teagetgggg acgtggeate etagtgaaaa cateatggee gggegeggtg 24420 gctcacgcct ggaatcccag cactttggga ggctgaggag ggtggatcac ttgaggtcag 24480 aagttcgaga ccagcctggt caacatggtg aaacccatct ctactaaaaa tacaaaaatt 24540 cgccaggtgt ggtggcgggt acctgtaatc cgagctactc gggaggctga ggcaggagaa 24600 tegettgaac etgggaggtg gagettgeag tgageegaga tettgeeact geacteeage 24660 ctgggcaaca gagtgagacg ctgtctcaaa atctcaaaca aacaaacaaa caaaaaacaa 24720. acaaacaaag cgtcatttat ccagcacccc tggggaacca tgctacctgg tgttttatgg 24780 tacctggcaa ggtgcaggtg aagttgctgc tcttgggcat tgaacccgtc ttgtttgggg 24840 cageteagge eccaggeagg gteegggttg getetegttg gtgtggeeet ggeeeateea 24900 gacctatatt tetgeegtee tgeaggtgat caatgttgat gggacgaaga ggeggaccet 24960 25020 cetggaggae aageteeege acattttegg gtteaegetg etgggggaet teatetaetg gactgactgg cagcgccgca gcatcgagcg ggtgcacaag gtcaaggcca gccgggacgt 25080 catcattgac cagctgcccg acctgatggg gctcaaagct gtgaatgtgg ccaaggtcgt 25140 25200 cggtgagtcc ggggggtccc aagccatggc tcagccatgc agacttgcat gaggaggaag tgacgggtcc atgcctgggc ataagtgttg agctcaggtg ccccgacctg gggaagggca 25260 ggacaggaaa ggtgacagta tctggccaag gacagatggg aagggaccaa gggagctgat 25320 tagggagtgg ttatggacta ggaatgtcgg taacaatggt tagaaagtga ctaacatttg 25380 25440 ttgagcacct gctgtgtgcc cggccctggc cgggagcctt cgtgcccaca gtgaccccgt 25500 ctgcaaatgt agttccttgc cctactcgca ctggggagca ggacgcagag ccgtgcaact 25560 ccctgtggcc cacgcatgtg caccttccac ctgaaagcca ggatcttcag gacgctcccc 25620

25680 gaggaggtcg ttgtctggca caatgatttg tctcttcctg aaaaggtgac agagttacac tggagagage ageatecagg tgeggeaggg acaggeetgg ggetegeggg cagggaetet 25740 gtgtcctgcc ggggtcccac actgcacctg cttgtcagag gcactcagtc aatctttgct 25800 gatgaaggat gagaggacag aggacgtgat gcttgctgct gcattgcctg cagtcctggg 25860 tgagatgccc gggttgactc tgctgcccgt cgggtggatg tgatgtcaga tccccggctt 25920 taaaatacga gggagctggg aattgaggga gcaggttggg gcagaaagca cagccccgtg 25980 gaagcctgga gctgaggcag tgtgggcgac ccctggagca gtgagtgctt ccttcatggc 26040 cttcatcgca ccctgcagtc ctcatgtagg ggatgccatc catgaattta gttttcccag 26100 26160 cctcctttaa aaacgcgttc atgctggggc cggggcagtg cagtggctca catctgaaat cccaccactt tgggaggccg aggcgggtgg atcatgaggt caggagatcg agaccatcct 26220 ggctaacaag gtgaaacccc gtctctacta aaaatacaaa aaattagccg ggtgcggtgg 26280 cgggcgcctg tagtcccagc tactcgggag gctgaggcag gagaatggcg tgaacccggg 26340 26400 aageggaget tgcagtgage egagattgeg ceaetgeagt eegeagteeg geetgggega cagagegaga eteegtetea aaaaaaaaaa aaaaagtaca aaaaaaaaa aattagtetg 26460 26520 ggtgtggtat cacgcgccta taatctcact actcgagagg ctgaggcgga gaattgcttg aacccaggag gtagaggttg tagtgagccc gtatcgtacc actgccctcc acctgggcaa 26580 tagagcgaga ctctgtctca aaaagaaaaa aaaaaaaaga acatttatgc caggtgtggt 26640 ggctcatgcc tgaaatccca gaactttgga agactgaggc aggaggatca cttgagccca 26700 gaaatttgag agtgtcttcc ctgggcaaca tagagagacc tcatctctac cagaaaaaaa 26760 aaaattagcc cggcatggtg gcatatccct gtggtcccag ctacttaggg ggctgacgtg 26820 gcaggatcac ctgagtctgg aggcagaggt tgaagtgagc tgagatcatg ccactgcact 26880 ccagcctggg tgacagacag agaccctgtc tcaaaaaaaa aaaaaaaaa aagcatttac 26940 tatccaccat ggaaggtgag actgacctgt gagtgattgt tcaaagaaca aaaaataaac 27000 cccagagata agacaaaagg gtgcctccat gggggtgtga tttaaagctg agaaattggg 27060 27120 cttcttcccc ctcccctctc accccgtggt ttgctaaagg agatgggaaa aaggattctt tttttggctg aaatatttaa cactaaatta aagccaattt taacagcact ttggttgatg 27180 agtgaaatta acagactggc caaaaataaa cgaacggtct gtactatgtg aaaaagaggc 27240 agctttggcc atgctgggcc aatgtgagtt ttcagggttg ctgggaatgt ctgtgaatcg 27300 27360 gaggaagggc ctagctggga ctctcaggag ccaaggccct gaggggcaac ttgcctggtc

cctgccctga ggcgttcact gctttcttcc tgggccagat cacaggcccg gaggctggac cactgggctg gcactcttgc cgagctgctc cctgacttcc tgaccatgct cctttcagca 27480 geettgetge actttagttt eettgaatga aaaatgggga tgagaatage teetaeetee 27540 aaggtgaatg gagtgagttc ggacaggtga ctccctggga ccagtgcctg gcgcctgaca 27600 aggtccagtc agagcccgca ctgctgttac tgataccctt ggctgtacca ggggagaact 27660 tggttgccat tgccaggtgt tctcccacca cccccactac tgtccctgtt tgatgtgtgg 27720 27780 cgggaataaa gctgtgcaca ttggagcttt tggcacatcc tggctttcag gtgaaaggtg cgtgtgtgtt tgagggttta gcctggccaa cccagccatg aggtcggacc tgacctgggg 27840 gtgagteetg ageteggeac ecetgagetg tgtggeteac ggeageatte attgtgtgge 27900 ttgggccgca cccctttccc tgctgggctg ttgatgttta gactggagcc tctgtgttcg 27960 cttccaggaa ccaacccgtg tgcggacagg aacggggggt gcagccacct gtgcttctgc 28020 acaccccacg caacccggtg tggctgccc atcggcctgg agctgctgag tgacatgaag 28080 acctgcatcg tgcctgaggc cttcttggtc ttcaccagca gagccgccat ccacaggatc 28140 tecetegaga ecaataacaa egaegtegee atecegetea egggegteaa ggaggeetea 28200 gccctggact ttgatgtgtc caacaaccac atctactgga cagacgtcag cctgaaggta 28260 gegtgggcca gaacgtgcac acaggcagcc tttatgggaa aaccttgcct ctgttcctgc 28320 ctcaaaggct tcagacactt ttcttaaagc actatcgtat ttattgtaac gcagttcaag 28380 28440 ctaatcaaat atgagcaagc ctatttaaaa aaaaaaaaga tgattataat gagcaagtcc 28500 ggtagacaca cataagggct tttgtgaaat gcttgtgtga atgtgaaata tttgttgtcc 28560 gttgagcttg acttcagaca ccccacccac teccttgtcg gtgcccgttt gctcagcaga ctctttcttc atttatagtg caaatgtaaa catccaggac aaatacagga agactttttt 28620 tttttttttt tgagacagag tcttactctg ttgcccaggc tggagtaccg tagcgtgagc 28680 teageteact geaaceteeg ecteceaggt teaagegatt ettetgeete ageeteetga 28740 28800 gtagctggga ctacagacat gcaccaccac acccagctaa tttttttat atttttagta gagacagggt ttcatcatgt tggccaggct ggtcttgaac tcctgacctc aggggaacag 28860 28920 acggggttgg cctcccaaag ggcggaaata acaggggtga gccaccgttc ccggcctagg 28980 aaaacttttt gccttctaaa gaagagttta gcaaactagt ctgtgggctg gccttctgat tetgtaaaga aagtttgatt ggtggetggg tgeggtgget cacacetgta ateccageae 29040 tttgggaggc cgaggtgggc agatcacctg aggtcgggag ttcgagacca gcctcaccaa 29100 cgtggagaaa ccccgtctct actaaaaata caaaaaaaa attaaccggg catggcggcg 29160 cctgcctgta atcgcagcta ctcaggaggc tgaagcagga gaattgcttg aacctgggag 29220 geggaggttg tggtgagetg agatggeace attgeactee ageetgggea acaaaagtga 29280 aactccgtct cagaaaaaaa aaagtttgat tggtgtaacc aaagcgcatt tgtttatgga 29340 ttgtctgtgg cagcttttgt tctgccgaga tgagttgtga cagatctgta tgggctctaa 29400 agcctaaaac atgtgccatc cgccccttta cagaaaaagt gtgctgacct ctgttctaaa 29460 gtattggaca actacaatgt ttgctcattt attattctat gatttgtttt ctgctttttg 29520 ttgttgttgt tgttgttgag atagggtttc cctctgtcac tcaggctgga gtgcagtggt 29580 29640 gtaatttcag ctcactgcag cctcgacctc ctgggctcta gtgatcctct catctcagcc tecetagtag etgggaetae aggeaeacae caccaeteet ggetgatttt tttttttt 29700 ttttttttt gtggagacag ggtttccgca tgttgcccag gctggtttca aactcctagg 29760 ctcaaacacc cacctcagcc tcccaaagtg ctgggattac aggcgtgagc caccatgccc 29820 agcctattct actgtttgta ttacatagct ttaaaagatt ttttatgact ttaagtcaca 29880 29940 ccataacctc tccagccaga gacgaccgtt gctgacacct cagcatattg cctttaagtc 30000 ttttttttttt aagatagcat ttctcttcat cacagtcata tgctacgcag aattctgtat 30060 cctgattttt tcacttgaca ttacaacagg tatttgatgg cgctgtgaca aactctttgg 30120 cacaatcttt taaatgtatg aaatactcca ctgcacagat gtttgctttt aggcttaact 30180 gttcttttat tttgcgtgtg ctggttacag ccgggcacag tggctcatgc ctgtaatcac 30240 aacactttga gagggtgagg caggaggatc acttgagccc agaagtttga gaccggcctg 30300 ggcaacatag tgagacccca tctctacaaa aaactttttt aataagtcgg gcgtagtggt 30360 gcatagctgt agtcccagcc accaaggagg ctgagttggg aggattgctt gagccccagg 30420 aggttgatgc tgcagtgacc tgagattact ccactgtact ccaacctgag cgacagagca 30480 30540 tatacataca cgcacacaca cataatataa aaatatatat ttataaatat ataatatata 30600 30660 atataaaaat atatattat aaataaaatt tataaattat atttataagt aaatatataa 30720 30780 30840

30900 taaaatatat ataaaatctc caagttgctt tttccaaaaa ggtgtcttgc tgcatttcaa acattcattt aaaaacttga atgctggtga tctggtccag aatgtgttca gtagctgctg 30960 ccagtggcca agcatctcgg gagatgtcta caaaacacgc tggttctggc ctggcgtggt 31020 ggctcacgcc tgtaatctca gcactttggg aggctgaggc aggtggatca actgaggtct 31080 ggatttcgag accagccttg ccagcttggt gaaaccccat ctctactaat aatacaaaaa 31140 aattagccag gcgtggtggc atgtgcctgt aatcccacct acttgggagg ctaaggctgg 31200 agaatcgctt gaacccaggg ggcagaggtt gcagtgagcc gagatcgcac cattgcactc 31260 caggctgggc aagaagagcg aaactccgtc tcaaaaaaaa aaaaaaagat gctggttcct 31320 aaaatgtggc ccttttcctc ctcacctgct gccagaccat cagccgcgcc ttcatgaacg 31380 ggagctcggt ggagcacgtg gtggagtttg gccttgacta ccccgagggc atggccgttg 31440 actggatggg caagaacctc tactgggccg acactgggac caacagaatc gaagtggcgc 31500. ggctggacgg gcagttccgg caagtcctcg tgtggaggga cttggacaac ccgaggtcgc 31560 tggccctgga tcccaccaag gggtaagtgt ttgcctgtcc cgtgcgtcct tgtgttcacc 31620 tegtatgaga cagtgegggg gtgecaactg ggcaaggtgg caggetgtee gtgtggeeet 31680 cagtgattag agctgtactg atgtcattag cettgatggt ggccaggact ggtagggccc 31740 teagaggtea tggagtteet tegtggageg ggtgetgagg etgtateagg eacagtgetg 31800 gctgctttca cctgggccgt ctcaccgaag tgtccatgga gcctgcgtag ggtgggtatc 31860 31920 tgtgtcgatt ttacagatgc agaaacaggc tcagagaaac cgagtgactt ccctaaggtc acatacccag ttagagcaga gctgggccag gaagtgctgt ctcaggctcc tgaccaggtc 31980 tecttgettt geactettge caaaaccatg atccagaact gaetttgagg teceeggace 32040 teaggeteet eegaaatgge etettggagg etgetgagee acagettagg acceaceteg 32100 32160 agaggcaaat gtgctttgag ctgccaggcg tcctgggggc cctgccttgg gcacggggtt cagacaggcc ccagatgtgt ggggcgtctt tctggacttg agttttcttt tctgtgtggt 32220 ggacacagtg ctcacccctt aaagcacctg tgatgtgtgc agcagcccaa tccctgcctg 32280 tcgcctgttc tgctagggaa ggaaggaata cttcaggatg gcaggacaac agaaagaggt 32340 ccaggtttta gagcaagggc aggtcaaact tagaaaattc tggaatgagg atgtgcattt 32400 cctcttctgg atctgctaaa agaagaggga aggagggct gctgggggag gagcccagag 32460 32520 ccgagtttac atccggatcc cgcaaggcct cccctgccct gaggtcttgt tttgtgatgt gettgtgtee atectggttt etgeegtgte eccaacatee ggeeaagett aggtggatgt 32580 tccagcacac actcaccctg tctgtgcacc tgtttttgtg tccgtaagtg ggtatttact 32640 caccttacga gtgagccact gtgggaattc agggaggtgg cgcagtgacc acccctggag 32700 ggatatgtgt gtggcagggg tcgagggtct cgcccttccc tgcttcctgc gcgtggcttt 32760 ctccaggacg gggagggctg agctgaagag gtggggacag ttgcgtcccc ccgccaccca 32820 ctgtcctgcg gtgagagcag actcactgag cctgcccttc tcccttgtgc cttccagcta 32880 catctactgg accgagtggg gcggcaagcc gaggatcgtg cgggccttca tggacgggac 32940 caactgcatg acgctggtgg acaaggtggg ccgggccaac gacctcacca ttgactacgc 33000 tgaccagcgc ctctactgga ccgacctgga caccaacatg atcgagtcgt ccaacatgct 33060 gggtgagggc cgggctgggg ccttctggtc atggagggcg gggcagccgg gcgttggcca 33120 ceteceagee tegeogeacg taccetgtgg cetgeaagtt ecceaacetg geaggagetg 33180 tggccacacc cacgactgcc cagcagcctc accetetget gtgggagttg teccegteca 33240 cccctgggtg cctttgctgc agttatgtcg ggagaggctc tggtgacagc tgtttcctgt 33300 geacetgetg ggcactaggt cccagetaat ccctgtgcca ggactetaat ttcaccetaa 33360 cacacatggt ggttttcatt gctggggaag ctgaggcctg agcacatgac ttgccttagg 33420 teacataget ggtgagttea ggatececca gagataceag ggecageact egatececae 33480 ccagccctga accccaccat gtgctgggat tgtgctggga gtgtccacac gcctgggacc 33540 ccagggctgg tgctctcatc tcctttttcc agatcatgag aatgaggctc agggaagttt 33600 gaaaaaaacc tatcccaagt cacacagcaa caggagcagg atttgaaccc agaaaagggg 33660 accgcacact ctgttctgct agagtagtta gctgtcctgg gtgatatggc aggtgacagg 33720 ggcaactgtg cttaacaaag gaacccccat ccccctgcc aagttgggag actagaaggt 33780 caggggcaga agetetgaag ggccaggtge agtggetgae acetetaate ecagcaettt 33840 gtgaggccaa ggcgggcaga tgatttgagc ccaggagttc aagatcagcc tgggtaatgt 33900 agtgagacgc catctctaca aaaaaatttt ttaaaaatta gctgggcatg gtggttcatg 33960 cetgtagtee aagetacttg ggaggeteag gtgggaggat tgettgagee eaggaggttg 34020 aggttgtggt gagctgtgat catgccactg cactccagcc tgggcaatag agtgagaccg 34080 tetecaaaaa aaaaaaaga agaagaaaaa gaagetetga ggetecaagt eeccaggeae 34140 cccttggctt gagggcagac aagggaggag agggtcacct gggcagccct gacttttgtc 34200 34260 ccctggcaaa gggaccttca gtgaccttgg ccctaggaga gcctctgagc acgtcagcca tgtcgaaccg ctcaggaagg gcagcaagaa tttggcttct gacctctgcc tctcctactc 34320 gccatctgca ctgggtgtgg ttgtgcccat tttacagatg aggaggctgg ggcatcgacc 34380 agctgaatgc cttgtcccag gtactgcgta ggcagagctg gcagttgaac cccgtgtcct 34440 ggttgtcgct gggggtgggc tgcaccctga cttgtgaggc cagtagcaag gtttgcacgt 34500 gacttegtga eegteaceea getetgeage acatecegtg acceagetea tecaggeege 34560 atgcaaacct gttgccaggc gagaaaccag tcaccgcaca gctgtggttg cctgaaatga 34620 ttaagctcat taatcacccc ggagtgagga cagactcaga tgaaaaccag caaaagccct 34680 ggaaactcat gtgaccctgc caatgagggc ggccatgtgc attgcagcct ggccgtcact 34740 cctcggtacg tgttttggac ttaaacgctc cggatgttta ctgagtgctt gattaataac 34800 atggaaggcc tggtctcatt gctgtgggag tgaaggatgc acagccaggc ctgacatgat 34860 gagaacaaga acctggagtc tcgctgcctg ggtggtaatc ctggccctgc cacttagcaa 34920 ctgtgtgact gtagccaggt cacttaattt tgctagatcc tgcctgcgct tcagtggatc 34980 ttgctggttt tccaaggtgg ccaaacactt taaggcattc atgtggtcgc taggctgcag 35040 ggttgaaccc tggctcaccc cgcagggcgc cgtgtgctct gtggcctggc tgtgcctttg 35100 ctgacaccgt gcccgtgtgt gttcatgcag gtcaggagcg ggtcgtgatt gccgacgatc 35160 tecegeacee gtteggtetg aegeagtaca gegattatat etaetggaca gaetggaate 35220 tgcacagcat tgagcgggcc gacaagacta gcggccggaa ccgcaccctc atccagggcc 35280 acctggactt cgtgatggac atcctggtgt tccactcctc ccgccaggat ggcctcaatg 35340 actgtatgca caacaacggg cagtgtgggc agetgtgcct tgccatcccc ggcggccacc 35400 gctgcggctg cgcctcacac tacaccctgg accccagcag ccgcaactgc agccgtaagt 35460 geeteatggt ecceegeace teactecete gttagateag getggttetg ggagetgaeg 35520 ctgaaaggag cttctcatct ggggttcctg ggtgtacata gatggttggg taggttgtgc 35580 actgcacaag ctgcatgatg ctacctgggg gtccaggtcc aggctggatg gacttgttgc 35640 ttcatcagga catagataaa tggccaaaac teetcagetg gaaggteetg ggcaggatet 35700. ttgggtgtga aaaccagtca caggggaagg gtgcttgctc atactgccag cacagtgctg 35760 agtgctttcc atagcgctcg tttactcctc aagcctggag ggtggggagt agcatggtcc 35820 catttcacgt acaaggaacc cgatgcacag agaggtgtgg caacccatcc aaggccatac 35880 35940 aactggggtg ggttgagccg gggttgactg tggcaggctg gctcaagagt ccctgctcct 36000 gaaccettge caggeageet ggeateaget eggggaattt ttgeeetgae eettggaage aagtgggcct ctttgttctc atgtcagtga tgagaagagt gactttccta tggcccctct 36060 ggagtacagg tgtttcctgt tggcgggctc ttcccccatg acatcagcag cgagctggtt 36120 atgattccct acgcagaact tgatagttta taaagctctt tgtcatccag gccccgttgg 36180 agteteaege agaeetggte geaggegggg etggtettge etgteeeage tgeatggatg 36240 gggaacttga ggcttgcaaa ggttaagggg ctgttcgagg cccacgctgg caggagatgg 36300 gcctgggcca gagtctggga cttcccatgc ctgggctgtc tttggtcctg ttgctcacca 36360 tecetecetg gggccatgae ettagagage caaatggagg tgcaggtaac ccacggcaag 36420 gaggggttgc catgactcag agtccccgtc ctgtggccgg cagtacctgg tgcaacgact 36480 tggatttcag accagccact gtagcccgct gacggtgcgc tcgaagtgcc acagcttctg 36540 aagccaggca ggactcaggc caggagactc tgttagctgt tgagagggag aggccaacgg 36600 atgttctggt tctgctagag agctggttct tcggatcctg gtaccagtgc actgagagga 36660 ggcccagctt gattctgggg ctgccttgtg gtggcatgtg ctgctcactg acaccctcga 36720 ggagtgtett eteteggget tgttgaetgt geeeggtttt eegeagttea etggtgeaca 36780 cataggcaca tagcaaaccg cacacacagt cgtgggtatg agtttcacta cattccacca 36840 ccagtgttca ctaccattac ctgccttccg tcttaagtgt tcatcattta aaaataaatt 36900 tattgggctg gacgcggtgg ctcatgactg ttatcccagc actttgggag gctgaggcgg 36960 gcagatcacc tgaggtcagg agttcaagac cagcctggcc aatatggtga aactccatct 37020 ctactaaaaa tacaaaatta gctgggcatg gtggggcatg cctataatcc cagctactca 37080 ggaggctgag gcaggagaat ggcgtgaacc cgagaggcag agcttacagt gagcccagat 37140 agcaccactg cagtccagcg tgggcaacag tgcgagactc catctcaaaa aaaaaataaa 37200 37260 taaataaaag aaaaataaat ttatgatcta tttcaaaaat aacacatgta ctttgaaaca gcagagacac atatgacacg gagaatgaaa ttccccatag cgcaccccca agagacagcc 37320 ctggtccccc cgtctttccc gtggacctcc agcggggcag atgctgagcc gcctgttgtc 37380 gagtggcatg ctatcccgtc ctccagctcc tctgtggctt acagacaccc acctgcagcc 37440 ctgtctttgc ctcctctagc gcccaccacc ttcttgctgt tcagccagaa atctgccatc 37500 agteggatga teceggaega ceageaeage eeggatetea teetgeeeet geatggaetg 37560 aggaacgtca aagccatcga ctatgaccca ctggacaagt tcatctactg ggtggatggg 37620 cgccagaaca tcaagcgagc caaggacgac gggacccagg caggtgccct gtgggaaggg 37680 tgeggggtgt getteecaag gegeteetet tgetggttte caggetgetg eccetgteet 37740 tagcagaggg aggaaacaga ggatggctct gggtgaatga tgacttgggc ttcgattatg 37800 tagtcacagg gtatgaccct gagatgcgtg gaaccccgag actgtgatta tatgtagaaa 37860 ctgggtttcc ccgttgttta agtagtcatg gtggggtcag accccacagg acttttgtct 37920 tttcaagaaa gaaaatggtc gtgtgtcatg caggggtagt tggtactggt taatccaggt 37980 ttatccttta ttttgtggga actgtacagt catttctgct acaatgctgt atatgctctt 38040 ctgaaagaca cctatgcaaa atcgcacagt aaaaatgaca caactcatag ggaaagcggg 38100 gccagggcac agccctcaaa atctccatca atgacatgta agaaaagaga ggaacctggg 38160 aaatagcaaa gtgccttttg cacattaaat ggttagctat atcccacaat actgtgcatt 38220 cgtaaacgtt aatgctgcaa taaatacggc acttcacctt gggaagatct ggagttggct 38280 tatgagtgtg gaagggtgta gcgcatgagt ttttgtgaaa cactggaagg aggattgtgg 38340 gaaatcaaat ggaaagttct caccccaggc gtggagaaga gtgggtcatg gccccagcag 38400 tgagcccagg gaggtcagag acggaggtgt gtgtgtgggt gtgaccctgc gcagttccct 38460 gccggctgta gttttttgca ttcgcttaat gtttctcgtg gaggaaattg tgcatgagca 38520 38580 aatgtgaaac cgtgctgtgc tcaaattgtc ctaatacatc attgcattgg aacagattgg ctttnttttt tttttttt tttttttt tttgaaatgg agtctcactc tgtcaccagc 38640 ctggagtgca gtggcatgat cttggctcac tgcaaccttt gcctcctatg ttcaagtgat 38700 tttcctgcct cagectcctg agtaactggg attacagggc atgagccacc gcggccggcc 38760 38820 agatttgcat ttttgaaaca actgctaggc tgggcgcggt ggctcacacc tgtaatccca gcactgtggg aggccgaggc aggtggatca cctgaggtca ggggttcgag accagcctgg 38880 ccaacatggt gaaaccccgt ctctactgaa tatacaaaaa tcagctgggt gtggtggcgg 38940 39000 gtgcctgtaa tcccagctac tcaggaggct gaggcaggag aattgcttga acccaggagg cagaggttgc ggtgagccga gatcacacca ttgcactcca gcctgggcaa caagagcaaa 39060 actccatctc aaaaaataaa aaatagaaaa acaagtgctg tagcggaagt gagcactttg 39120 cggagtcagg cttgtgtggc ctgttccaca aatgatgtgc tcacggtggc ctcaggccca 39180 cctggagtct gcagcatggg gcacaacagg ttcattagtg tagaattcca ggacaggcct 39240 ggctcctaag cagccttctt ttacaaaaac tgcagagccc gcctgtatcg tagcactttg 39300 ggaggccgaa gtgggtggat cacgaggtca ggagttcaag accagcctgg ccaacatggt 39360 39420 gaaaccccat ctctactaaa tatacgaaaa ttagctgggt gtggtggcac gcgcctgtag tcccagctac tcgggaggct gaggcagaat tgcttgaacc tgggaggtgg aggttgcagg 39480 gatetgagae catgteattg caetecagee tgggeaacag agegagaege cateteaaaa 39540 aaaaaaaacc tacagagcca cacggcctct ttctccaccg agtgttggtg tgggagcttg 39600 tgttattgtg gtgaaatett ggtaetttet tgaggeagag agaggetgag egeetggaga 39660 gactttcaca tgggtcgcca tgtccgccgt cggtttcgct gttgtgctcc ccatctgaag 39720 getggtgeeg tecagacagg etggaegeee etttecacea gateetteet eeegeageag 39780 tttctagtta cgttgtactg tgaggtctgt gtccttggtt gatggcaaaa gtcagccgaa 39840 ttgaaattca gagccatgcc tggctccctg gagcttctct cctgggcagc tgtgatcatt 39900 geetetgetg tggtgtgggt ggtggaaatg gatteettte atettgettg etacaggtga 39960 ctgtcacgtg gagtcctttg gagagaggga cgtgttaatt gatggatgtg gctcccatgc 40020 tgagaaaget eetgggegta eattgeetta gagttteatt ggagetgegt tettttatgg 40080 tgtctgctag gcagaagtga tgaagacttg gaagaaaacc cagaaggttt tccacttaat 40140 ttggaaaatg tgcttttccc ctcctgtgtc ttttgctaag gtccagcctc ctgcagcctc 40200 cccgctctgt ggactctggc tttgattctt tattaggagt ccccctgctc ccccaaaaga 40260 tggtgtctaa attatcatcc aattggccga ggttttgttt tctattaatt gtttttattt 40320 tttattgtgg taaatttata taacataaaa tttgccattt taattgtttt gttattgttg 40380 tttttgagac agggtctcac cccagtgccc aggctggagt gcagtggtgc gatcatggct 40440 cactgcagcc tcagcctcca gggctccagt gatcctctca cctcagcctc tctagtagcc 40500 gggactacag gcatacacta ccacatctgg ctgatttttt gtatttttt tttattgtag 40560 agaccegeta tgttgcccag gctggtctca actectggae tcaagccate eteccacete 40620 acceteccaa agtgetggga ttacaggeat gagecacaac acceagceat tttaattttt 40680 ttttttttt ttgagatgga gtctcactct atcgcccagg ctggagtgca gtggcgtggt 40740 atcaactcac tgcaacctct gcctcccagg ttcaagcgac tctcctgcct cagcctcctc 40800 cegagtaget gggattacag gtgeccatea etatgeetgg etaatttttg tattttttag 40860 cagagacggg gtttcaccat gttggccagg ctggtcttga actcctaacc tggtgatccg 40920 cccgcctcgg cctcccaaaa tgctgagatt acaggtgtga gccaccgtgc ccggcctttt 40980 tttgtttttg agacagggtc ttgccctgtc acccagactg gagtgcaatg gtgggctctt 41040 ggctcactgc agcctccgcc tcccaggctc aagttgtgca cctccacacc tggctaactg 41100 tattttatgt agagacagat ttcaccatgt tgcccaggct gggcttgaaa tggactcaag 41160 cagtecacce aceteageet eccaaagtge tgagattaca ggegegagee acegeaceea 41220 gcccatttta cctattctgc agttgacagt tcagtggcat tcagtcagtt cacgaggtaa 41280

ccatcactgc cattcatctc cagactactt caccttctcg gcagatgtcc gaaactgtcc 41340 geattgaaca cacteeteat etecetetga cagecaceat tetaetttgt atetetetet 41400 gccttctcta ggtacctcat gtaagtggaa ttataccaat atttgccctt gtgtgactgg 41460 41520 cttctttcat qtqacatqqt qtcctcaaqg ttcatctqtq ttatagcctg tgtcagaatt tccttcctta aagcctgaat aataacccgt tgtaaaggct gggcgcggtg gctcacaccc 41580 totaatooca goattttggg agtoogaggt gggoagatoa ottgaggtoa ggagtttgag 41640 accageetgg ccaacatagt gaaaceetgg etetaetaaa agtacaaaat tagetgggtg 41700 41760 tggtggcgcg cacctgtaat cccagttact caggaggctg aggcaggaga atcgcttgta cccgggaggc agaggttgca atgaaccaag attgtgcctc tgcagtccag cctgggtaac 41820 agagtgagac ttcctgtctc aaaaaaaaaa aaaatcatcg gatggatgga cggaccactt 41880 cttgttattt atccatccac gggtgctagg tttcttccac ctttggttgt cgtgaataag 41940 gccactatga acatttcctt ccgtggtgaa ggttttgtac tagtgaggaa aaggcgtgtt 42000 42060 tgtggtgttg cataggattc tggtaagaaa gtttgcacta accataagta tttgtactac attaaaatga aagctcaggg gccgggcgcg gtggctcacg cctgtaatcc cagcactttg 42120 42180 ggaggccagg gcgggcggat catgaggtca ggagatcaag accatcctgg ccaacatggt gaaaccccgt ctctactaaa aataccaaaa aactagccag gtgtggtggc gggcacctgt 42240 42300 agtoccagot acttgggagg ctgaggcagg agaatggcgt gaacccggga ggcggagott 42360 geggtgagee gagategett caetgeacte gageetggge aacagageaa gaeteegtet cacgcaaaac tetgteteac geaagactee gteteaaaaa aaaaaagagt teagggttta 42420 tgaaactggc cagccgcgta aagtttgctg tgttgttttt gtgcccggga ggagtgtggc 42480 cagggtgtca cgtcacacag tacacgtttc tcagatggtg gttctccaga ctgctgtccc 42540 aaagtetgtt tttgcatetg gtteecacag acceaecete caeggtgage etgattttgg 42600 ccagggtagc tggaatcttg cttgtctttc agcccggcag ctgtaccagt ccagggtcca 42660 cagctagtgg cttttaggaa ggaatttgtt cagttggctt tgacacatgg ccccctaggg 42720 tccacagctc tgtagtgatg tggatgttgt tatctacaaa gacacatgat ccttcgtgtc 42780 42840 cagatgaaag tgatgatgtc tttgcagctg cccagcaagg ctgtgtgtgt gtgtgtgtgt 42900 42960 gtgtgtgtg tgtgtgtgt tatgggggag gcaccctttc catctgggtc caagagactg 43020

ggcctgggga agacgcttct ttttatctac ttagagactt tgttttattt gtatttttt 43080 gagacagggt ctcactctgt cacccaggct ggggtatggt gatatgagca tagctcactg 43140 cagectegge etcecagget gaagegatee teccacetea geettetgaa tagetgggae 43200 tgtaggcgtg cgtcaccata ctgagctatt gttttttttg tttggttggt ttaattttt 43260 ttgatacaga tggagtcttg ctatgttgcc cagactagtc tcaaactcct gaactcaagt 43320 gattetecca ecteagitte ecgaeattet gggateaeag gigigageea eigeigtete 43380 cctgttttat taactgctga aagacctaga taaagaaagt ctgaaaagac ttactatcag 43440 agcaccatcc taagatgatt ccctctgact caatggagag ggaggggagc ttttccttca 43500 ggcctgggtg gcaggagccc aggtgctcca ggccccattt gccccaggcc aaatcactcg 43560 ggaacttgga tgcagctgtc tttcagggta acccaaagga accagatccc cgcaggcagt 43620 aggettetgg getgteetet eeteetaegt eageteagta agageeette gaagggatge 43680 tgtgtcggag gccccaaaag cccaggctca tccctgagat gcacagggtg ggctgggctt 43740 aggcagcgct cgagcatctc ctggacggtg accccagaga gtgtggagac ggagagtcct 43800 43860 tgagagtcac tgagagacgt ggctgccctg ccttcccaag aggggctctg agtcattccc 43920 cacactcacc tgcccctacc caccctcacc tggcccccag cctcacctac ccccacatct gtaccgatcc ctttacccgc accttcccta cccaccctca cctcccctgt accttcacct 43980 ccccactca cccgcccttg caccctcacc tgtcccccac cttcacctaa cccccaccct 44040 cacctgccct cccctcacct ggcctccttc cgttggggaa ggggttgtaa ggggcggccc 44100 44160 ccaaactgtc tgtcctggtg ccctgcagag aaaacagtac gtgagggccg cagtccaaaa gcttgagtcc tggaaggtgg aggagacagg gatgtgttgg gaagggcccc atggtcttgg 44220 44280 atecettete gaetgteaat ggggeettea tgggagegee agtetagtga tgeacagetg ggtgcccggc gggtggctga ggaggcctaa agtccgaggc ggcaagagct cttccagagg 44340 44400 ctgttgtcct aatcgctctg gcatactcag gcgggcacgt agttaggagc tgattggaga 44460 ggagagaccc ccacaccaat actgggattt gactttcagg ctaaacttga gaagtgtggc 44520 ctctgctgtc ctgccagagc tctccagcca gtgcccaggg ctctccagcc agtgcccggg 44580 ggtctccacc agtgcccggg ggtctccgcc agtgccaggg gtctccgcca gtgcccaggg gtctccgcca gtgctcagga gtcttggttt ctttgtctta cagccctttg ttttgacctc 44640 tetgagecaa ggecaaaace cagacaggea gececaegae eteageateg acatetacag 44700 44760 ceggacactg ttetggacgt gegaggeeac caataceate aacgteeaca ggetgagegg

ggaagccatg ggggtggtgc tgcgtgggga ccgcgacaag cccagggcca tcgtcgtcaa 44820 cgcggagcga gggtaggagg ccaacgggtg ggtgggggtg ctgcccgtcc aggcgtgccc 44880 geegtgtett etgeegaatg eeageetete acaggetggg gagaetttee accetgggga 44940 tccaatgggt ggctttccag ggtcccaaaa gcaaacacag gctctttcac agcccctcca 45000 45060 ggaaagcaga aagccccaag ggctggaagg gaaggggag ctctgctgag aggttacaag gcagcgctgg ccgacgggag ttgcagttga taggttttgt atcatccttg ttaaacttga 45120 accetgtgca gaaatceett ccacggcatg ggggctgcet gttgactcgc tectgttcca 45180 ccacagggag ctcctgggct tcttcctccc agaggccccc gacgctccca cctgttggtc 45240 gtcagagctt ctggttggtg ggaaggcacc caggaccttg aggtctccag agagaaaagc 45300 cagggaaaga gggagaccga aacccatgtg acatgaaact caggctccaa actgagcacg 45360 ggaacgtttg gggacaggag cgcgatggcc ttcctcagat agctgggggg ctggcatgaa 45420 gacgggaget acagecagea caggteetgg geegggagee cagagattga geeetgaete 45480 tgtcacttac tggccacgtg accttgggcg ggtggcatag cctcttggag actcagtttc 45540 ctcattggta ggagtgacgg ccacagtggt gcggcctctg cagcacacgg ggggctcggt 45600 gggcggaagc cccgggtcta taaggcggct gtgcaggagc cagccgagct ggtctcccaa 45660 cagccagggc teeggggtee ttageagetg tggggggeet geacetgttt eccatggetg 45720 ctgtcagaaa ttaccagaag ccaggtggct gagagtaatg gacacttgtt ctctcacagt 45780 45840 teetgaggge tgaageeega gategaggtg tgggeaggge eetgegeeet etgaaggete 45900 tgagggaacc tttgggcttc tggtggctcc aggcacccct tgacttgtgg tcctgtcact ccagtctctc tgtctggctg cacatggcgt ggcctcttct gtaccattga aggacacttc 45960 agttggattt agggcctacc ctcacccatt gtggtcgtat cttgatcctt catgacattt 46020 gtaaagaccc tgcttccaaa taagctcaca ttctgaggtt ctggggtgag cgggaatttg 46080 gagagcattg ttcaactagt atagaatgtg acctgtcagc ctcgggcagc cctgagaggc 46140 aggggctttc cacageceag etgggtgeee tgggeteegt getgteegag gagaegeeat 46200 ccccacaccc gtccttcacc cgccaccctc ccgcaggtac ctgtacttca ccaacatgca 46260 ggaccgggca gccaagatcg aacgcgcagc cctggacggc accgagcgcg aggtcctctt 46320 46380 caccaccggc ctcatccgcc ctgtggccct ggtggtggac aacacactgg gcaagctgtt ctgggtggac gcggacctga agcgcattga gagctgtgac ctgtcaggta cgcgcccgg 46440 ggcctgccct aaccgcagac acccggcctt cattgtcagt aatggcagca gctgccacat 46500

tgtccgagac ctgccgtgag cccagtgccg cgccaggggc tttgtgtgta gcgtgttttg 46560 tecteacaet gaeagetgta ggetggggtt etgagtgage eccaeaggge agaggeagaa 46620 aatgagtoto agagagggtg agcgagotgo ttggggcccc acagcaggag atggagcagg 46680 46740 ttaggctgcg agggctggag agaaatgaga gttggtgctt agagaggggg cgcaggtccc 46800 46860 catggctttt cctcttatga tgaggtagat gggtgaaggg aggggccatg cttgcagggg ccagtgaccg aggcccgccg ttggaactga tggccttcat cccgagccca gcccaggtgg 46920 gagcagggct ttccgagggc ttgtcttggg tcggcctgct tccagggact ctgctgcagc 46980 teccaeceet gtecaaagea tggaateeee caggeteeet ggeagteetg teaacetetg 47040 tecteceaag etgagtgtgg ggeaagttet ggaggteage aetgeteagg ggggeeeacg 47100 ggctgcttgc aggggccaac cgcctgaccc tggaggacgc caacatcgtg cagcctctgg 47160 gectgaceat cettggeaag catetetaet ggategaeeg ceageageag atgategage 47220 gtgtggagaa gaccaccggg gacaagcgga ctcgcatcca gggccgtgtc gcccacctca 47280 ctggcatcca tgcagtggag gaagtcagcc tggaggagtt ctgtacgtgg gggctggcag 47340 tggggtgggc agggtggcct ctaaacccga cccctggagg aggctggagg ccagtgcaag 47400 atcctgtgtg gcctcagcca ggcggtggtc tctgccagat gccaactgtt gcccgctggg 47460 gttcagcgac atgtccgaat gtcccgaggc ctctgaggtt gttttctttt gccgcagaac 47520 aaatcaccac gaacagcgtt ttaagacaac accaactctt ttttttttt ttttttga 47580 gtcaggatct tgctctgttg cccaggctgg ggtgccctgg tgcaaacaca gttcactgca 47640 geetegaeet etgggettaa ttaagtgaac acettgeete ageeteecag gtagetggga 47700 ctacaggtgg gcaccaccac acctggctaa tttttttttg tagagacggg gtttccccat 47760 gttgcccagg ctggtctgca actcctgggc acaagctatc tgcctgctgt ggcctcccaa 47820 agtgctagga ttataggtgt gagccactgg cctgacaaca cccacggatt gtctctcagt 47880 tetgtaagge aaagteeagg cacagegtgg etcacetggg ttetetgete agggteteae 47940 ggggccagaa tcaaggtgtc aggaacgctg ggccctcagc ggaggctctg tggagaaatt 48000 agetteettg etcactcage aggtageagt tgtgggateg aggttetgtt ttetetetgg 48060 48120 ttattggtcg gggaccactc tcagctccta gaggccaccc caggtccttg ccccgtggcc ctctctgcct cagcagtggg ggctccctgc gtcagtccct cccgcacctt gagtctctct 48180 gatttgcttc taaagggccc tgtgattcgg ctcagccacc tttagattag gttagcctcc 48240 cetttgatag actecaagte ggetgattaa taacettaet cacatetgea gaatecette 48300 tgccacataa ggtcatgacg ccgtgctggg gactggggtg ggaaattacg gggtcattta 48360 ggattctgcc tgccactgcc ttgctgtgtc ccagggcttg ggggaggggc ctccacagct 48420 gggaccacag teetteetee eetecatggt aaccatetga ggattaettg agaccageet 48480 gggcaacatg gtgagaaccc atccctacaa aaaatacaaa caaaaaggga ccaggctggg 48540 48600 cttggtggct catgcctata atcccagcac tttgggagac caaggtgggc tgatcacttg aggttgggag ttcgagacca gcctgcccaa catagtgaaa tcccgtctct actaaaaata 48660 caaaaattag ctgggtgtgg tggcaggcgc ctgtattccc agctactggg gaggctgagg 48720 tgggagaatt acttgaacct gggaggcgga agttgcagtg agccaaaatt acgccactgc 48780 actccagcct aggcaataga gtgagactcc gtctcaaaaa aaaaaaaggg ccaggggtgg 48840 tagtgacaaa gagaccctat cccaaaaaaa ccgaacactg aatccttgag actgagtaag 48900 gacactgtga aatttttctg ggtggggcag ggaacagagc gtcttctgtc atttcttcca 48960 cotgggtgtg gtcagctctc cotccaagct gcctcctctt cttctcattg tccgggtgtt 49020 49080 ggacacattt ggttaactgg atagaataac gcgagttccc agggacttgg tccatttgct 49140 attttatttt attttatttt attttatttt atttatttat ttatttattt atttatttat tgagatggag tttcgttttt gtcgcccagg ctggagtgca gtggcgcgat ctcggttcac 49200 tgcaacetet geeteecagg ttcaagtgat teteetaeet cageetteea agtaactggg 49260 attacaggca cccaccacca taccaggcta attitititgt attititagta gagacgggtt 49320 ttcgccattt tgcccaggct ggtcttcaac tcctagcctc aggtgatcca cgcacctcgg 49380 cctcccaaag tgctgggatt acaggcatga gccaccacgc ctggcaccat ttgctatttt 49440 aattcccatg tgtattagtg tcccacggct gctgtaacaa atgaccacaa actggatggc 49500 49560 ttaaagcaac agaaatggat tcccccaatg tgctggagac cagaagcctg cgaccaaact 49620 gttgggaggg ctgtgcttcc tctgggggct ccagggagga tctatttgtt ggcccttcca 49680 gtgctgtggg tgccagcgtt ccacacttgt ggatgcgccg cctcaacctc tgcccatctt catgtgtcca teteetttgt gtetgegtet ttacetette ttettgtetg tgttgeetet 49740 49800 tataaggacg tttgtcattg ggtttagggc ccacccaaat catccgagat gacctcgtct tgagatcctt aacctgcaaa gacccttttt ccaaaaaaag gttatgctca cagattctag 49860 gccttaagac atgggtgtat ctttctgggg ggcactatcc aaccccttat acaatgaaag 49920 acgggaagag ggccaggtgt ggtagttcac gcctgtaatc tcagcacttt aggaagctga 49980 agegggagga teaettgage ceaggagttt acaagtaget aggeaacatg atgagaeece 50040 atttctacaa aaagtaaaaa aaaaaaaaaa aaaaaaaaag ccaggtgtgg tggctcacac 50100 ctgtaatccc agcactttgg gaggctgagg caggcagatc acgaggtcag gagattgaga 50160 ccatcctggc taacacggtg aaaccccgtc tctactaaaa atacaaaaaa ttatggccgg 50220 gegeagtgge tecegeetgt aateceagea etttgggagg eegaggtggg tgaattacaa 50280 ggtcaagaga tcgagaccat cttggctaac acggtgaaac cccatcaaga tcacaaggtc 50340 aagagatgga gaccatcctg gctaacacgg tgaaaccccg tctctactaa aaatacaaaa 50400 aattageegg geatggtage gggegeetgt agteeeaget getegggagg etgaggeagg 50460 agaatggcgt gaacccggga ggcggagctt gcggtgagcc gagatcgctc catgccattg 50520 cactccagcc tgggtgacag agtgagactc cgtctcaaaa aaaaaaaaa aaagaaaatt 50580 agccaggcac agtggcaggt gcctattgtc ccagctactt gggaggctaa ggcaggagaa 50640 tggcatgaac ccgggaggtg gagtttgcag tgagccgaga tcatgccact gcgctccagc 50700 ctgggcgata gagcaagact ctgtctcaaa aaaaaaagcc aggcatggtg gtgcatgcct 50760 50820 gtagtcccag ctactcaaga ggctgaggca ggagggttgt tcgacccacg gagatcaagg ctacagtgag ccatgatege accaetgeee tecageetgg gtgacagagt gtgaceetgt 50880 ctcaaagtaa gtaaatagga ggagagacaa gtgggcagtt cagactgatg gtatgggcac 50940 agtagagact ggtgcagaca ggctggcctg tgatgtcaag caacttctgt aactgtttcc 51000 ggcatccatt tgtgtgtcaa tttccgtgtc agtaggaaga ctctgtaggc tgccaagagg 51060 aataagtggg aggateetee cagagaggee gggeetgeag gagggeeagt teteatgagt 51120 51180 tettatttgg eccetaceet ecaggetgtg gttetgaggt gggagacaga geetgaeete 51240 tgtttgtctt gttttgtctt tgcagcagcc cacccatgtg cccgtgacaa tggtggctgc teccaeatet gtattgecaa gggtgatggg acaecaeggt geteatgece agtecaeete 51300 gtgctcctgc agaacctgct gacctgtgga ggtaggtgtg acctaggtgc tcctttgggg 51360 51420 tgatggacag gtacctgatt ctctgcctgc taggctgctg cctggcatcc ttttaaaatc acagtecetg tggcatecag tttccaaage tgattgtgte tteetttgce eteetttett 51480 51540 ttctactatg tgcattcggt gctatgaatt ttcctctaag tactgcgttt cctgcatctc acaaattttg ttacattttc attttcaggt agtttgaata tttttacact tctcctgaga 51600 tgacatettt ggeteatgtg ttatttagaa gtgttgetta gtttetaaag agttggget 51660 tttccagctg tctctctgca actgatttct aatttaattc tactgtagtc tgagagctta 51720

ttttatatga tttctgttat tttaaatgtg ttgggtgtgg tgtttttgtt gttattgttt 51780 ttgtgtcttt ttgttttgtt ttgcttcgtt tgttttgttt ttgagacagt gtcttgctct 51840 gtcactcagg ctggagtgca atggcgcgat ctcagctcac cgcaacctct gcctcccggg 51900 ttcaagtgat cctcttgcct cagcctcctg agtagctggg attacaggtg cacgccacca 51960 52020 tacccagcta atttttgtat ttttagtaga gacggggttt caccatgttg gtcaggctgg tctcgaactc ctgacctcgt gatccgccca cctcggcctc ccaaagtgct gggattatag 52080 52140 gcgtgagcca ctgtgcctgg ccattaggtg tgttttatca cccagcatca tgcagtttat cttggtgaat gttctgtgta ctcttgaaaa gaatgtggat tctgctgttg ttgggtggag 52200 tgttccagaa acatcaatta gatccagttg gttaatagtg ctcatcaggt tgtctctatc 52260 cttccttcct gactgcctgc ttgagctgtc agttattgac aggggtgtgg agtctccaac 52320 tctaatggtg gatttgttta tttctcctag tagttctatc tttttctctc cttctaccct 52380 52440 tgatectett eteceeetag ggetteetgg tgttggtggt gggagagtgg ggtagtgaag 52500 aacctggact ttagggccaa agaggccagg gttcaaatcc tggctctgtc acttcccagt 52560 tgagtgaccc tggctggtgc ctgaatctct gtgagcctcc acttcctcct ctgtgaaatt gagagcactt acctggcagg ctgtcatggg catcaagtaa cagggcactc cacctggacc 52620 52680 ctgacacgtg atgcacagga atgccagctg ctatgccatg ggtgtggcag tagtaataaa gtgaccatct gtatcctcac cacagtgaag cctgtccagg gctttctctc ctatgccccc 52740 52800 atgeeteeag gtggeettgg atcetgttgg ttetgtgete tgeteagega eettteteee gtgggagttc ctgggggttc agcttcatcc tacagacagc agcacacact ggctgtgcac 52860 52920 ccttttttt tttttttt tttttttga gatggagtct cgctttttc gcgcaggctg aagtgcagtg gtgtgatctt ggctcactgc aacctctacc tcctgggttc aagtgatttt 52980 cctgcctcac cctcccaagt agctgggatt acaggctccc accaccacgc ccggctaatt 53040 tttgtatttt cagtagagat ggtgtttcac catgttggcc aggatggtct tgaactcctg 53100 53160 acctcaggtg atccgcccac ctcagcctcc caaagtgcag ggattacagg cgtgagccac 53220 cacaccegga gtgceggttg tttttageag tttgtettgt teetggagag actggeteet 53280 gcccaggagc tcggggagta gggccgcggg gtgctgcctc acacctcgag tttggccgta agcagagggg acattttgtg actgtccccc tcctgagctt cccagcagct tttctccaag 53340 ttacagccca aaagctcagg tggatttgca acccaacggt gtctgtgcac ctcccactga 53400 tgcccgaact gccctggcca agaaacgggg ccgtcagaac gctgcactaa ctgcagcctt 53460 gggcctccat gccagaggcc atgcccttcc atccaccacc ccctggcctg ggccctggcc 53520 ctcctggctc gggaactcca ggccccttcc tcacggatcg agagacgtgt atttaccgca 53580 caggtgcttg tcattctctt gtggcctctt ctccagggag atcacagaag gacagggcct 53640 cactgaggtc tcggacatgg accetttgat agtggcagga gccaggctgg gcaagaggcg 53700 gecacagtea ceteageagt gecateacea cegecattea gecetteeet gageegggeg 53760 cgcccctggc tctggcccca gtgtcccagt tacagctcac aggagcttgt ggtgcccagc 53820 ggctgcttct gattgagagt cgaggtcgga ggctttggga ggctgagagg ctgctcggtt 53880 tcacaactgc tgagggagac ttgggctcca tctcaggtct gccccatgtc gccctcaacc 53940 tecagecace ggteeteegt gteececatg gecaggeacg gettgeagae atetgtegtt 54000 ggctcctctc agccgtcgtg ggctgaccct ggcacgtcct cctgtggctg agcccagtgg 54060 ggacagetge tteettttat taccetagaa etetegtett tgateaggee eeeteeeeta 54120 tgccacacag tecetgteae tegggtgage ecagtagtea tggggaagge etgegggtte 54180 54240 caaacatcca aaggettgeg tgeageatga cagettgaaa eegatgtttt ttaeettgat cagatttcag cttggcgggg gctttgctca gctttcagtg aggcctgggc cgatttccca 54300 gcatcccctc ctgaggccag cctctgtttc ctgtgatttt ctgcacaaag tgggagggag 54360 gagtettagg aaatgggggg ccacctcgaa acctaggeet cetetggett etetgtgeca 54420 gtgcccccac gctttgtgtc tgtgtcccca gcccatggga ctgtgttatt ccctgagtgc 54480 54540 tgccgcatgc ccagcccgca ctgaggacgt ggagccccga ggggcaggat ggcctccatg gtcacacgta ggaagtggcc tccaccctcc gatgatcctc tcccccctc cctttcagcg 54600 cetteccegg gggtgteate agecetectg cetgtgettt gtecegtett etgeaggege 54660 54720 atgggacgtg ctgacaggtc ctctgccggg ttcctgcctt gctatgcgca cgctggtcac cacagaggee tggecettet tetgtageag teccacacee geaacaggtg tggetgetga 54780 54840 ccacctgett tetgeceete tggteetgag gagggegeag tgggeaetea ggegtggetg 54900 agcagatgtg tgttgccggg aggaggaagg actgctccag tcagggctga atttcccacc cggagcattt ctgctgtatt tggtgtagcg cctgctgctt aaagctctga ttcccagttg 54960 gcaccettte cettetgcat tgaaaaacat acggatgcat gtettettge agtgaatgtg 55020 55080 tattetecca geetetette tgggttgggg etggaggtgg ageggeacae aggageegea gcgatggagg atgtgcgggt gcagcacccc gtacagcagg gatgccaaac ccgcgctgag 55140 55200 tccctctcaa cttctgcttt gaagcccagt cacgccattg cctgggtttt gctgggcggg

gctgcatgtg atgttctcct ctgtccctcc cccagagccg cccacctgct ccccggacca 55260 gtttgcatgt gccacagggg agatcgactg tatccccggg gcctggcgct gtgacggctt 55320 tecegagtge gatgaccaga gegacgagga gggetgeece gtgtgeteeg eegeceagtt 55380 cccctgcgcg cggggtcagt gtgtggacct gcgcctgcgc tgcgacggcg aggcagactg 55440 tcaggaccgc tcagacgagg tggactgtga cggtgaggcc ctccccgtca aggctctgcc 55500 aagaccctgg ccctgccctc cgggatacga gcttggggct gcctccggcc tcacaggagt 55560 55620 aggggctctg aaaacctttg cttgcaggga gattgccaag tctgtctttt aggcccaaca aggaaaactc tgcagttcca cccatcctgt cccaccaggt agtgtggctt gaaggcagac 55680 tgtgagggtc tatctcacct tcctgcatta ggtcaggagt ttcacagaaa cctgaggcac 55740 attcaggggt gggctgcaga ggtccatggc tcacaccctg gaaaatccgc ccccaaaaga 55800 cagtgctgtc tccactgacc agtctgtggg atagtgctta agcctgagtg gtttctatca 55860 acatgtagaa tcaggaggta taaagagatt tgctcaggca tcctgggccc tctctgacca 55920 gcaggatett cetttagate ttgacagtga aacacatete ttetgtgeee eetgtgagtt 55980 ttettteatt catteattea tteatteatt catteattea ttegagaeag agtettgete 56040 tgtcacccag gctggagtgc cctggtgtaa tctcggctca ctgcaacctc tgcctccagg 56100 gttcaatcga ttctcctgcc tcagcctccc gagtagctgg gatgacaggt gcgcaccacc 56160 atgeetgget aattittgta titttagtag agacagggtt teaccatgit ggeeaggetg 56220 56280 gtctcgaact cctgacctca ggtgatccgc ccgcctcagc ctcccaaagt gctgggatta caggcatgag ccaccgcgcc cggcctgagt tttcctttta tgaaggacct gcttggttgg 56340 56400 ttgcctgcca catgttgtca gcaccatggg cccaggactg ctgaggagct gttgatgccc 56460 togototoco agagocacog gototgttag ataattoaca tgoagtotgg coactgtoot acgtcctcat tcacaaagag cagacatttc gtagaagatg agggcctggg agtaacctcc 56520 56580 ctgcatgttt ttctataaag gcatagtggt taagtccttc cagctcattg accattggag 56640 aattttatgg aggetgtaga etaggggetg gtaaaetaag ggeecagggg ecaaateeag cctgccacct acttttgtaa ataaagtttt cttggtgcac agccatgccc attcattcat 56700 56760 ttgcacaatg tctgtggctg ctttcatgcc aaaagcagga gaactgagtg gttatgctgg agacctacgg cetteaaage eccagacete aegtetggee ettgacagae agagetteee 56820 cagecetget gegeatectg geceageatg tgetgtgtgt gtgattteag ettgeaggag 56880 ccgtggttag gaattgtccc tgtgttggtc cattttgcat tgctatgaag gagcacctga 56940

ggccgggtag attatgaagg aaagaggtct gtctggctca tggttctgta ggcagcacca 57000 gtatggcacc egcatetget cagettetag tgaggtetea ggaagetttg acteatggtg 57060 gaagtcgaag cgggagcagg tgcatcacat ggtgagagag ggagcaacgg agagagagag 57120 agagagaga agagegeete tecetettge ceteacettg agaggagatg ecaggeteet 57180 ttaagtaacc agcteecatg tgaacteaca gtgagageec atttgetact geggagaggg 57240 caccaggeat etgeteceat gacccaaaca etgeceacea ggeeetacet ecaacettgg 57300 57360 tattcctatt ctattatttg agacagaatc tcgctctgtt gcccaggctg gagtgcagtg 57420 gcatgatctt ggctcactgc aacctccacc tcccaggttc aagcgattct cctgcctcag 57480 cctcccgagt agctgggatt acaggcacac accaccacac ccgggtaatt tttgtatttt 57540 caatagagat ggggtttcac catgttggcc aggctggtct caaactcctg gcctcaagtg 57600 atccacttac ctcggcctcc caaagtgcca tgattacaga tgtgagtcac tgcgcccagt 57660 gagggtcaca tttccgttga gatttggagg ggcagacgtt ggagccatct gagccccctc 57720 57780 gtecegetet agetteteet ecegtgtgee eegeggtget ggtggeagge eettaegeeg gttctggctg cacgctctgt tccagaagct ttcttccctg cttggttacc agaaaatcat 57840 cccatccatt acaaggacag ggtcccctta teteccatte ccagggcagg acaccggggg 57900 cagggcaggt ggggaactga gcaagttctc tgggggcagg cgtggctatg gctccctctg 57960 ggtgggcgtc tgggggggg tggaggcagc cgtcagcgcc ctggcttgct cttcctccct 58020 ggccagagac tgtggccttg tgctgctccc gtgtgggctg cctgcacctc cagtgggttg 58080 tgctccctcc cctcccctcc cctcaagctc tgctgagcac cactgccttc cacagccccc 58140 acteteggga ggegaggete etegtggeea tteetgteet tggeacceae ecceccacea 58200 acctggtaga gccttgggcg gggtctgtta ctccttgcat ggcgtagacc tccccacagt 58260 aggcacetga cacatacete etggggggca ggcaggaggt gegttgaggt etcagecetg 58320 gcagtccctc ccctgcgtgg cataggcctc gccacagggt catcgagggt gggtggagac 58380 tgtactagac cacteceege tggteetaga aagggteeea tetgtetget etetgtttgg 58440 agtccagace ttggttgctg tgccctgcat ggtgggctgg ggggcaccct ccagcctctc 58500 58560 tgagtgcatg gcctctcctt gcagccatct gcctgcccaa ccagttccgg tgtgcgagcg gccagtgtgt cctcatcaaa cagcagtgcg actccttccc cgactgtatc gacggctccg 58620 58680 acgageteat gtgtggtgag ecagettetg geacggggaa ggggegteeg ggetgggtte

ccccaggaac gtggagttta ggggaggaga cgtgcctttc cagcggggct gggggctgtg 58740 tgggagactc aggcggctgg gaggctcctt gcgggaggca gggaagcctt tcccagggca 58800 geggecagga ggacagactg tgagetgtgg geteggegge tacagagtet geeteagtgg 58860 geggggetga tggtgtecag gtgcctgcag cacgcaccca eccacgggac cttgctgagc 58920 agcgtctgtc aggcagcaag attacccgag ggctgcagtg gtcctgttcc ctggcagctt 58980 actgtctggc tgaggaggag tgatgttcac atatgcacac atgtcatgtg cacacacatg 59040 tacatgacaa catcccacat gctcctcaaa tagcatgacc tgtacagtca cggatatagg 59100 gcctagggga taggaggcca agacagtcag ggaagacttt ccagaggcag tggctcctga 59160 aaggetgtet gatteaggea ggaagggage tgagtteaga taggaagtag caatgagtea 59220 ttgtgtctgg ggacatggcc actccttcgc tgcagaggga cctgggctga gagctcctct 59280 59340 cttatggctg cagtcgggag agaagtctgt tggggggaga agggggcttc ctcaagggac tecetgtgee etttggeace ttegtgeeag gteaggettg aggeetgaag geagtggtgg 59400 59460 gggccaccaa gggtcgcctc ctctgctggg caagttccca gtctgacggg cctgtgccgt 59520 gggccccagc tgtgggggcg ctgttgatgc gcagccaggc ctcgccgcca gagcccgcac gettecatte egetgaette ategaegeee teaggatege tgggeeggee etgtgggaga 59580 gtgaatgtgg cttttgccaa agttgagtct ggagcctgga aacttcccta tgggcagcct 59640 tgatagtgga gtggcccaag gagcccaccc agccgaccct gcccctcccg tggctggtgg 59700 geggeaceag gggetgeetg getttgeteg tteaceaaca teaceeggge tggeeaggge 59760 gegeteactt etgecaceae egagggeeet gggegaagga gtgaatacea ggetgeettg 59820 59880 gcagggatgt gttgagggct gtggggagtc ggacagcggc gggggtcaga ggaggaggag ggtgcaccgt gcaggctgaa gggccacgtt accctgaggt tggccaggct ccccaggcct 59940 60000 agecteccag eteccecact ttetecceae cetecaceag tggcaaagee ageceettea gggcgcacgg tgtctgcccc caaggagggc ccattccgtt ggggttaatg ttggccacct 60060 ctttctgttt gtctctggca gaaatcacca agccgccctc agacgacagc ccggcccaca 60120 gcagtgccat cgggcccgtc attggcatca tcctctctct cttcgtcatg ggtggtgtct 60180 attttgtgtg ccagcgcgtg gtgtgccagc gctatgcggg ggccaacggg cccttcccgc 60240 60300 acgagtatgt cagcgggacc ccgcacgtgc ccctcaattt catagccccg ggcggttccc agcatggccc cttcacaggt aaggagcctg agatatggaa tgatctggag gaggcaggag 60360 agtagtetgg geagetttgg ggagtggage agggatgtge taccccagge cetettgcae 60420

atgtggcaga cattgctaat cgatcacagc attcagcctt tcccactgag cctgtgcttg 60480 gcatcagaat cetteaacae agaggeetge atggetgtag caacceacce tttggcactg 60540 taggtgtgga gaaagctcct tggacttgac cttcatattc tagtaggaca tgtgctgtgt 60600 60660 tgtccacaaa tcctcatgta ccctagaaat gaatgtgggg gcggctgggc tctctccaga gctgaaggaa tcactctgta ccatacagca gctttgtctt gagtgcagct gggatttgtg 60720 60780 gctgagcagt tacaattcct acgtggccca ggcaccagga acgcaggctg tgtttgtaga tggctgggca gccgcaccgc agagctgcac catgctggtt tgtatcacat gggtgaccat 60840 60900 ggtatgtcta agaaggtgga gtccctgtga ggtctgcagg tgcccccaca gctccaggcc 60960 acettgagga ttgcctctgc ctgcccagcc ctgagttccc tctcccctgt cctgtcccac tgtcacccca agccggcctc attgggagcc tgttggatgg cagggtatag atgtaacctg 61020 61080 attetetetg gggagegggg ttatetgget teteaagage teetaggage ceacagtggt ggcaccatca cagtegeage ageceecaga gaaegeggee etgtetgtte etggegtget 61140 etgtgetgee eegeetgggt teeetgeeee agtegeagge eeettggagg aggtaceatg 61200 61260 tgtctcccgt ttcacagatg agccccgggg agctcactct agtagtggcc agagaggcct geggeteagg gageggggea cattteeaac aggacacace geeetggtet gagtetegtg 61320 ggtagtggga gcagaggaga gcgccctatg tctgtggggc ggcttggctg agcctggaag 61380 61440 ccacctgacc tecceegtee ettecetgee aggeategea tgeggaaagt ccatgatgag ctccgtgagc ctgatggggg gccggggcgg ggtgcccctc tacgaccgga accacgtcac 61500 61560 aggggcctcg tccagcagct cgtccagcac gaaggccacg ctgtacccgc cggtgagggg cggggccggg gagggcggg gcgggatggg gctgtgggcc cctcccaccg tcagtgctgg 61620 ccaccggagg cttcccgggt tcctgggggc tgtgccaccg cctctgaggc atgcttgctt 61680 tetteeettt teaaaceett etgetteett etttaatgae attgttgatt gtggataate 61740 tgaaaactac acaaaaatat aaagagccaa aatctcaccc aaatccacct cctagagtgg 61800 ctgttgggct ccqtcagcat ccaggcggcc gtctgtgttc cgcacggccc agcccatcga 61860 tageogeetg caccaggeet gtetgeeete tgtgageete cecacagggt teeeteeaca 61920 61980 aacaccctgt tctcccaccc agggctggct gcttcctgga aaacagctgg atggttttgt gcatgacaga caaacacagg gtgattttcg tggctaaaat actccctgga gcttttggca 62040 62100 gggtgagggg ctggctccag ctgagccacg ccttgagtga aatgactgtg aggagaataa actgoogotg cootcoagga toactggggc tggctgggga gaacccccgt ttctgggagc 62160

acagteceag gatgecaagg egagettggt geegagatgt gaacteetga gtgtaaacag 62220 cgggggctga cttgacatgc tttgtatgct tttcatttgt tcctgcagct gtatgcccct 62280 62340 aaggtgagtc cagcccctt ctgcttcctc tggggcctcg ccagtgagcc ccaccttgct ggggctggtt cctcctgccc ttctgggtat ccctcacatc tggggtcttg tcttcttgtt 62400 62460 ttatttttct tttttttttg agacggagtt tcacttttgt tgcccaggct tcagtgcaat ggtgtgatet ctaggeteae egeaacetet geeteeeagg tteaageagt teteetgeet 62520 cagcctccct agtagctggg attacaggca tgtgccacca cgcccagcta attttgtatt 62580 62640 tttagtagag atggggtttc tccatgttgg tcaggctgat cttgaactcc ctacctcagg tgatccgccc accttggcct cccaaagtgc tgggattaca ggcgtgagcc accgcacctg 62700 geetttttet tttetttet tttettttt etgagacagg gtetegetet gteacceagg 62760 62820 ctggagtgca atggtgtcat catggctaac tgcagcetet acettetagg etcaagcaat cctcccatct cagcccctaa gtagctagga ctgcacgcat gcatccccat gcccagctaa 62880 62940 tatttacatt ttttgtagag atgaagtttc actatattgc ccaggctggt ctccaactcc 63000 tggactcgag cgatcctcct gcctcggcct ccccaggtgc tgggattaca ggcgtgagcc acceptgcctg gcctggggta ttgtcttctt atggcacctg actgtggtgg gccctgggaa 63060 ggaagtagca gaagagggtt cttcttggtt tcctggacag taactgagtg ttctggaggc 63120 63180 cccagggcct ggctttgttt agggacaaag ggaactggta accagaagcc gagagtttaa 63240 acacccactg cccttcttcc ctgctcctgc tgctgcaacc cagcttaacc agccaggagt gctaggaacc caagcagggc ccccgagcac acagcaggca gctcacgaat tctcttttcc 63300 tgttctccct tgggagctgg gaggatctta atcaggcaat aagagatggc actgagcagc 63360 63,420 cagctaattt tttaaatcac tttattgttt aaccatatga ctcacccact taaaaaaggg 63480 tacagttcag tgggttttag tgtattcaca gatgtgtgca accetcacca cagttaattt tagaacattt teetgeeest aaaagaaact etgeatgaag eeagetgttt ttaaattage 63540 63600 aaagttattt tgcatccttt aaatatatgt tcatggtaca aaattcaaaa gatacagaag 63660 agtetgeagt ccaaagagae teegeeecea tgaegeeaag caggaeteee tgggaggeat 63720 ggcctcctgc agtgtgtttc ttctatgtcc ccccaggggt catctgtaca tatgcaagca 63780 tacaagagcg tggactttgt tttccaagcc agaagataat tgtagattta tgtgcagttg tgagaaagag cacagaccca tttatcctct gcctggtttc ccccagtgct gcctgccatc 63840 ttgcatgact tccattccta tcataagcaa gacactgata acgattcttt caccttattc 63900

63960 agattgacat aagtgttttt tgtttgttct tgagacaaac ttcctctgtc acccagtggg 64020 agtgcagtgg cacaatcaca gctcactgca gcctcaaact cctgggctca agcgattctc 64080 ctgcctcagt cccctcaagt agctcagatg gcaggtgtgc accatcatgc caggctaatt tttaaatttt ttgtggaggt gaggcctcac taaatttcct gggctagtct tgaactcctg 64140 64200 agctaaagtg atcctcctgc ctcagcctcc caaagtggta ggattacagg catgagccac 64260 tgcgcctggg ctgacatatg tgttttcgta agcccgaaag atagcatctg aagagtcaac 64320 attgagcett geettttget getaatgatg tataaaaget getgttetga geatttegga ggctcccagc tgccgtgtgc accctgccta gagctctacc gtaacccatc tccgggagga 64380 ggtgctattg ttttcctcat tttgcaacaa ggaggctgaa gaactgagca tgaaccactg 64440 gcctgggtcg ttcggttggt aggcagtggg gccaggccat ccaactcaca accaccttct 64500 64560 actetgette eccegeacce tgaagtttgt tetgttttga ggacacagee gteacattet 64620 tggtggctga acagcactcc ttgtcaggtg tggctgggcc cccactggag ggcatcatgg 64680 tectetetee tgetgeggtt gaacettgge tgttteaace acteetgeea agtggeeete 64740 tgaaagggac agtccatctt ttctcagcag agggccacac tggcaaaacg gtccctggca ccctttctct ccacctgtct aatatagagt aaaaatggta tcatgttaag atcttcattt 64800 64860 atatttattt tatcatgaat gatgtaagca tcattttgtg tgtttaagaa cctttgggcc cagcgtgatg gcttgcagct gtaatctcag cactttagga ggctgagatg agcggatcac 64920 ttgaggccgg gagtttgaga ccagcctggc caacatggag aaaccccgtc tctagtaaaa 64980 65040 atttaaaaat tagccgggta tggtgatccc agctacttgg gagtctgaag catgagaatt 65100 gcttgaacat gggaggcgga ggttgcagtg agccgagatc gcgccattgc actccagcct 65160 tcaatctcct cttttatggc atatatatat atatatata atatatatat ttatttccct 65220 ttottggtta tgttoataaa ggootoooot gototgatoa taaaaaacaa ottattttoa 65280 65340 cactetetet etttttttt tgagacagag ttttgeteet gttgeecagg etggagtgea gtggcgcaat ctcagctcac tgtaacctcc gcctcccggg ttggagtgat tctcctgcct 65400 taccttcccg agtagctggg attataggca tgcaccacca tgcctggcta attttgtact 65460 tttagtagag acgggggttt ctccatgttg gtcaggctgg tctcgaactc gcgacctcag 65520 65580 gtgatccacc cacctcggcc tcccaaagtg ctgggattac agacgtgagc caccatgccc 65640 ageceacact etetteetta aegteeteet eetttegttt taegtteaca tetttaatte

ttctgggatg taattagatt tgatgagcaa ggtgggcatc cagcttgttt cttggctgat 65700 65760 ggcttatggg tggcgtgaat tagtcggggt ctatcaggag gcagaaactc tatgagaatt 65820 tgaacagaga aagttccgtc tacaggctta ttaccaggga ctggaatagc agaaattgaa cagtgagatg tacagagaac totaagaatg caggaatagg ccaggcatgg tggctcacac 65880 65940 ctgtcatccc agcactttgg gagaccaagg cgggtggatc acctgaggtc aggagttcga 66000 gaccageetg gecaacatag tgaaaceeca tetetaetaa aaatacaaaa aaattagetg 66060 ggtgtggtgg cgcatgcctg taatcccagc ttctcgggag tctgaggctg gagaatcact tgaacctggq aggcagaggt tgtagtgagc cgagatcatg ccattgtact ccagcctggg 66120 66180 caacaaqagc qaqactcaqt caaaacaaca acaacqcagg aataqcagat gagccgaggt 66240 ggggcetece cagececeae ceceeaeeee geaeeetggg eegagateea gteetetttg 66300 aatagggcet gggcgtggtt cacgggacat ctgagacatt gccgaggcgc tgcactggtg 66360 gatettgeca gaagtetgee cagtgeagat ttgggeagaa teteaaaetg cettgggatg 66420 taggagagaa accaggcctg gtcaagttca tgggaagagg tggaaacaga ccccataggc 66480 tggggettgg geagetgtag gaageeetet etgetgeete eetgeetget etetgetttg aagcatette eecagtgeee eeagteteat geeeteteaa egttggggte aaateetgag 66540 gaatacccag actggctctc tgggccaaag aggaccctct ccagaaagag cagggcccag 66600 66660 tgcggcttcc taaagggcag gggaagggcc tggccactcc ccagaggcta ctcaccagcc atcaggatag ccccaggaag caggccttct cgagcccatt ttattacttt attttattat 66720 tttatttaat tttaaattta ttttttgaga cagagtctca ctctgttgcc caggctggag 66780 tgcagtggtg cgatctcaac ccactgcage ctctgcctcc agggttcaag ggattctccc 66840 acctcagcct cccaagtagc tgggattaca ggtgcccgcc accacacccg gctaattttc 66900 atatttttag tagagacgag gtttcaccat gttggccagg ctggtctcga actcctgacc 66960 tcaagtgatc cgcccgcctc ggcctcccaa agtgctaggt caagcccatt ttaaagttga 67020 agaaactgag gotgaggtaa attocotooo cagggatoot gotgoagooa gaaggtggta 67080 aaacaggact tcaccogggt ctgtctggcg tgaaaggcag tgttcttgta ccaccctagg 67140 67200 gggcctgaga gaactgagtc cctcgggcat aactgacagt tctgttccca ttattccgca ggggctcgga tctggctgta tgctttccag gatggccttg gagacccaca taagccctac 67260 accetttggg aagetgeatg ttgggttggg gtgeegteag tggeaettgt ggaaggtgea 67320 gacctgtgtg ggtgtgtggg cccagggccc ctggtccctt cctccctttg tagggctggt 67380

67440 tgtgtgctgc ctggacctgg ggggcacgtt cacgtggtga atttgtctat ttactatccc cgctttgggg ctggtgccag cacaggccct tgtgaagggg gtgcctttgt ctggagtggg 67500 actgtggccc ctccctcagc gtggtgactt ctgtgtcagg gcttcagcag ggacgcagag 67560 cccctgagtg ttcggaacaa gggcgtcatt gcaggagtta gactgtgtgt gatggaggga 67620 ggaggggcag gaggaaaggt cagaaggaga gttcctggga aggtccctga ggagcctggt 67680 67740 gaggtgctaa ctggtgtgga ggacactcag ggcctgtggg gacatctcct actgctgggg 67800 gccagccaca aagggaactg gccgaagtcc tgtccccgcc ttcacagccc agcatctggt cacaaggcag gtacttggaa gggcgcgggc acctgggcca aaagtgcctg ggttcccttt 67860 67920 geettteact gagatgacet teggggeagg tggetgetge etcecetect gteeceaggt 67980 tttgccaact ggccagagga aggggtcctg ggaagcaggg gggccagaag ccctctctgc aaggaaagcc cgaggggtgt gggaggaagg aaggaatgcc caggctggcg aggctctaag 68040 tcaccctggc ttggctctcc tcagatcctg aacccgccgc cctccccggc cacggacccc 68100 tecetgtaca acatggacat gttetactet teaaacatte eggeeactge gagacegtac 68160 aggtaggaca teceetgeag ceeteeatgg ceattgggtt ceegeeagee egtggtggag 68220 gggcctaatc cccatgccac tgatgagggg aggtattctg ggtgctagtg ggcaggtgcc 68280 gggcccagec ctgeeteect etgetetgee aaccaeacta ggetgeetee ecagaeaage 68340 teagegggea etgeatgttg ggtteagaaa teageagaae teeaegttet gagetgetet 68400 tcaagttgct cctatggggg ttacttttaa gctgggaaat ggctgtggcg tcgaggggcc 68460 gggggettgg getecaaact etgaetgtgt gtttgagtee ggetgtggaa acetageeat 68520 tgagatgccc cctcttggtg gctctgtcct cttaggatgg gacaagtctg tgaaggctgc 68580 tgcagcaccc accgtagacc cctaatcgtg tgacgtcacc aggatggtcc gggctgctca 68640 cttgccacag tggcctgttt gagcccggga agccaacggg gctgctcagc tggacaccag 68700 cccccgage tgcccatgtt ggggtcacag gccccacctc cctggttggg gaggggcaac 68760 tgagagtgtg gagaggtggg acccaggtgt gctggtctcc gcaggggctg gatcagagcc 68820 tgggatgggc agggtgagcc tcctgacctt taacccagtg gtgtcaggca acgtggccca 68880 68940 cccgccagcc gcaccaggcc ccacccccgc aggtgaaggg gtgggatagg ctgggcctgg gccaggacac ctctggacca cgcattcctc attgcttggg tccctggagc agcagggcct 69000 eccgagtgtg gtgccgcctg ccacctagtg gccatttcca cgaactccca ggcctggctg 69060 gggageegga actgeageet ceattteeae eceaeteegg gtegggeeae etecetgatg 69120

cetcagtatt atatcaaact gtcacagtet gtcccacage ettacagace actgteteca 69180 gaatggtcac atccacactg ggcagcccag tctcgctagt tcctcgtccc acctcctgcc 69240 tttgctcatg cccgtcctgc tctgggccca ccgcggacac atcttccccc cgcccgccgt 69300 ctgacctcac agcagctggg ccccaagagg agtatcctgt cctgctgcac ttttctcaac 69360 69420 acceggtgtt ggctgcacct teccacceat tgcaggeeee tetgtgacag gaeggggget 69480 cetaaacaca ccacagttcc gagtetgaac tcacacagtg ggatgeggeg tttctgggcc acagttgggt gcaggtagcc tctgggagga tgggaggtca ggagccatct tgcgagtcag 69540 gttgcttgaa ctcaggatgg aagtgttccg ggcccattgg ttgctgtatt agcctgttct 69600 cacgctgcta ataaagacat acccaagact gggtaattgt aaaggaaaga ggtttaacgg 69660 actcacagtt ccacctgcct ggggtggcct cacaatcatg gtagaagaca aggaggagca 69720 69780 agtcacatct tacatggctt cagggaacag acagcatgag aaccaagcga aaggggtttc cccttgtaaa accatcaagt ctagtgagat ttattcacta ccacgagaac agtatggggg 69840 gaaccacccc catgattcaa tcatctccca ctgggtccct cccacagcac gtgggaatta 69900 tgggagtaca attcaagatg agatttgggt ggggacacag ccaaacccta tcggttgcca 69960 acatttacag taacagtgtt aggtgaacag ttgtccagtc tcctgttttg tcggacactg 70020 tttctagcac cttccaggca gaatctcatg tatccttcac tttcgaaatg ggtactattt 70080 70140 catececact tttateaatg agaaactaaa getegaagag gteaagtaag tteetggeea 70200 aggtcagcta gcaggctcta gaggcctcgt tctccttaga ggcagccttg ccagggccca ggcttggcag gctgcagggc aggtgcgggc atgcccatgg tagaggtggg accattgagg 70260 ctcagagagg gtaagtgatg agccctggcg acacagcggg gtgggtccag agtccggcct 70320 gcatcttctg gagctggcca gtggacaggc ctttcccgtt cacagccccg gggctgctgt 70380 geccaecagg geggatgtge etacegaate ceaeteetet gtgtgtgtee ettteaggee 70440 70500 ctacatcatt cgaggaatgg cgcccccgac gacgccctgc agcaccgacg tgtgtgacag cgactacagc gccagccgct ggaaggccag caagtactac ctggatttga actcggactc 70560 agacccctat ccaccccac ccacgcccca cagccagtac ctgtcggcgg aggacagctg 70620 ecegeceteg ecegecaceg agaggageta ettecatete ttecegecee etcegtecee 70680 ctgcacggac tcatcctgac ctcggccggg ccactctggc ttctctgtgc ccctgtaaat 70740 agttttaaat atgaacaaag aaaaaaatat attttatgat ttaaaaaata aatataattg 70800 70860 ggattttaaa aacatgagaa atgtgaactg tgatggggtg ggcagggctg ggagaacttt

gtacagtgga gaaatattta taaacttaat tttgtaaaac agaactgcca ttcttttgtg 70920 ccctgtgtgc atttgagttg tgtgtccccg tggagggaat gccgaccccc ggaccaccat 70980 gagagteete etgeaceegg gegteeetet gteeggetee tgeagggaag ggetggggee 71040 ttgggcagag gtggatatct cccctgggat gcatccctga gctgcaggcc gggccggctt 71100 tatgtgcgtg tggcctgtgc cgtcagaaag ggccctgggc ttcatcacgc tgttgctgtt 71160 cgtcttcctc agattcttag tcttttttt ttttttttt tttttgagacg gagtctttct 71220 ctgtcatcca ggctggagtg cagtggtaca atctcagctc actgcaagct ccgactccca 71280 ggttcaagtg agtctcctgc ctcagcctcc cgagtagctg ggactacagg tgcgccac 71340 cacaccegee cagetaattt ttgtattttt agtagagatg gggttteace atgttggeea 71400 ggatgatete gatetettga eetegtgate egeceacete ggeeteecaa agtgetggga 71460 71520 ttataggcat gagccactgt acccagctga ctcttagtca cttttaagaa ggggactgtg cetteatttt teactgggee etgeagaata tatgeetggg etetgggete ttetgaacet 71580 gtgttggett ccatctgacc tetetgtgec ageccaagge tgetgetett eetgagggea 71640 71700 aggagececa tgaetgegtg ttgaeteget ggatgggget getgagecea etetgeeaca ccacgtgccc ctggcaggga gggaatccct gggtcctcac aggaacagtc agcaagccac 71760 acctgacgcc tgctgtgggc ccatccctgc ggtgctggag aagacagaca aggcctggtc 71820 actgcctctg cagggtcccc agtccgtgga aggagacagt aatctaggca ttttcggtgg 71880 71940 ggaagetgag etgttetegt gteetgaagg eeaggeggga acageegtet teagagggaa gggagaaaat gcacatcgca tcagtggaga agggcctgac ttccctcagc atggtggagg 72000 gaggtcagaa aacagtcaag cttgagtatt ctatagtgtc acctaaata 72049

<210> 10

<211> 8705

<212> DNA

<213> Homo sapiens

<400> 10

ggactcaggg gcagcaggga ggtacaccca tggttagtgg gcggaccata gggggtaatg 60 agagggtgaa tcgatggaac ctgggggaca caatcgaagt ggttccagag tcgggctgta 120

ctaattaaag agacgggca gtggacaggc attttcagtt gactgcccag ggagtgttct 180 geccaacagg gaggatatge gtacagaate atactegate ageatgagte caatteagae 240 cgtacatcag tggagatatg ggtcccccga tgactccgtg gaacactgat gtttgtgaca 300 ggggagtaca gcaccagcca tcagcaggcc agtaaatcat accggcctgc gaaattggac 360 tragarrogg attracted arrangement caagreere recectare recarrates 420 geogagatee agteetettt gaatagggee tggeegtggt teaegggaea tetgagaeat 480 tgccgaggcg ctgcattggt ggatcttgcc agaagtttgc ccagtgcaga tttgggcaga 540 atctcaaact gccttgggat gtaggagaga aaccaggcct ggtcaagttc atgggaagag 600 gtggaaacag accccatagg ctggggcttg ggcagctgta ggaagccctc tctgctgcct 660 ccctgcctgc tctctgcttt gaagcatctt ccccagtgcc cccagtctca tgccctctca 720 acgttggggt caaatcctga ggaataccca gactggctct ctgggccaaa gaggaccctc 780 tccagaaaga gcagggccca gtgcggcttc ctaaagggca ggggaagggc ctggccactc 840 900 cccagagget actcaccage catcaggata gccccaggaa gcaggcette tegageccat 960 actetgttge ccaggetgga gtgeagtggt gegateteaa cecaetgeag eetetgeete 1020 cagggttcaa gggattctcc cacctcagcc tcccaagtag ctgggattac aggtgcccgc 1080 caccacaccc ggctaatttt catattttta gtagagatga ggtttcacca tgttggccag 1140 gctggtctcg aactcctgac ctcaagtgat ccgcccgcct cggcctccca aagtgctagg 1200 tcaagcccat tttaaagttg aagaaactga ggctgaggta aattccctcc ccagggatcc 1260 tgctgcagcc agaaggtggt aaaacaggac ttcacccggg tctgtctggc gtgaaaggca 1320 gtgttcttgt accaccctag ggggcctgag agaactgagt ccctcgggca taactgacag 1380 ttctgttccc attattccgc aggggctcgg atctggctgt atgctttcca ggatggcctt 1440 1500 gtggcacttg tggaaggtgc agacctgtgt gggtgtgtgg gcccagggcc cctggtccct 1560 1620 tectecettt gtagggetgg ttgtgtgetg cetggaeetg gggggeaegt teaegtggtg 1680 aatttgtcta tttactatcc ccgctttggg gctggtgcca gcacaggccc ttgtgaaggg ggtgcctttg tctggagtgg gactgtggcc cctccctcag cgtggtgact tctgtgtcag 1740 1800 ggcttcagca gggacgcaga gcccctgagt gttcggaaca agggcgtcat tgcaggagtt agactgtgtg tgatggaggg aggaggggca ggaggaaagg tcagaaggag agttcctggg 1860

aaggtccctg aggagcctgg tgaggtgcta actggtgtgg aggacactca gggcctgtgg 1920 ggacatetee tactgetggg ggecageeac aaagggaaet ggeegaagte etgteeeege 1980 cttcacagcc cagcatctgg tcacaaggca ggtacttgga agggcgcggg cacctgggcc 2040 aaaagtgcct gggttccctt tgcctttcac tgagatgacc ttcggggcag gtggctgctg 2100 cctcccctcc tgtccccagg ttttgccaac tggccagagg aaggggtcct gggaagcagg 2160 ggggccagaa gccctctctg caaggaaagc ccgaggggtg tgggaggaag gaaggaatgc 2220 ccaggctggc gaggctctaa gtcaccctgg cttggctctc ctcagatcct gaacccgccg 2280 ccctccccgg ccacggaccc ctccctgtac aacatggaca tgttctactc ttcaaacatt 2340 ceggecactg egagacegta caggtaggac ateceetgca gecetecatg gecattgggt 2400 tecegecage eegtggtgga ggggeetaat eeccatgeea etgatgaggg gaggtattet 2460 2520 2580 aggetgeete eecagacaag etcageggge actgeatgtt gggtteagaa atcageagaa ctccacgttc tgagctgctc ttcaagttgc tcctatgggg gttactttta agctgggaaa 2640 tggctgtggc gtcgaggggc cgggggcttg ggctccagag tctgactgtg tgtttgagtc 2700 cggctgtgga aacctagcca ttgagatgcc ccctcttggt ggctctgtcc tcttaggatg 2760 ggacaagtet gtgaaggetg etgeageace cacegtagae ceetaategt gtgaegteae 2820 caggatggtc cgggctgctc acttgccaca gtggcctgtt tgagcccggg aagccaacgg 2880 ggctgctcag ctggacacca gcccccgag ctgcccatgt tggggtcaca ggccccacct 2940 3000 ccctggttgg ggaggggcaa ctgagagtgt ggagaggtgg gacccaggtg tgctggtctc 3060 cgcaggggct ggatcagagc ctgggatggg cagggtgagc ctcctgacct ttaacccagt 3120 ggtgtcaggc aacgtggccc acccgccagc cgcaccaggc cccacccccg caggtgaagg ggtgggatag gctgggcctg ggccaggaca cctctggacc acgcattcct cattgcttgg 3180 gtccctggag cagcagggcc tcccgagtgt ggtgccgcct gccacctagt ggccatttcc 3240 acgaactece aggeetgget ggggageegg aactgeagee tecattteca eeccaeteeg 3300 ggtcgggcca cctccctgat gcctcagtat tatatcaaac tgtcacagtc tgtcccacag 3360 3420 ccttacagac cactgtctcc agaatggtca catccacact gggcagccca gtctcgctag ttcctcgtcc cacctcctgc ctttgctcat gcccgtcctg ctctgggccc accgcggaca 3480 3540 catcttcccc ccgcccgccg tctgacctca cagcagctgg gccccaagag gagtatcctg tectgetgea etttteteaa eacceggtgt tggetgeace tteccaceca ttgcaggeee 3600 ctctgtgaca ggacggggc tcctaaacac accacagttc cgagtctgaa ctcacacagt 3660 gggatgcggc gtttctgggc cacagttggg tgcaggtagc ctctgggagg atgggaggtc 3720 aggagccatc ttgcgagtca ggttgcttga actcaggatg gaagtgttcc gggcccattg 3780 gttgctgtat tagcctgttc tcacgctgct aataaagaca tacccaagac tgggtaattg 3840 taaaggaaag aggtttaacg gactcacagt tccacctgcc tggggtggcc tcacaatcat 3900 ggtagaagac aaggaggagc aagtcacatc ttacatggct tcagggaaca gacagcatga 3960 gaaccaagcg aaaggggttt ccccttgtaa aaccatcaag tctagtgaga tttattcact 4020 accacgagaa cagtatgggg ggaaccaccc ccatgattca atcatctccc actgggtccc 4080 tcccacagca cgtgggaatt atgggagtac aattcaagat gagatttggg tggggacaca 4140 gccaaaccct atcggttgcc aacatttaca gtaacagtgt taggtgaaca gttgtccagt 4200 4260 ctcctgtttt gtcggacact gtttctagca ccttccaggc agaatctcat gtatccttca ctttcgaaat gggtactatt tcatccccac ttttatcaat gagaaactaa agctcgaaga 4320 4380 ggtcaagtaa gttcctggcc aaggtcagct agcaggctct agaggcctcg ttctccttag 4440 aggcagcett gccagggccc aggettggca ggctgcaggg caggtgcggg catgcccatg gtagaggtgg gaccattgag gctcagagag ggtaagtgat gagccctggc gacacagcgg 4500 ggtgggtcca gagtccggcc tgcatcttct ggagctggcc agtggacagg cctttcccgt 4560 tcacagcccc ggggctgctg tgcccaccag ggcggatgtg cctaccgaat cccactcctc 4620 4680 tgtgtgtgtc cctttcaggc cctacatcat tcgaggaatg gcgccccga cgacgccctg 4740 cagcaccgac gtgtgtgaca gcgactacag cgccagccgc tggaaggcca gcaagtacta 4800 cetggatttg aacteggact cagaccecta tecaccecca cecacgecce acagecagta cctgtcggcg gaggacagct gcccgccctc gcccgccacc gagaggagct acttccatct 4860 cttcccgccc cctccgtccc cctgcacgga ctcatcctga cctcggccgg gccactctgg 4920 cttctctgtg cccctgtaaa tagttttaaa tatgaacaaa gaaaaaaata tattttatga 4980 tttaaaaaat aaatataatt gggattttaa aaacatgaga aatgtgaact gtgatggggt 5040 5100 gggcagggct gggagaactt tgtacagtgg agaaatattt ataaacttaa ttttgtaaaa cagaactgcc attetttegt geeetgtgtg catttgagtt gtgtgteece gtggagggaa 5160 tgccgacccc cggaccacca tgagagtcct cctgcacccg ggcgtccctc tgtccggctc 5220 ctgcagggaa gggctggggc cttgggcaga ggtggatatc tcccctggga tgcatccctg 5280 agctgcaggc cgggccggct ttatgtgcgt gtggcctgtg ccgtcagaaa gggccctggg 5340 cttcatcacg ctgttgctgt tcgtcttcct cagattctta gtcttttttt tttttttt 5400 ttttttgaga cggagtcttt ctctgtcatc caggctggag tgcagtggta caatctcagc 5460 tcactgcaag ctccgactcc caggttcaag tgagtctcct gcctcagcct cccgagtagc 5520 tgggactaca ggtgcgcgcc accacacccg cccagctaat ttttgtattt ttagtagaga 5580 tggggtttca ccatgttggc caggatgatc tcgatctctt gacctcgtga tccgcccacc 5640 teggeeteee aaagtgetgg gattatagge atgageeaet gtacecaget gactettagt 5700 cacttttaag aaggggactg tgccttcatt tttcactggg ccctgcagaa tatatgcctg 5760 ggctctgggc tcttctgaac ctgtgttggc ttccatctga cctctctgtg ccagcccaag 5820 gctgctgctc ttcctgaggg caaggagccc catgactgcg tgttgactcg ctggatgggg 5880 ctgctgagcc cactctgcca caccacgtgc ccctggcagg gagggaatcc ctgggtcctc 5940 6000 acaggaacag tcagcaagcc acacctgacg cctgctgtgg gcccatccct gcggtgctgg 6060 agaagacaga caaggcctgg tcactgcctc tgcagggtcc ccagtccgtg gaaggagaca 6120 gtaatctagg cattttcggt ggggaagctg agctgttctc gtgtcctgaa ggccaggcgg 6180 gaacagccgt cttcagaggg aagggagaaa atgcacatcg catcagtgga gaagggcctg acttccctca gcatggtgga gggaggtcag aaaacagtca agcttgttgc tgggtgacag 6240 tgcatttaat aatcaaaata taggctgggt acggtggctc atgcctgtaa tcccagcact 6300 ttgggaggct gaggcaggtg gatcacttga ggccaggagt ttgagaccgg cctggccaac 6360 6420 atggcaaaac ctcaactact aaaatacaaa aactagccgg gcgtggtggt gcacgcctgt 6480 aatcccagct acttgggagg ctgaggcagg agaattgctt gaacctggga ggcggaggct 6540 gcagtgagcc gagattgtgc cactgcactc cagcctgggc aacagagcaa gactctgtct 6600 caaaaaaaaa aaaaaaaaaa gcaatacaaa atacaaatat cactttcact aaaagaaggg atggaagacc caaaacaaac agaaaacaac aaaatggcag gagtaagtcc ccacttatca 6660 ataataacat tgactgtaaa taggctaagc tetgcaatca aaagagtggg ccaggagcgg 6720 tggctcacgc ctgtaattcc aacgctttgg gaggctgagg cggatggatc atttgatgtc 6780 6840 acgagtttta agaccagcct ggccaacaag gtgaaacccc atctgtacta aaaatacaaa 6900 aattagccag gcggtagtgg cacgcacctg taatcccagc tacttgtgag gctgaggcag gagaatcact ggaggctggg aagcggaggt tgctgtgagc caagatggag ccactgcact 6960 cccacctggg cgacagagtg agatcctgtc ttaagaaaaa aaagagtgga tgaatggatc 7020 aaaaaacaag acccaaccat ctcttgcata caagaaacac actttaccta taaaaacaca 7080 ctaggccagg tgtggtggct cacacctgta atcccagccc tttgggaggc ctgactggca 7140 gatcacctga ggccaggagt ttcagaccag cttgaccgac atggcaaaac cccatctctc 7200 ctaaaaatac aaaaaaacaa aaaaaagaaa aaggctggaa gtagtgatgt gtgcctgtag 7260 ccccagctac ttgggaggct gaggcaggag aattgcttga atccgggaag tggaggttgc 7320 agtgagccag gatggtgcca ctgcactcca gcctgggtga cagagcgaga ccctgtcata 7380 7440 gaaataataa agatcagaac aggccaggct catgggcaca gtggctcaac tcctacctgc 7500 tcaggagttt gagaccagtc tggccaacat ggcaaaaccc catctctcct aaaaatatga 7560 aaaaaaaaa ataggctgga tgtggtgatg tgtgtgtgcc tgtagcccca gctacttggg 7620 aggctgaggt gggagaatca cttgagccca ggaagtggag gctgcagcga gtcatgaatg 7680 caccetgeae tetagetggg taactggagt gagattetgt etcaaaaaag caaagaceag 7740 agcagaaata aatgaaatgg aaatgaagga aacaatgcaa aatgatacaa aaagtttttt 7800 cgaaaagata aacaaaatca acaaaccttt agccagatta agaaaaaaag agagaagacc 7860 7920 caaataaata aaatccgaga ttaaaaagga gacattacca ctgataccac agaaattcaa aggatcatta gaggcaacta tgtgcaacta tatgctaatg aactggaaaa cctagaagaa 7980 ctgggtaaat ttctagacac atacaaccta tcaagattga accatgaaga aatccaaaac 8040 ctgaacaggc cgggcacggt ggcttacgcc tgtaatccca gcactttgga aggcctgaga 8100. tcaggagttc gagaccagcc tggccaacat ggtgaaaccc catctctact gaaaaaatat 8160 aaaaattagc cgggcgtggt ggcgggtgcc tctaatgtca gccactcggg aggctgaggc 8220 8280 aggaaaatca cttgaacctg ggaggcatag gttgcagcga gccgaggttg caccactgca ctccagcctt ggcgacagag ccagactcca tctcaaaaaa attaaaataa caaaaacctg 8340 8400 aacagaccaa taacaagtaa tgcgatgaaa actgtaataa aatgtttccc aacaaagaaa geccaggaac aaatggette actgetgaat titaccaaac attititit tititgagaeg 8460 8520 gagteteget etgtegecca ggetggagtg cagtggtgta accteggtte getggtaact tatgcctctc aggctgcaag tgattttcct gcttcaggcc ccccgagtgg ctggaaatta 8580 gatggtactt gtcaaacaag gcctggctaa atttctatat ttccttcaag tagaagatgt 8640 gcttccaaca aaggttgggt tacggctggc ttctgaaaat cttggatttc aaggctcccc 8700 8705 aaaag

<210> 11

<211> 66933

<212> DNA

<213> Homo sapiens

<400> 11

tataatcaag cgcgttccgt ccagtccggt gggaagattt tcgatatgct tcgtgatctg 60 ctcaagaacg ttgatcttaa agggttcgag cctgatgtac gtattttgct taccaaatac 120 agcaatagta atggctctca gtccccgtgg atggaggagc aaattcggga tgcctgggga 180 240 agcatggttc taaaaaatgt tgtacgtgaa acggatgaag ttggtaaagg tcagatccgg 300 atgagaactg tttttgaaca ggccattgat caacgctctt caactggtgc ctggagaaat gctctttcta tttgggaacc tgtctgcaat gaaattttcg atcgtctgat taaaccacgc 360 tgggagatta gataatgaag cgtgcgcctg ttattccaaa acatacgctc aatactcaac 420 cggttgaaga tacttcgtta tcgacaccag ctgccccgat ggtggattcg ttaattgcgc 480 gegtaggagt aatggetege ggtaatgeea ttaetttgee tgtatgtggt egggatgtga 540 agtttactct tgaagtgctc cggggtgata gtgttgagaa gacctctcgg gtatggtcag 600 gtaatgaacg tgaccaggag ctgcttactg aggacgcact ggatgatctc atcccttctt 660 720 ttctactgac tggtcaacag acaccggcgt tcggtcgaag agtatctggt gtcatagaaa 780 ttgccgatgg gagtcgccgt cgtaaagctg ctgcacttac cgaaagtgat tatcgtgttc tggttggcga gctggatgat gagcagatgg ctgcattatc cagattgggt aacgattatc 840 900 gcccaacaag tgcttatgaa cgtggtcagc gttatgcaag ccgattgcag aatgaatttg ctggaaatat ttctgcgctg gctgatgcgg aaaatatttc acgtaagatt attacccgct 960 gtatcaacac egecaaattg ectaaateag ttgttgetet ttttteteac eeeggtgaac 1020 tatctgcccg gtcaggtgat gcacttcaaa aagcctttac agataaagag gaattactta 1080 agcagcaggc atctaacctt catgagcaga aaaaagctgg ggtgatattt gaagctgaag 1140 1200 aagttatcac tottttaact totgtgotta aaacgtcato tgcatcaaga actagtttaa gctcacgaca tcagtttgct cctggagcga cagtattgta taagggcgat aaaatggtgc 1260 ttaacctgga caggtctcgt gttccaactg agtgtataga gaaaattgag gccattctta 1320 aggaacttga aaagccagca ccctgatgcg accacgtttt agtctacgtt tatctgtctt 1380 tacttaatgt cctttgttac aggccagaaa gcataactgg cctgaatatt ctctctgggc 1440 ccactgttcc acttgtatcg tcggtctgat aatcagactg ggaccacggt cccactcgta 1500 tegteggtet gattattagt etgggaceae ggteeeaete gtategtegg tetgattatt 1560 agtotgggac cacggtccca ctcgtatcgt cggtctgata atcagactgg gaccacggtc 1620 1680 ccactcgtat cgtcggtctg attattagtc tgggaccatg gtcccactcg tatcgtcggt ctgattatta gtctgggacc acggtcccac tcgtatcgtc ggtctgatta ttagtctgga 1740 accacggtcc cactcgtatc gtcggtctga ttattagtct gggaccacgg tcccactcgt 1800~ atcgtcggtc tgattattag tctgggacca cgatcccact cgtgttgtcg gtctgattat 1860 eggtetggga ecaeggtece acttgtattg tegateagae tateagegtg agaetaegat 1920 tccatcaatg cctgtcaagg gcaagtattg acatgtcgtc gtaacctgta gaacggagta 1980 2040 accteggtgt geggttgtat geetgetgtg gattgetget gtgteetget tatecacaac attttgcgca cggttatgtg gacaaaatac ctggttaccc aggccgtgcc ggcacgttaa 2100 2160 ccgggctgca tccgatgcaa gtgtgtcgct gtcgacgagc tcgcgagctc ggacatgagg 2220 ttgccccgta ttcagtgtcg ctgatttgta ttgtctgaag ttgtttttac gttaagttga 2280 tgcagatcaa ttaatacgat acctgcgtca taattgatta tttgacgtgg tttgatggcc tecaegeaeg ttgtgatatg tagatgataa teattateae tttaegggte ettteeggtg 2340 atccgacagg ttacggggcg gcgacctcgc gggttttcgc tatttatgaa aattttccgg 2400 2460 tttaaggogt ttoogttott ottogtoata acttaatgtt tttatttaaa ataccototg 2520 aaaagaaagg aaacgacagg tgctgaaagc gagctttttg gcctctgtcg tttcctttct ctgtttttgt ccgtggaatg aacaatggaa gtccgagctc atcgctaata acttcgtata 2.580 2640 gcatacatta tacgaagtta tattcgatgc ggccgcaagg ggttcgcgtc agcgggtgtt 2700 ggcgggtgtc ggggctggct taactatgcg gcatcagagc agattgtact gagagtgcac catatgcggt gtgaaatacc gcacagatgc gtaaggagaa aataccgcat caggcgccat 2760 2820 togocattoa ggotgogoaa otgttgggaa gggogatogg tgogggooto ttogotatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa gttgggtaac gccagggttt 2880 tcccagtcac gacgttgtaa aacgacggcc agtgaattgt aatacgactc actatagggc 2940 gaattcgage teggtaceeg gggateetet agagtegace tgeaggeatg caagettete 3000 3060 ttgtgccggt tgtacgctgt caggtcacac tggtgagtta ggcagggcac agatgcccag 3120 agcagaggga actttccttg gggattcaac acgtgcaagt cttaggggct ggcaaatcct

gccctcagct agagagggg cttttatttg agaccagaat cacctgagca tcctcctgtc 3180 3240 cccagctgtg tccagcctgt ctgcagggac atcctgagag gaccaggctc tcccctcatc cacctgccta agtgccactc tgaaccctgt ccacctgtgc cgtggagggg cgtgacctca 3300 agctgctcag ccagcagcag gcttggccct ggggggcagc agagacccag gtggctgtgg 3360 3420 ggtgggtgct tcgtggcgtg gttctgaaac ttcgttggaa gtgtgtggac agtgccttgc ctgttctctg tgggacccta tttagaaacg aggtctgagt tactgggggt catcactgtg 3480 ttctgatggc ccagctgtgt ggaggccgcg gtgcagcccc atccaaggag ccagggccct 3540 3600 gggtctagcc gtgaccagaa tgcatgcccc ggaggtgttt ctcatctcgc acctgtgttg cctggtgtgt caagtggtcg tgaaactctg tgttagctct tggtgttcct gaaagtgccc 3660 3720 ccgggtctca ggcctcagaa ccagggtttc ccttcatctc ggtggcctgg gagcatctgg 3780 gcagttgagc aaagagggcg attcacttga aggatgtgtc tggccctgcc taggagcccc ccggcacggt gctggggcct gaagctgccc tcgggtggtg gagaggaggg agcgatgaag 3840 3900 tggcgtcgag ctgggcagga agggtgagcc cctgcaaggt gggcatgctg gggacgctga 3960 gcagcatggc cagcagctgg gtctgcagcc tggtacccgg cgggacttgt ggttggggct 4020 ggtttgtggc caggagaggg gctggcagga gacaaggggg actgtgaggc agctcccacc 4080 cagcagctga agcccaatgg cctggctgtg tggctctcag ctgcgtgcat aacctctcag tgcttcagtt ctctcatttg taaaatgagg aaacaaacag tgccagcctc ccagaggtgt 4140 4200 catgaggatg aacgagtgac catgtagcat gggctgggtg cgtgtcacct aacatcacca 4260 gcctttgcaa ggagagccct gggggcctgg ctgagtattt cccttgcccg gcccacccca 4320 ggectagact tgtgcctgct gcaggccctt gacccctgac cccattgcac ctgtctccac 4380 aggaqccgaq gaggtgctgc tgctggcccg gcggacggac ctacggagga tctcgctgga 4440 cacgeeggae tteacegaea tegtgetgea ggtggaegae ateeggeaeg ceattgeeat 4500 cgactacgac ccgctagagg gctatgtcta ctggacagat gacgaggtgc gggccatccg 4560 cagggcgtac ctggacgggt ctggggcgca gacgctggtc aacaccgaga tcaacgaccc 4620 cgatggcatc gcggtcgact gggtggcccg aaacctctac tggaccgaca cgggcacgga 4680 ccgcatcgag gtgacgcgcc tcaacggcac ctcccgcaag atcctggtgt cggaggacct 4740 ggacgagccc cgagccatcg cactgcaccc cgtgatgggg taagacgggc gggggctggg 4800 gcctggagcc agggccaggc caagcacagg cgagagggag attgacctgg acctgtcatt ctgggacact gtcttgcatc agaacccgga ggagggcttg ttaaaacacc ggcagctggg 4860

4920 ccccacccc agageggtga ttcaggaget ccagggeggg getgaagaet tgggtttcta 4980 acaagcaccc cagtggtccg gtgctgctgc tgggtccatg cgtagaaagc cctggagacc tggagggagc cetttgttee eetggettea gttteeteat etgtagaatg gaaeggteea 5040 tetgggtgat ttccaggatg acagtagtga cagtaaggge ageetetgtg acactgacca 5100 cagtacaggc caggcctctt tttttctttt tttttttttg agatggagtc tcactctgtc 5160 geccaggetg gagtgeagtg gtgtgatete ageteactae aacetetgee teetgggete 5220 5280 aagtgattet eetgeeteag eeteetgagt agetgggatt acaggtgeet gecaetgtge ttggctaatg tttgtatttt tggtagagat ggggtttcac cgtcttggcc aggctggtcg 5340 caaactcctg acctcaggtg atccacctgc ctcagcctcc caaagtgctg ggattacagg 5400 catgagccac cacgcccggt caggccaggc ctcttttgaa cactttgcac accatgggtc 5460 5520 ttttcatcca ggggggtagg tacagttgta cagttgagga cactgaagcc cagagaggct 5580 cagggacttg cccagggtca cacagcagga tgtggcaggt gtggggctgg gcctggcagc 5640 gtggctccag ctttccagca tagaaatctg tgaaagcaga tagtttgtcg gtcggtaggg 5700 gagactttct gagacccgcc ccagcggctc agagggtagt agccaggggc cttcctgggg gctcataacc cagaacactg aatgggaaaa ccctgatgga ggaggcgcag tggagctgtg 5760 ggtgccgatg ggaagtccca gaggagctgg gaggtcagta gcggtgctgc cctctgtgga 5820 gcacttagtg ggcaccaggt gtgtttccag gttcatggcc ctgggacctg aagctcagaa 5880 ggtgaagtaa cttgcccagg gcacccgtcg ggcagcggcg ggcagaggat ttgtgggctg 5940 6000 tggagcctgt gctcgtggcc cagccctggg ggttgtgagt gtgctggccg gggagctttt 6060 cctgcaagtg gactggtgtc taggagccag catgtcaggc agcaggcagc gggagtgcag caggcagcgg gagcacagca ggcagagggc ggggctcgag cagccatccg tggaccctgg 6120 6180 ggcacggagg catgtgggag agggctgctc catggcagtg gctgaagggc tgggttgtgc cccgaggagg gtggatgagg gtaagaagtg gggtccccag gggctttagc aagaggaggc 6240 ccaggaactg gttgccagct acagtgaagg gaacacggcc ctgaggtcag gagcttggtc 6300 6360 aagtcactgt ctacatgggc ctcggtgtcc tcatctgtga aaaaggaagg gatggggaag ctgactccaa ggcccctcct agccctggtt tcatgagtct gaggatccca gggacatggg 6420 6480 cttggcagtc tgacctgtga ggtcgtgggg tccagggagg ggcaccgagc tggaagcggg 6540 aggcagaggg gctggccggc tgggtcagac acagctgaag cagaggctgt gacttggggc 6600 ctcagaacct tcacccctga gctgccaccc caggatctgg gttccctcct tggggggccc

cagggaacaa gtcacctgtc ctttgcatag gggagccctt cagctatgtg cagaaggttc 6660 tgctctgccc cttcctccct ctaggtgctc agctcctcca gcccactagt cagatgtgag 6720 gctgccccag accctgggca gggtcatttc tgtccactga cctttgggat gggagatgag 6780 ctcttggccc ctgagagtcc aagggctggt gtggtgaaac ccgcacaggg tggaagtggg 6840 catccetgte ccaggggage ccccagggae tetggteact gggettgeeg etggeatget 6900 6960 cagteeteca geaettactg acaceageat etactgacae caacatttae aaacacegae 7020 attgaccgac accgacattt accgacactg acatttacca acactgttta ccaacactga 7080 catctactga cactggcatc taccaacact gacatttacc gacactgaca tttaccaaca 7140 ctatttacca acactgacat ctactgacat tggcatctac caacaccaac atttaccgac accaacattt accaacactg aaatttaccg acaccgacat ttaccgacac cgtttaccaa 7200 7260 caccgacgtt taccgacacc gacatttacc gacactgata tttaccaaca ctgacatcta 7320 ctgacgctgg catctactga caccgatgcc agcatctacc aacaccgaca tttaccaaca 7380 ctgacattta ctgacactga tatctactga cactggcatc tactgacacc aacatttacc 7440 aacaccagca tctaccaaca ccgacattta ccaacaccag catttaccaa caccgatgtt 7500 taccaacgcc gacgtttacc gacgccagca tctaccaaca ctgacattta ccgacaccga 7560 catttaccga cactgacatt tactgacact gacatctact gatactggca tctaccgaca ctgatattta ccaacgccag catctactga cactgatgtt taccaacacc gacatttacg 7620 7680 agcaccgaca tttactgaca ccaatattta ctgacatcaa catttagcca tgtgatgggg 7740 gccggcttgg gggcaggcct tgctcttggc actggggatg ctgcagagac cagacagact 7800 catggggtca tggacttctg cttcttctcc agcctcatgt actggacaga ctggggagag 7860 aaccctaaaa tcgagtgtgc caacttggat gggcaggagc ggcgtgtgct ggtcaatgcc tccctcgggt ggcccaacgg cctggccctg gacctgcagg aggggaagct ctactgggga 7920 gacgccaaga cagacaagat cgaggtgagg ctcctgtgga catgtttgat ccaggaggcc 7980 aggcccagcc accccctgca gccagatgta cgtattggcg aggcaccgat gggtgcctgt 8040 gctctgctat ttggccacat ggaatgcttg agaaaatagt tacaatactt tctgacaaaa 8100 acgeettgag agggtagege tatacaaegt eetgtggtta egtaagatgt tateattegg 8160 8220 ccaggtgcct gtagacacag ctacttggag actgaggtgg gaggatcgct ggagtccaag 8280 agtttgaggc cagcccgggc aaaggggaca caggaatcct ctgcactgct tttgccactt 8340 actgtgagat ttaaattatt tcacaataca aaattaagac aaaaagttaa tcacatatcc

8400 actgccctgc ttaagacaga aaacatgggt gttgttgaag ccagaggcag ctgctggcct gagtttggtg attggttcct aagcagttga aggcagtttt gtttttccat agatgtctgt 8460 tetecetttg etgggtgeag eetegeeetg etgetgtggt egggttteag tggeetegte 8520 cegtggacge agectegece tgeegetgtg gtegggttte agtggeeteg teeegtggac 8580 gcagcctege cetgetgetg tggtegggtt teagtggeet cgteeegtgg acgeageete 8640 gccctgccgc tgtggtcggg tttcagtggc ctcgtcccgt ggacgcagcc tcgccctgcc 8700 getgtggteg ggttteagtg geetegteee atgggegtge tttggeaget ttttgeteae 8760 8820 tgtttgtttt tgttgtcgtt gttgttgccc aggctggagt gcagtggcgc gatctcagct 8880 cactgaaacc tctgcctcct tgggttcatg ccattctcct gcctcagcct cccacatagc 8940 9000 tgggattaca agtgcccgcc accacgcctg gctaaatttt gtatttttag tagacagggg 9060 gtttcaccat gttggtcagg ctggtctgga actcctggtc tcacatgatc cacctgcctc ggcctcccaa agtgttggga ttacaggcgt gagccaccgc gcccagcctc tgttgagcat 9120 9180 attttgaggt tetettggtg ceagtgatat gtacatgtgt ceceategea ecategteae ccattgaggt gacattggtg cctctcctcg gggtggatgc ctccctctgt ttccagcaac 9240 ttetgaagga tttteetgag etgeateagt eettgttgae gteaceateg gggteacett 9300 tgctctcctc agggctccca ggggaggccc gaatcaggca gcttgcaggg cagggcagga 9360 9420 tggagaacac gagtgtgtgt ctgtgttgca ggatttcaga ccctgcttct gagcgggagg 9480 agtotoagoa cottoagggt ggggaaccoa gggatggggg aggotgagtg gacgcootto 9540 ccacgaaaac cctaggagct gcaggtgtgg ccatttcctg ctggagctcc ttgtaaatgt 9600 tttgtttttg gcaaggccca tgtttgcggg ccgctgagga tgatttgcct tcacgcatcc ccgctacccg tgggagcagg tcagggactc gcgtgtctgt ggcacaccag gcctgtgaca 9660 9720 ggcgttgttc catgtactgt ctcagcagtg gttttcttga gacagggtct cgctcgctca cccaggcgag agtgcagtgg cgcaatcacg gctcgctgta gcctcaatct ccctgggctc 9780 9840 aggtgatect ectgeeteae ectetgagta getgggaeta eagacacata ecaccacace cagctagttt ttgtgtattt tttgtggggg gagatggggt ttcgctgtgg tgcccaagct 9900 gateteaaac teetgaggea caagegatee acetgeeteg geeteecaaa gtgetgggat 9960 gacaggcatc agccgtcaca cgcagctcaa tgattttatt gtggtaaaat aaacatagca 10020 caaaattgat gattttaacc attttaaagt gaacagttca ggctgggcgt ggtggcttat 10080 gcttgtaatc ccagtacttt gagaggctga ggtgggcaga tcacctgagg tcaggagttt 10140 gagaccagcc tggccaacat gatgaaatcc agtctctact aaaaatacaa aaattagccg 10200 ggcatggtgg caggtgcctg taatcccagc tactcgggag gctgaggcag gagaatcgct 10260 tgagcccggg aggtggaggt tgcagtgatc tgagatcatg ccactgcact ccaatctgtg 10320 10380 tgacagagca agactctgtc ttgaaaaata aataaataaa aaaaatttta aaaagtgaac aattcagggc atttagtatg aggacaatgt ggtgcaggta tctctgctac tatctacttc 10440 10500 tagaacactt tettetgeee tgaaggaaac eecatgeeea eeggeaetea egeceattet cocctototo coagoototg toaaccacta atotacttto tgtototggg ggttcactto 10560 ttctggacgt tttgtgtgac tggaatcctg caatatgtgg tccctgcgtg tggcttcttt 10620 ccatagcatt gtgttttcca gattcaccca cacattgtcg cacgttatca gaatctcatt 10680 10740 cctgactggg tgcagtgggt taggcctgta atcctaacat tctgggaggc caaggcggga 10800 cgatcacttg aggcaggagt ttgagaccag cctggccagc ctagcaagac cccagctacc 10860 aaaaaatttt aaaagttaac tgaacgtggt ggtggtgggc acttgtggtt cccagctacc 10920 tgggaggctg aggtgggagg atcgcttaag cccaggaggt caaggctgca gtgagctatg atogoaccao tgcactocag cotggacaac agagcaagac cotgtotgaa aaaaaaaaca 10980 aaaaaaaaag ttootttott tttgtggotg gatgacatoo cattgtatgg ccacagcaca 11040 ttttgtttgt ctgtttatcg ggtggtgggc agtggtttcc accttttgtc tcctgtgaat 11100 aatgctgctg tgaacatttg aattcaagtt tttgtttgaa cacctgttgt gaattatttg 11160 11220 gatatatgtg taggggtagg attgctgagt cctatggtaa tgttaggttt gacttactga 11280 ggaaccatta aactgttttc aacagtggct gcgccgttct gcatccccac cggcagtgtg tgagggttct gactttacct cctcacaaac gcttcttttc catttaaaaa aatattcagc 11340 11400 caggtgctct ggctcacgcc tgtaatccca gcactttggg aggccgtggc gggcggatca cctgaggtca ggagttcgag acgagcctgg ccaacatggt gtaaccccat ctctaccaaa 11460 11520 aatataaaaa ttagccgggt gtggcagcgg gcgcctgtaa tcccagctac ttgggaggct 11580 gaggcaggag aatcacttga acccgggagg cagaggttgc agtgagccaa gatcgcgcca 11640 ctacactcca gcctgggtga caagagtgaa actccatcta aaataaaaca aaaataaaaa 11700 taaataaaaa tttattaaaa cattcatcac agccagccta gtgggtgtcc catgtggctt tgcctcgcat ttccctgata actaggatgc tgagcgtctt gtcccaggct tgccacacct 11760 cagcactttg agatacgtcg cacagtcccc atttgcgaac gagaaatgag gtttagggaa 11820

cagcagetgt gtcatgtcac acagcgagca gggggtctct gagccgtctg accccacagc 11880 cgaccaaget ccaateetta cegeeteeta gtgttgtgga tgtageecag ggtgeteeca 11940 catttttcag atgagaacac cgaagctcaa aacaggagcg ttttgtccac attggataca 12000 cgatgtctgt ggtttggtcc tgaagtcact ttatatctca gtggtccaga ctggagtagg 12060 acagggggtt ctggggaatg gggaaggtgt ctcaggtgaa aggaaggaat tccagattct 12120 ccatactgtc cttgggaagt tagaagactc agagggtctg gcaaagtcag acaaagcaag 12180 12240 agaaatgcag tcaggaggaa gcggagctgt ccaggaacag gggggtcgca ggagctcacc cccaggaact acacttgctg gggccttcgt gtcacaatga cgtgagcact gcgtgttgat 12300 12360 tacccacttt ttttttttt ttgaggtgga gtctcgctct cttgcccagt ctggagtgca gtggcacgat ctcggctcac tgcaagctct gcctcccggg ttcatgccat tctcctgcct 12420 cagecteceg egtagetggg actaeaggeg cetgecaceg egeceggeta atttttgtat 12480 ttttagtaga gatgggattt cactacatta gccaggatgg tctcgatctc ctgacctcat 12540 12600 gatecgeecg teteggeete ceaaagtget gggattacag gegtgageea eegegeeegg cccgatttcc cactttaaga atctgtctgt acatcctcaa agccctatac acagtgctgg 12660 gttgctatag ggaatatgag gcttacaggc catggtgctg gacacacaga agggacggag 12720 gtcaggaggt agaagggcgg agagagggaa caggcggagg tcacatcctt ggctttcaaa 12780 atgggccagg gagagacacc ctctgagcat ggtaggacag gaaagcaaga ttggaacaca 12840 12900 ttgagagcaa ccgaggtggc tgggcgtggt ggcttacgcc tgtaatccca acactttgga 12960 aagctgaggt gggtggattg cttgaggcca ggagttcaag accagcctgg ccaacatggt 13020 gagaccccgt ctctactaaa tatacaaaaa ttagccaggc gtgatggtgc atacctgtaa 13080 teccagetge ttgggagget gaggeaggag aattgettaa acetgggagg eggaggttge 13140 agtgagccga gatcccgcca ctgcactcca gcctgggcca cagagtgaga ctccatctca 13200 aaaaaaaaa aaaaaaaga taaaaagacc aaccgaggaa ttgaagtggg ggggcgtcac agtagcagaa gggggatcgt ggagcaggcc accctgtggt catgcactgg aagctcatta 13260 13320 cctgacgatt tggagctcat cactgggggc ctaaggagaa tagatactga aggatgagga 13380 gtgatggcgc ggggcacggg tgtctttggt ggccagaact tggggactgc tggggtgcct 13440 cactgcaggc cttctcagcg ccctttatat gcttacacag gctgtttcta agagggggat acattgcata agogttttca gactacctca tcatgggtcc ctttctttac cctctgtggc 13500 cctggtggcg cactctctgg gaaggtgcag gtggatgccc agacccgccc tgccatccac 13560 ctgcacgtcc agagetgact tagcctcgag attgctgctg gcacctcctg ccccgggaca 13620 ceteggatgt gecegtggag atgetggete tgtgttttet getggagttt ggtgegtett 13680 ttcctcctgc aagtggccac cgctcttggg tatgtcctca ggcttctgcg agtcatggct 13740 gettetcagg teettgeeca gegecaggag caaaccetee tggeaetttg tteaggggtg 13800 gatgcgccag tgttcctgct gtggaccccc atctcacatg agggtcttgg gcctgcaggc 13860 tegttcagga aacacceget gagtacgcag tgtgtgccag ctgtgtccca ggcaatggcg 13920 gggacagtgg ctgctgctgg ggttgtggtg gcttctgggg actctgggga cagctgaggt 13980 gcaaggagcc acggctcctt gaggatgcag ttggactcca ggtggaaggg atggttgggg 14040 gaggtataaa tggggtcagg gaggagacac atttggaaca atgggaacat ttttaagatg 14100 ctatgtcggg aggcaacaag gtggccaacc caggtgctga ggagcccaca ccagccctgg 14160 acgtgttttg ccgctcacct ttgctgggga gtggtgggag agaggattcc gttccacgtg 14220 gtggtgtgcg cagctgggct gtgtggagct gggcgctagg aggaaggtgc tttctgcggg 14280 14340 gctagccggg ctctgccttt gaacacaatc aggctccagg ttttcagcat ccagtgcatg agaggacttc acgggcagct gtggctgatc ccttgatgaa ttgggagaag aacaaaggtc 14400 tatgaaatga ggtttcatgt agatggcatt agagacgccc acaacagatt tacagagtgg 14460 ageggagaeg geggatgggt etgggaggee ceteetgetg geettgaetg tgaeagetgt 14520 cctgggaatc agcttccagg ccgccccagc agcctgactg acacacacag gggttttagc 14580 14640 cccatcctgc gaccagctgt tgccatcatc agtgacagct gggagtggcg gtggttccag 14700 ccctgggcac cctccccacc tgctggggcc cacccagggc agtcctgaca cctacaggtt gettggagee geateegagt eetgeeecae caegtgtgaa geeegagtgg tegtgggetg 14760 aggtcccctg attgcatccc cacttccctt ctgcttcaca tagctgcctc ttctcaccgt 14820 14880 ttttccagcc tcctgggcta ggaattccag tgttgtgctg gctttgcccc aggacacctc 14940 cttagccctc ttcctgagtc tagagccccg ggggttggaa gttctggccc ctgggacacc tgcagccaca ctcagcttct cctgtgagcc tccagcatgt cccctcagga ccaagccctc 15000 acgttettge eteccegece acetgggete agecagggga aggeetgget gggagegtet 15060 eccetetgee etgecettet eccetetace etgecettet etcetetgee eegecatgge 15120 ttttatatcc tgtgccacaa gacatggctg tgtgtgaaag tggcagggtc tggcatctct 15180 gtgggtetet gaggeecacg etecagtgee actetteeca eeegetggee gtgeecteat 15240 getggaggga cageceagee etetecegaa eeceageeee atgtgeeeag etgeeeeegg 15300 ccctctcccc tggaagccgg ggtcactcca gccgtatgcc atggtgggga catcctgctt 15360 cettggcett ccagggaagg teetetttee aaatggegae acetggteee tgeetggagg 15420 ctggaagetg tggcccttgt atgcccctcc agggtetgtg cgcteggttg geeegagtte 15480 ccatcaccgt catcatcacc atcatcattg tcatttcgct tgtctgtgag ccggcctggt 15540 15600 ctcccagage agagaccete tgaggtecag cetgagttgg ggteteegtg etgacceetg acggggactc aggacgtacc aggtctgggt caggagtgac ccccaaacct cgtgcccttt 15660 gacaggcacc cctgactttt gctaagtggg tggaggtgac atcacttaca gcgggagtga 15720 tgggacaggg tctgttggct gcactgtgct cccagggatc tggggagagg ctatatccct 15780 gggctttggc actgcagagc tgtgtgtgtt tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 15840 tgtgtgtgtg tgtgtgtgtg tttgcgtgcg cgcacatgtg tataagatct ttttttatta 15900 catgaagcaa gataactgtt gctgtttcct tttgggtttt gtgttcaaca gagtggggta 15960 16020 cttcttccct cagacaacag aactctcccc tttaaacacg tgctgtcaga gggtgggtct 16080 tgggctcatg tctgtttgca cagccgagtc agaggaaaca cagggttctt cataaaaaca ctgcacagca ggcgactgtc cagagtcagc ctgcaggacg gcagcagccc tgcccctcag 16140 agcacageta gggtgggetg etttgggate tecegteatt eeeteecage tggcageegg 16200 cggccggccc attccttggt gtgctggtca ggggggcgtg cgcctgctct gctcaccctg 16260 16320 ggaatgggac agaagctggc agctcggaga ggacagggct ggacccttgg gtggcctctg getggaecat eteattgtee teagaeaeag eetetegggt etagttteat tteetgaaaa 16380 acaagtgcac agaactagag caggagtcga gagctacggc ccccgggcca gatccagccc 16440 tgccacctgt tttcacacca tgctcaagct gagtgggttt tacatttttt aattacttga 16500 aaaaaaaaa gccaaaggag gtttcatgac ccatgaaaat tatatggaat tcaaaaaaa 16560 16620 aaaattatat ggaattcaaa tttcagtgtc cataaataat ttcttgagac agggtctcgc tetgteacce aggetggagt geagtgetat ggeatggete getgtaccet tgacetecea 16680 16740 ggctcaagcg atcetectgt etcageetee tgagtagetg ggactaeggg tgtgtgeeae 16800 caagcccggc taatttttt ttaattttag taaagacagg gtctttctat gttgcccagg 16860 cttttctgga actccatctt ggcctcccaa agtgctggga ttacaggctc gagccacgga 16920 gcccagcctg tttttgtttt ttcactgata aagttttgcc gggtgtggta gtgtgtgcct 16980 ctagcgattt gggaggctga ggtgggagga tcgcttaagc ccaggagttt gaggctgggc tcaagtgatc aggaggtgaa ctatgatcat gtcattgcat tccagcctgg gtgacagagc 17040 aagaacctat ctcttaaaaa tatatattta aaaagtattg ggtgtggtgg ctcacgcctg 17100 tggtcccagc tacttaggca tctgaggtgg gaggatggct tgagcccagg agtttgaggt 17160 17220 tgcagcgagc caagatcgtg tcactacact ctagcctggg tgacagagcc cagaccctgc ctctttaaaa aaaaaaacca aaaaacatgt attggaacac agccatgcct gttcagtcac 17280 gtgctctcca tgctgctttc tgctccagag acccttatgg cctgaaagct gaaaatattt 17340 tetateettt acaaaaaagt ttgetgaeet etgteetgga aaatteatet eecaagttet 17400 cttccggcac tggcgttcct gggtgtccta aatttggccc ctgttatttc tgaactctgt 17460 tttggctctg ttccctccca ggagccagga caggcacgtt ctctgcatct tgtcccctga 17520 cgcccagagg cttggctcgg ctcaggcatt cttggaaata tctggctcca ggaaaggcag 17580 aggcctcctg agtcagccca gagggaacct gccccaggtc tgggggaggc ctgacccagc 17640 agagtggctt ttgccgatgg gttgggccgg tcaagatgtg ctgaaagttg tcctcagaag 17700 gccactttgg gattccttcc tccagtatta gagcaactga gagctgctca ttgcaagcct 17760 gatgttttcc cagttggccg ggtccaccgg gtgccctggg attctgggat ctgggtggaa 17820 agtagggggc ttgggggagt gtcctgggtt ctggaatcca ggtggcaagt ggtgaggttc 17880 agggagtggc ttctgagcca ccataggggt ctctgtggga ggctctgccc atccaggaga 17940 ttccgcaggc cctgccggcc cagagccagc gtcttgcgct tgccgaggct acagccagcc 18000 ccagccgggt ggaacagccc gtcgcctcct ctcactttgt tttggggcca cctgggagtg 18060 tggagcaagg gtagagaggg aggaagtggc tgccggccgc tgcccagcac ccttgtttgc 18120 cttgggccct ctgtgggctc ctttttattg ctcttcaatg aagccaggga aatggacttc 18180 18240 cttgcctcac ttcagttcaa catgtctgga agtttggtat taaaattaag aaagtgtgga aatagagcaa gaagagaaaa atctctccaa gagataatag tgacctctga gctgggcgcg 18300 18360 gtggctcacg cctgtaaatc ccagtacttt gggaggctga ggcgggcaga tcacctgagg 18420 togggagttt gtgacoggco tgaccaagat ggagaaacco cgtototact aaaaataaat aaataaataa ataaataaat acaaaattag ccaggcatgg tggcgcctgc ctataatccc 18480 18540 agctaaggca ggagaatcgc ttgaacctgg gaggcaaagg ttgcagtgag ccaagatcac 18600 gccattgcac tctagtctgg gcaacaagag tgaaactccg tctcaaaaaa aataaataaa taaaaaataa aaatagtgac ctctggccag gtgtggcagc tcatacccgt aatcccagca 18660 18720 ctttggaagg aaggccgaga tgggcagatt gctttagcac aggagtttga gaccagcctg 18780 gccaacatgg tggaacccca tctctacaaa aatagaataa aatttaagag gtaatagtga

cettttggta gategaaace tggattgett tettttteta aatgetgatt ettttettg 18840 tggtgtttgt gttctgtgcc gatgtccctc ccccagccct gttattgtga gtggaagaag 18900 gggaaagggt tcgcccgcta ctgtgagccc ctcctctcac gctgggtgtc cttggagaag 18960 cctgcacttc ttcattgtac gccagggctg ggtccctccc tggagtggtt ctgtgctgct 19020 gggatggggc caacccctca gatgttttct gagtgtcaca cacaggtgtg tgcattcatg 19080 gcctttgcgt gtcttcctgt tgtggaggca aaaatgtgaa gaaccctaga tgattttggg 19140 accagggete cateacetge tgttcattge acaceggage atccaggeat gggtggagag 19200 ctcagacttc caggcacggt cgcaggggct ggtctaacca tgttcccgcc cgcctgctcg 19260 tcagaaccgc ctgttgggag ctgttatcat gataccatac ctgggccctg ggctatccga 19320 ttctgactta attgctccag gttggggcca ggccgttgtt tgctgttttg ttgtttcttc 19380 tgtgacgtta gccactgggc taatctgagc ccctcagtta caggtggaga aactgagacc 19440 catgggggtg caaggacttg ccgaggaccc agagcccctt gggggcagag ctgaggcggg 19500 19560 geetggettt gggteecaga getteeagte eeetteeege teteetaaca gettttttt ttgagacaag atctcaccct gtcacccagg ctggagtgca atggcatgat ctcggctcac 19620 tgcaatette getagetgeg ttecagegat teteetgeet cageeteeeg ageagetggg 19680 attacaggtg tgtgccgcca tgcccagctc gttttttttt gtacttttag tagagatagg 19740 gtttcaccat gttggccagg ctgatctcga actcctgacc tcaaatgatc cgcctgcctc 19800 ggcctcccaa agtgctagga ttacaggctg ggatcacact gtgcctggcc ctagcagctt 19860 tgtcctgtgc catccaacaa cagatgaccg aagtctttgt ttcttaacat gcattccatc 19920 tgccttacag ttttgccacc tgcaaaacag aggacttgtc gcttttctgg taagctggaa 19980 atgtaatetg gtageaggag geetgtggaa gettgeettt aatggeettg tgtetettte 20040 20100 atcctgtcct gagagccgga gaacttggat gttgcaccta actcaacctt cctgttaaca tacagttctg caggetcatg gatcatcaga accaegteet ateteaegeg getgtatget 20160 teegttggtt caggtgtttt taccttgaca gtattttete eteggtgget tttgeggtgg 20220 ttgcttttaa tcagcattga ctcttcaaga aaaatattta gctgctacat ctcagaggag 20280 20340 acagggtgga aagcatctga gacctgcagg ctcagactta gaaccagaag tgccctcaga gttcatccgg ccctgaccca gcgggaaatg agttcacaga gaagcgggag aactttgccc 20400 caggecetge egttgeteat aactgeeeca ggteettaca tttgeteeag gteetgeeec 20460 aggecetgea gttgeteata actgececag gteettatat ttgetecagg teetgeecea 20520 ggtcctgcag ttgctctgtg tggtgggtgt gatctggagc cctccgccca ttgctgcacc 20580 tggggcaggc attgctaatt gatcccagga ctccttcctg cggagcacgc cctggttctc 20640 caggcageeg etgeetgtea geetgeagtg gttegggaga ggaeaeetge ttgeetggte 20700 tgttccaaat cttgcttctc atcccagcac aggtaggggg tgctatggga aagggatcct 20760 cagttggccc tgtcactgct ctatcagctg gggacgtggc atcctagtga aaacatcatg 20820 20880 gccgggcgcg gtggctcacg cctggaatcc cagcactttg ggaggctgag gagggtggat cacttgaggt cagaagttcg agaccagcct ggtcaacatg gtgaaaccca tctctactaa 20940 aaatacaaaa attcgccagg tgtggtggcg ggtacctgta atccgagcta ctcgggaggc 21000 tgaggcagga gaatcgcttg aacctgggag gtggagcttg cagtgagccg agatcttgcc 21060 actgcactcc agcctgggca acagagtgag acgctgtctc aaaatctcaa acaaacaaac 21120 aaacaaaaaa caaacaaaca aagcgtcatt tatccagcac ccctggggaa ccatgctacc 21180 tggtgtttta tggtacctgg caaggtgcag gtgaagttgc tgctcttggg cattgaaccc 21240 gtcttgtttg gggcagctca ggccccaggc agggtccggg ttggctctcg ttggtgtggc 21300 21360 cctggcccat ccagacctat atttctgccg tcctgcaggt gatcaatgtt gatgggacga agaggcggac cctcctggag gacaagctcc cgcacatttt cgggttcacg ctgctggggg 21420 acttcatcta ctggactgac tggcagcgcc gcagcatcga gcgggtgcac aaggtcaagg 21480 ccagccggga cgtcatcatt gaccagctgc ccgacctgat ggggctcaaa gctgtgaatg 21540 tggccaaggt cgtcggtgag tccggggggt cccaagccat ggctcagcca tgcagacttg 21600 21660 catgaggagg aagtgacggg tocatgcctg ggcataagtg ttgagctcag gtgccccgac ctggggaagg gcaggacagg aaaggtgaca gtatctggcc aaggacagat gggaagggac 21720 caagggagct gattagggag tggttatgga ctaggaatgt cggtaacaat ggttagaaag 21780 21840 tgactaacat ttgttgagca cctgctgtgt gcccggccct ggccgggagc cttcgtgccc 21900 acagtgaccc cgtctgcaaa tgtagttcct tgccctactc gcactgggga gcaggacgca 21960 22020 ctgtgcttgt tgcccctgtg gcccacgcat gtgcaccttc cacctgaaag ccaggatctt caggacgete ecegaggagg tegttgtetg geacaatgat ttgtetette etgaaaaggt 22080 gacagagtta cactggagag agcagcatcc aggtgcggca gggacaggcc tggggctcgc 22140 22200 gggcagggac tetgtgteet geeggggtee cacaetgeae etgettgtea gaggeaetea gtcaatcttt gctgatgaag gatgagagga cagaggacgt gatgcttgct gctgcattgc 22260 ctgcagtcct gggtgagatg cccgggttga ctctgctgcc cgtcgggtgg atgtgatgtc 22320 agatccccgg ctttaaaata cgagggagct gggaattgag ggagcaggtt ggggcagaaa 22380 gcacagcccc gtggaagcct ggagctgagg cagtgtgggc gacccctgga gcagtgagtg 22440 cttccttcat ggccttcatc gcaccctgca gtcctcatgt aggggatgcc atccatgaat 22500 ttagttttcc cagcctcctt taaaaacgcg ttcatgctgg ggccggggca gtgcagtggc 22560 tcacatctga aatcccacca ctttgggagg ccgaggcggg tggatcatga ggtcaggaga 22620 tegagaccat ectggetaac aaggtgaaac ecegteteta etaaaaatae aaaaaattag 22680 ccgggtgcgg tggcgggcgc ctgtagtccc agctactcgg gaggctgagg caggagaatg 22740 gcgtgaaccc gggaagcgga gcttgcagtg agccgagatt gcgccactgc agtccgcagt 22800 ccggcctggg cgacagagcg agactccgtc tcaaaaaaaa aaaaaaaagt acaaaaaaaa 22860 aaaaattagt ctgggtgtgg tatcacgcgc ctataatctc actactcgag aggctgaggc 22920 22980 ggagaattgc ttgaacccag gaggtagagg ttgtagtgag cccgtatcgt accactgccc 23040 tccacctggg caatagagcg agactctgtc tcaaaaagaa aaaaaaaaa agaacattta tgccaggtgt ggtggctcat gcctgaaatc ccagaacttt ggaagactga ggcaggagga 23100 tcacttgagc ccagaaattt gagagtgtct tccctgggca acatagagag acctcatctc 23160 23220 taccagaaaa aaaaaaatta gcccggcatg gtggcatatc cctgtggtcc cagctactta 23280 gggggctgac gtggcaggat cacctgagtc tggaggcaga ggttgaagtg agctgagatc 23340 aaaaagcatt tactatccac catggaaggt gagactgacc tgtgagtgat tgttcaaaga 23400 acaaaaaata aaccccagag ataagacaaa agggtgcctc catgggggtg tgatttaaag 23460 23520 ctgagaaatt gggcttcttc cccctcccct ctcaccccgt ggtttgctaa aggagatggg 23580 aaaaaggatt ctttttttgg ctgaaatatt taacactaaa ttaaagccaa ttttaacagc actttggttg atgagtgaaa ttaacagact ggccaaaaat aaacgaacgg tctgtactat 23640 23700 gtgaaaaaga ggcagctttg gccatgctgg gccaatgtga gttttcaggg ttgctgggaa 23760 tgtctgtgaa tcggaggaag ggcctagctg ggactctcag gagccaaggc cctgaggggc 23820 aacttgcctg gtccctgccc tgaggcgttc actgctttct tcctgggcca gatcacaggc ccggaggctg gaccactggg ctggcactct tgccgagctg ctccctgact tcctgaccat 23880 23940 gctcctttca gcagccttgc tgcactttag tttccttgaa tgaaaaatgg ggatgagaat agctcctacc tccaaggtga atggagtgag ttcggacagg tgactccctg ggaccagtgc 24000 ctggcgcctg acaaggtcca gtcagagccc gcactgctgt tactgatacc cttggctgta 24060 ccaggggaga acttggttgc cattgccagg tgttctccca ccacccccac tactgtccct 24120 gtttgatgtg tggcgggaat aaagctgtgc acattggagc ttttggcaca tcctggcttt 24180 24240 caggtgaaag gtgcgtgtgt gtttgagggt ttagcctggc caacccagcc atgaggtcgg 24300 acctgacctg ggggtgagtc ctgagctcgg cacccctgag ctgtgtggct cacggcagca 24360 ttcattgtgt ggcttggccg cacccctttc cctgctgggc tgttgatgtt tagactggag 24420 cctctgtgtt cgcttccagg aaccaacccg tgtgcggaca ggaacggggg gtgcagccac 24480 ctgtgcttct tcacacccca cgcaacccgg tgtggctgcc ccatcggcct ggagctgctg agtgacatga agacctgcat cgtgcctgag gccttcttgg tcttcaccag cagagccgcc 24540 atccacagga tctccctcga gaccaataac aacgacgtgg ccatcccgct cacgggcgtc 24600 24660 aaggaggeet cageeetgga etttgatgtg tecaacaace acatetaetg gacagaegte 24720 agcctgaagg tagcgtgggc cagaacgtgc acacaggcag cctttatggg aaaaccttgc 24780 ctctgttcct gcctcaaagg cttcagacac ttttcttaaa gcactatcgt atttattgta 24840 atgagcaagt ccggtagaca cacataaggg cttttgtgaa atgcttgtgt gaatgtgaaa 24,900 24960 ttgctcagca gactctttct tcatttatag tgcaaatgta aacatccagg acaaatacag 25020 25080 gaagactttt tittittitt titgagacag agtottacto tgitgoccag goiggagtac 25140 cgtagcgtga gctcagctca ctgcaacctc cgcctcccag gttcaagcga ttcttctgcc 25200 tcagcctcct gagtagctgg gactacagac atgcaccacc acacccagct aattttttt 25260 atatttttag tagagacagg gtttcatcat gttggccagg ctggtcttga actcctgacc 25320 tcaggtgatc tgcccgcctc ggcctcccaa agtgctgaga taacaggtgt gagccaccgt tcccggcata ggaaaacttt ttgccttcta aagaagagtt tagcaaacta gtctgtgggc 25380 tggccttctg attctgtaaa gaaagtttga ttggtggctg ggtgcggtgg ctcacacctg 25440 25500 taatcccatc actttgggag gccgacgtgg gcatatcacc tgatgtcggg acttcgagac cagecteace aacgtggaga aacceegtet etaetaaaaa tacaaaaaaa aaattaaceg 25560 25620 ggcatggcgg cgcctgcctg taatcgcagc tactcaggag gctgaagcag gagaattgct tgaacctggg aggcggaggt tgtggtgagc tgagatggca ccattgcact ccagcctggg 25680 25740 caacaaaagt gaaactccgt ctcagaaaaa aaaaagtttg attggtgtaa ccaaagcgca

25800 tttgtttatg gattgtctgt ggcagctttt gttctgccga gatgagttgt gacagatctg tatgggetet aaageetaaa acatgtgeea teegeeeett tacagaaaaa gtgtgetgae 25860 ctctgttcta aagtattgga caactacaat gtttgctcat ttattattct atgatttgtt 25920 ttctgctttt tgttgttgtt gttgttgttg agatagggtt tccctctgtc actcaggctg 25980 gagtgcagtg gtgtaatctc agctcactgc agcctcgacc tectgggctc tagtgatcct 26040 26100 ctcatctcag cctccctagt agctgggact acaggcacac accaccactc ctggctgatt ttttttttt tttttttt ttgtggagac agggtttccg catgttgccc aggctggttt 26160 caaactecta ggetcaaaca eccaecteag ecteecaaag tgetgggatt acaggegtga 26220 gccaccatgc ccagcctatt ctactgtttg tattacatag ctttaaaaga ttttttatga 26280 ctttaagtca caagggttct ttgtagaaaa aaatatatat ataggaaagt ataaaaagaa 26340 26400 agtaaaaatt gtccataacc tctccagcca gagacgaccg ttgctgacac ctcagcatat tgcctttaag tctttttct ctaagatagc atttctcttc atcacagtca tatgctacgc 26460 26520 agaattetgt atcetgattt tttcacttga cattacaaca ggtatttgat ggcgetgtga 26580 caaactettt ggcacaatet tttaaatgta tgaaataete caetgeacag atgtttgett ttaggcttaa ctgttctttt attttgcgtg tgctggttac agccgggcac agtggctcat 26640 gcctgtaatc acaacacttt gagagggtga ggcaggagga tcacttgagc ccagaagttt 26700 gagaccggcc tgggcaacat agtgagaccc catctctaca aaaaactttt ttaataagtc 26760 gggcgtagtg gtgcatagct gtagtcccag ccaccaagga ggctgagttg ggaggattgc 26820 ttgagcccca ggaggttgat gctgcagtga cctgagatta ctccactgta ctccaacctg 26880 26940 27000 tatatataca tatatacata cacgcacaca cacataatat aaaaatatat atttataaat atataatata taatataaaa atatatattt ataaataaaa tttataaatt atatttataa 27060 27120 27180 atatgtaatg tatatttttt aatgtatgat atataatata catttataaa tacacattta 27240 27300 tattatttta tataaaatat atataaaatc tccaagttgc tttttccaaa aaggtgtctt gctgcatttc aaacattcat ttaaaaactt gaatgctggt gatctggtcc agaatgtgtt 27360 cagtagetge tgccagtgge caageatete gggagatgte tacaaaacae getggttetg 27420 gcctggcgtg gtggctcacg cctgtaatct cagcactttg ggaggctgag gcaggtggat 27480

27540 caactgaggt ctggatttcg agaccagcct tgccagcttg gtgaaacccc atctctacta agaatacaaa aaaattagcc aggcgtggtg gcatgtgcct gtaatcccac ctacttggga 27600 ggctaaggct ggagaatcgc ttgaacccag ggggcagagg ttgcagtgag ccgagatcgc 27660 accattgcac tccaggctgg gcaagaagag cgaaactccg tctcaaaaaa aaaaaaaaag 27720 atgctggttc ctaaaatgtg gcccttttcc tcctcacctg ctgccagacc atcagccgcg 27780 ccttcatgaa cgggagctcg gtggagcacg tggtggagtt tggccttgac taccccgagg 27840 gcatggccgt tgactggatg ggcaagaacc tctactgggc cgacactggg accaacagaa 27900 27960 tegaagtgge geggetggae gggeagttee ggeaagteet egtgtggagg gaettggaea accegaggte getggeeetg gateceacea aggggtaagt gtttgeetgt eeegtgegte 28020 28080 cttgtgttca cctcgtatga gacagtgcgg gggtgccaac tgggcaaggt ggcaggctgt ccgtgtggcc ctcagtgatt agagctgtac tgatgtcatt agccttgatg gtggccagga 28140 ctggtagggc cctcagaggt catggagttc cttcgtggag cgggtgctga ggctgtatca 28200 28260 ggcacagtgc tggctgcttt cacctgggcc gtctcaccga agtgtccatg gagcctgcgt agggtgggta totgtgtoga ttttacagat gcagaaacag gotcagagaa accgagtgac 28320 28380 ttccctaagg tcacataccc agttagagca gagctgggcc aggaagtgct gtctcaggct cctgaccagg tctccttgct ttgcactctt gccaaaacca tgatccagaa ctgactttga 28440 ggtccccgga cctcaggctc ctccgaaatg gcctcttgga ggctgctgag ccacagctta 28500 ggacccacct cgagaggcaa atgtgctttg agctgccagg cgtcctgggg gccctgcctt 28560 gggcacgggg ttcagacagg ccccagatgt gtggggcgtc tttctggact tgagttttct 28620 tttctgtgtg gtggacacag tgctcacccc ttaaagcacc tgtgatgtgt gcagcagccc 28680 28740 aatccctgcc tgtcgcctgt tctgctaggg aaggaaggaa gacttcagga tggcaggaca 28800 acagaaagag gtccaggttt tagagcaagg gcaggtcaaa cttagaaaat tctggaatga 28860 ggatgtgcat ttcctcttct ggatctgcta aaagaagagg gaaggaggg ctgctggggg 28920 aggageceaq agecqaqttt acateeggat ceegcaaqqe etceeetqee etgaggtett gttttgtgat gtgcttqtgt ccatcctggt ttctgccgtg tccccaacat ccggccaagc 28980 29040 ttaggtggat gttccagcac acactcaccc tgtctgtgca cctgtttttg tgtccgtaag 29100 tgggtattta ctcaccttac gagtgagcca ctgtgggaat tcagggaggt ggcgcagtga ccacccctgg agggatatgt gtgtggcagg ggtcgagggt ctcgcccttc cctgcttcct 29160 gcgcgtggct ttctccagga cggggagggc tgagctgaag aggtggggac agttgcgtcc 29220 eccegecace caetgteetg eggtgagage agacteaetg ageetgeeet tetecettgt 29280 gccttccagc tacatctact ggaccgagtg gggcggcaag ccgaggatcg tgcgggcctt 29340 catggacggg accaactgca tgacgctggt ggacaaggtg ggccgggcca acgacctcac 29400 cattgactac gctgaccagc gcctctactg gaccgacctg gacaccaaca tgatcgagtc 29460 gtccaacatg ctgggtgagg gccgggctgg ggccttctgg tcatggaggg cggggcagcc 29520 gggcgttggc cacctcccag cctcgccgca cgtaccctgt ggcctgcaag ttccccaacc 29580 tggcaggagc tgtggccaca cccacgactg cccagcagcc tcaccctctg ctgtgggagt 29640 tgtccccgtc cacccctggg tgcctttgct gcagttatgt cgggagaggc tctggtgaca 29700 getgttteet gtgeacetge tgggeactag gteccageta atecetgtge caggaeteta 29760 atttcaccct aacacacatg gtggttttca ttgctgggga agctgaggcc tgagcacatg 29820 acttgcctta ggtcacatag ctggtgagtt caggatcccc cagagatacc agggccagca 29880 ctcgatcccc acccagccct gaaccccacc atgtgctggg attgtgctgg gagtgtccac 29940 acgcctggga ccccagggct ggtgctctca tctccttttt ccagatcatg agaatgaggc 30000 tcagggaagt ttgaaaaaaa cctatcccaa gtcacacagc aacaggagca ggatttgaac 30060 ccagaaaagg ggaccgcaca ctctgttctg ctagagtagt tagctgtcct gggtgatatg 30120 gcaggtgaca ggggcaactg tgcttaacaa aggaaccccc atccccctg ccaagttggg 30180 agactagaag gtcaggggca gaagctctga agggccaggt gcagtggctg acacctctaa 30240 30300 teccageact ttgtgaggee aaggegggea gatgatttga geecaggagt teaagateag cctgggtaat gtagtgagac gccatctcta caaaaaaatt ttttaaaaat tagctgggca 30360 30420 tggtggttca tgcctgtagt ccaagctact tgggaggctc aggtgggagg attgcttgag cccaggaggt tgaggttgtg gtgagctgtg atcatgccac tgcactccag cctgggcaat 30480 30540 agagtgagac cgtctccaaa aaaaaaaaaa gaagaagaaa aagaagctct gaggctccaa 30600 gtccccaggc accccttggc ttgagggcag acaagggagg agagggtcac ctgggcagcc 30660 ctgacttttg tcccctggca aagggacctt cagtgacctt ggccctagga gagcctctga gcacgtcagc catgtcgaac cgctcaggaa gggcagcaag aatttggctt ctgacctctg 30720 cctctcctac tcgccatctg cactgggtgt ggttgtgccc attttacaga tgaggaggct 30780 ggggcatcga ccagctgaat gccttgtccc aggtactgcg taggcagagc tggcagttga 30840 accccgtgtc ctggttgtcg ctgggggtgg gctgcaccct gacttgtgag gccagtagca 30900 aggtttgcac gtgacttcgt gaccgtcacc cagctctgca gcacatcccg tgacccagct 30960 catccaggcc gcatgcaaac ctgttgccag gcgagaaacc agtcaccgca cagctgtggt 31020 tgcctgaaat gattaagctc attaatcacc ccggagtgag gacagactca gatgaaaacc 31080 agcaaaagcc ctggaaactc atgtgaccct gccaatgagg gcggccatgt gcattgcagc 31140 ctggccgtca ctcctcggta cgtgttttgg acttaaacgc tccggatgtt tactgagtgc 31200 ttgattaata acatggaagg cctggtctca ttgctgtggg agtgaaggat gcacagccag 31260 31320 gectgacatg atgagaacaa gaacctggag tetegetgee tgggtggtaa teetggeeet 31380 gccacttagc aactgtgtga ctgtagccag gtcacttaat tttgctagat cctgcctgcg cttcagtgga tcttgctggt tttccaaggt ggccaaacac tttaaggcat tcatgtggtc 31440 getaggetge agggttgaac cetggeteac ceegeaggge geegtgtget etgtggeetg 31500 getgtgeett tgetgaeace gtgeeegtgt gtgtteatge aggteaggag egggtegtga 31560 ttgccgacga tctcccgcac ccgttcggtc tgacgcagta cagcgattat atctactgga 31620 31680 cagactggaa tetgcacage attgageggg cegacaagae tageggeegg aacegeacee tcatccaggg ccacctggac ttcgtgatgg acatcctggt gttccactcc tcccgccagg 31740 31800 atggcctcaa tgactgtatg cacaacaacg ggcagtgtgg gcagctgtgc cttgccatcc 31860 ceggeggeca ecgetgegge tgegeeteac actacaceet ggaeeceage ageegeaact gcagccgtaa gtgcctcatg gtcccccgca cctcactccc tcgttagatc aggctggttc 31920 tgggagctga cgctgaaagg agcttctcat ctggggttcc tgggtgtaca tagatggttg 31980 ggtaggttgt gcactgcaca agctgcatga tgctacctgg gggtccaggt ccaggctgga 32040 32100 tggacttgtt gcttcatcag gacatagata aatggccaaa actcctcagc tggaaggtcc 32160 tgggcaggat ctttgggtgt gaaaaccagt cacaggggaa gggtgcttgc tcatactgcc agcacagtgc tgagtgcttt ccatagcgct cgtttactcc tcaagcctgg agggtgggga 32220 gtagcatggt cccatttcac gtacaaggaa cccgatgcac agagaggtgt ggcaacccat 32280 ccaaggccat acaactgggg tgggttgagc cggggttgac tgtggcaggc tggctcaaga 32340 gtccctgctc ctgaaccctt gccaggcagc ctggcatcag ctcggggaat ttttgccctg 32400 32460 accettggaa gcaagtggge etetttgtte teatgteagt gatgagaaga gtgaetttee 32520 tatggcccct ctggagtaca ggtgtttcct gttggcgggc tcttccccca tgacatcagc 32580 agegagetgg ttatgattee etaegeagaa ettgatagtt tataaagete tttgteatee aggeceegtt ggagteteae geagaeetgg tegeaggegg ggetggtett geetgteeea 32640 gctgcatgga tggggaactt gaggcttgca aaggttaagg ggctgttcga ggcccaggct 32700 ggcaggagat gggcctgggc cagagtctgg gacttcccat gcctgggctg tctttggtcc 32760 tgttgctcac catccctccc tggggccatg accttagaga gccaaatgga ggtgcaggta 32820 acccacggca aggagggtt gccatgactc agagtccccg tcctgtggcc ggcagtacct 32880 ggtgcaacga cttggatttc agaccagcca ctgtagcccg ctgacggtgc gctcgaagtg 32940 ccacagette tgaagecagg caggaeteag gecaggagae tetgttaget gttgagaggg 33000 33060 agaggccaac ggatgttctg gttctgctag agagctggtt cttcggatcc tggtaccagt gcactgagag gaggcccagc ttgattctgg ggctgccttg tggtggcatg tgctgctcac 33120 tgacaccete gaggagtgte tteteteggg ettgttgaet gtgeeeggtt tteegeagtt 33180 cactggtgca cacataggca catagcaaac cgcacacaca gtcgtgggta tgagtttcac 33240 tacattccac caccagtgtt cactaccatt acctgccttc cgtcttaagt gttcatcatt 33300 taaaaataaa tttattgggc tggacgcggt ggctcatgac tgttatccca gcactttggg 33360 aggctgaggc gggcagatca cctgaggtca ggagttcaag accagcctgg ccaatatggt 33420 gaaactccat ctctactaaa aatacaaaat tagctgggca tggtggggca tgcctataat 33480 cccagctact caggaggctg aggcaggaga atggcgtgaa cccgagaggc agagcttaca 33540 gtgagcccag atagcaccac tgcagtccag cgtgggcaac agtgcgagac tccatctcaa 33600 aaaaaaaata aataaataaa agaaaaataa atttatgatc tatttcaaaa ataacacatg 33660 tactttgaaa cagcagagac acatatgaca cggagaatga aattccccat agcgcacccc 33720 caagagacag ccctggtccc cccgtctttc ccgtggacct ccagcggggc agatgctgag 33780 cegectgttg tegagtggeg tgetateceg tectecaget cetetgtgge ttacagacae 33840 ccacctgcag ccctgtcttt gcctcctcta gcgcccacca ccttcttgct gttcagccag 33900 aaatctgcca tcagtcggat gatcccggac gaccagcaca geceggatet catcetgeee 33960 34020 ctgcatggac tgaggaacgt caaagccatc gactatgacc cactggacaa gttcatctac tgggtggatg ggcgccagaa catcaagcga gccaaggacg acgggaccca ggcaggtgcc 34080 ctgtgggaag ggtgcgggt gtgcttccca aggcgctcct cttgctggtt tccaggctgc 34140 tgcccctgtc cttagcagag ggaggaaaca gaggatggct ctgggtgaat gatgacttgg 34200 34260 gcttcgatta tgtagtcaca gggtatgacc ctgagatgcg tggaaccccg agactgtgat 34320 tatatgtaga aactgggttt ccccgttgtt taagtagtca tggtggggtc agaccccaca ggacttttgt cttttcaaga aagaaaatgg tcgtgtgtca tgcaggggta gttggtactg 34380 gttaatccag gtttatcctt tattttgtgg gaactgtaca gtcatttctg ctacaatgct 34440

gtatatgete ttetgaaaga caeetatgea aaategeaca gtaaaaatga caeaaeteat 34500 agggaaagcg gggccagggc acagccctca aaatctccat caatgacatg taagaaaaga 34560 gaggaacctg ggaaatagca aagtgccttt tgcacattaa atggttagct atatcccaca 34620 atactgtgca ttcgtaaacg ttaatgctgc aataaatacg gcacttcacc ttgggaagat 34680 ctggagttgg cttatgagtg tggaagggtg tagcgcatga gtttttgtga aacactggaa 34740 34800 ggaggattgt gggaaatcaa atggaaagtt ctcaccccag gcgtggagaa gagtgggtca 34860 tggccccagc agtgagccca gggaggtcag agacggaggt gtgtgtgtgg gtgtgaccct gcgcagttcc ctgccggctg tagttttttg cattcgctta atgtttctcg tggaggaaat 34920 tgtgcatgag caaatgtgaa accgtgctgt gctcaaattg tcctaataca tcattgcatt 34980 35040 totgtoacca gootggagtg cagtggoatg atottggoto actgcaacct ttgcctocta 35100 tgttcaagtg attttcctgc ctcagcctcc tgagtaactg ggattacagg catgagccac 35160 cgcggccggc cagatttgca tttttgaaac aactgctagg ctgggcgcgg tggctcacac 35220 35280 ctgtaatccc agcactgtgg gaggccgagg caggtggatc acctgaggtc aggggttcga gaccagcctg gccaacatgg tgaaaccccg tetetactga atatacaaaa atcagetggg 35340 tgtggtggcg ggtgcctgta atcccagcta ctcaggaggc tgaggcagga gaattgcttg 35400 aacccaggag gcagaggttg cggtgagccg agatcacacc attgcactcc agcctgggca 35460 35520 acaagagcaa aactccatct caaaaaataa aaaatagaaa aacaagtgct gtagcggaag tgagcacttt geggagteag gettgtgtgg eetgtteeae aaatgatgtg eteaeggtgg 35580 35640 cctcaggccc acctggagtc tgcagcatgg ggcacaacag gttcattagt gtagaattcc 35700 aggacaggee tggeteetaa geageettet tttacaaaaa etgeagagee egeetgtate 35760 ctagcacttt gggaggccga agtgggtgga tcacgaggtc aggagttcaa gaccagcctg 35820 gccaacatgg tgaaacccca tctctactaa atatacgaaa attagctggg tgtggtggca 35880 cgcgcctgta gtcccagcta ctcgggaggc tgaggcagaa ttgcttgaac ctgggaggtg 35940 gaggttgcag ggatctgaga ccatgtcatt gcactccagc ctgggcaaca gagcgagacg 36000 ccatctcaaa aaaaaaaaac ctacagagcc acacggcctc tttctccacc gagtgttggt gtgggagctt gtgttattgt ggtgaaatct tggtactttc ttgaggcaga gagaggctga 36060 36120 gegeetggag agaettteae atgggtegee atgteegeeg teggtttege tgttgtgete 36180 cccatctgaa ggctggtgcc gtccagacag gctggacgcc cctttccacc agatccttcc

tecegeagea gtttetagtt aegttgtaet gtgaggtetg tgteettggt tgatggeaaa 36240 agtcagccga attgaaattc agagccatgc ctggctccct ggagcttctc tcctgggcag 36300 ctgtgatcat tgcctctgct gtggtgtggg tggtggaaat ggattccttt catcttgctt 36360 gctacaggtg actgtcacgt ggagtccttt ggagagaggg acgtgttaat tgatggatgt 36420 ggctcccatg ctgagaaagc tcctgggcgt acattgcctt agagtttcat tggagctgcg 36480 ttcttttatg gtgtctgcta ggcagaagtg atgaagactt ggaagaaaac ccagaaggtt 36540 ttccacttaa tttggaaaat gtgcttttcc cctcctgtgt cttttgctaa ggtccagcct 36600 cetgeagect eccegetetg tggactetgg etttgattet ttattaggag tecceetget 36660 ccccaaaag atggtgtcta aattatcatc caattggccg aggttttgtt ttctattaat 36720 tgtttttatt ttttattgtg gtaaatttat ataacataaa atttgccatt ttaattgttt 36780 tgttattgtt gtttttgaga cagggtctca ccccagtgcc caggctggag tgcagtggtg 36840 cgatcatggc tcactgcagc ctcagcctcc agggctccag tgatcctctc acctcagcct 36900 36960 ctctagtage egggactaca ggcatacact accacatetg getgattttt tgtattttt ttttattgta gagacccgct atgttgccca ggctggtctc aactcctgga ctcaagccat 3,7020 ceteceacet caccetecca aagtgetggg attacaggea tgagecacaa cacceageca 37080 ttttaatttt tttttttt tttgagatgg agtctcactc tatcgcccag gctggagtgc 37140 agtggcgtgg tatcaactca ctgcaacctc tgcctcccag gttcaagcga ctctcctgcc 37200 teagecteet ecegagiage igggatiaea ggigeecate actaigeeig getaatitit 37260 gtatttttta gcagagacgg ggtttcacca tgttggccag gctggtcttg aactcctaac 37320 ctggtgatcc gcccgcctcg gcctcccaaa atgctgagat tacaggtgtg agccaccgtg 37380 cccggccttt ttttgttttt gagacagggt cttgccctgt cacccagact ggagtgcaat 37440 ggtgggctct tggctcactg cagcctccgc ctcccaggct caagttgtgc acctccacac 37500 ctggctaact gtattttatg tagagacaga tttcaccatg ttgcccaggc tgggcttgaa 37560 atggactcaa gcagtccacc cacctcagcc tcccaaagtg ctgagattac aggcgcgagc 37620 caccgcaccc agcccatttt acctattctg cagttgacag ttcagtggca ttcagtcagt 37680 teacgaggta accateactg ceatteatet ceagactact teacettete ggeagatgte 37740 cgaaactgtc cgcattgaac acactcctca tctccctctg acagccacca ttctactttg 37800 tatetetete tgeettetet aggtaeetea tgtaagtgga attataceaa tatttgeeet 37860 tgtgtgactg gcttctttca tgtgacatgg tgtcctcaag gttcatctgt gttatagcct 37920 gtgtcagaat ttccttcctt aaagcctgaa taataacccg ttgtaaaggc tgggcgcggt 37980 ggctcacacc ctctaatccc agcattttgg gagtccgagg tgggcagatc acttgaggtc 38040 aggagtttga gaccagcctg gccaacatag tgaaaccctg gctctactaa aagtacaaaa 38100 ttagctgggt gtggtggcgc gcacctgtaa tcccagttac tcaggaggct gaggcaggag 38160 aatcgcttgt acccgggagg cagaggttgc agtgaaccaa gattgtgcct ctgcagtcca 38220 gcctgggtaa cagagtgaga cttcctgtct caaaaaaaaa aaaaatcatc ggatggatgg 38280 acggaccact tettgttatt tatecateca egggtgetag gtttetteca cetttggttg 38340 tegtgaataa ggecaetatg aacattteet teegtggtga aggttttgta etagtgagga 38400 aaaggcgtgt ttgtggtgtt gcataggatt ctggtaagaa agtttgcact aaccataagt 38460 atttgtacta cattaaaatg aaagctcagg ggccgggcgc ggtggctcac gcctgtaatc 38520 ccagcacttt gggaggccag ggcgggcgga tcatgaggtc aggagatcaa gaccatcctg 38580 gccaacatgg tgaaaccccg tctctactaa aaataccaaa aaactagcca ggtgtggtgg 38640 cgggcacctg tagtcccagc tacttgggag gctgaggcag gagaatggcg tgaacceggg 38700 aggeggaget tgeggtgage egagateget teaetgeact egageetggg caacagagea 38760 agactccgtc tcacgcaaaa ctctgtctca cgcaagactc cgtctcaaaa aaaaaaagag 38820 ttcagggttt atgaaactgg ccagccgcgt aaagtttgct gtgttgtttt tgtgcccggg 38880 aggagtgtgg ccagggtgtc acgtcacaca gtacacgttt ctcagatggt ggttctccag 38940 actgetgtee caaagtetgt ttttgeatet ggtteecaca gaeceaceet ecaeggtgag 39000 cetgattttg gccagggtag etggaatett gettgtettt cageeeggea getgtaeeag 39060 tecagggtee acagetagtg gettttagga aggaatttgt teagttgget ttgacacatg 39120 gcccctagg gtccacagct ctgtagtgat gtggatgttg ttatctacaa agacacatga 39180 teettegtgt ccagatgaaa gtgatgatgt etttgeaget geecageaag getgtgtgtg 39240 39300 39360 gegegtgtgt gtggtgtgt gtgtgtgt gtgtatgggg gaggeaecet ttecatetgg 39420 gtccaagaga ctgggcctgg ggaagacgct tctttttatc tacttagaga ctttgtttta 39480 tttgtatttt tttgagacag ggtctcactc tgtcacccag gctggggtat ggtgatatga 39540 gcatagetea etgeageete ggeeteecag getgaagega teeteecace teageettet 39600 gaatagetgg gaetgtagge gtgegteace ataetgaget attgtttttt ttgtttggtt 39660

39720 ggtttaattt tttttgatac agatggagtc ttgctatgtt gcccagacta gtctcaaact 39780 cctgaactca agtgattctc ccacctcagt ttcccgacat tctgggatca caggtgtgag 39840 ccactgctgt ctccctgttt tattaactgc tgaaagacct agataaagaa agtctgaaaa 39900 gacttactat cagagcacca tcctaagatg attccctctg actcaatgga gagggagggg 39960 agetttteet teaggeetgg gtggeaggag eccaggtget ecaggeeeca tttgeeccag 40020 gccaaatcac tcgggaactt ggatgcagct gtctttcagg gtaacccaaa ggaaccagat 40080 ccccgcaggc agtaggcttc tgggctgtcc tctcctccta cgtcagctca gtaagagccc 40140 ttcgaaggga tgctgtgtcg gaggccccaa aagcccaggc tcatccctga gatgcacagg gtgggctggg cttaggcagc gctcgagcat ctcctggacg gtgaccccag agagtgtgga 40200 40260 gacggagagt ccttgagagt cactgagaga cgtggctgcc ctgccttccc aagaggggct ctgagtcatt ccccacactc acctgecect acccaccete acctggecec cagectcace 40320 40380 tacceccaca tetgtacega tecetttace egeacettee etacceacec teaceteece 40440 tgtaccttca cctcccccac tcacccgccc ctgcaccctc acctgtcccc caccttcacc 40500 taacccccac cctcacctgc cctcccctca cctggcctcc ttccgttggg gaaggggttg taaggggcgg cccccaaact gtctgtcctg gtgccctgca gagaaaacag tacgtgaggg 40560 40620 ccgcagtcca aaagcttgag tcctggaagg tggaggagac agggatgtgt tgggaagggc 40680 eccatggtet tggatecett etegaetgte aatggggeet teatgggage gecagtetag 40740 tgatgcacag ctgggtgccc ggcgggtggc tgaggaggcc taaagtccga ggcggcaaga 40800 gctcttccag aggctgttgt cctaatcgct ctggcatact caggcgggca cgtagttagg 40860 agctgattgg agaggagaga cccccacacc aatactggga tttgactttc aggctaaact 40920 tgagaagtgt ggcctctgct gtcctgccag agctctccag ccagtgccca gggctctcca 40980 gccagtgccc gggggtctcc accagtgccc gggggtctcc gccagtgcca ggggtctccg 41040 ccagtgccca ggggtctccg ccagtgctca ggagtcttgg tttctttgtc ttacagccct 41100 ttgttttgac ctctctgagc caaggccaaa acccagacag gcagccccac gacctcagca tegacateta cageeggaca etgttetgga egtgegagge caecaatace atcaaegtee 41160 41220 acaggctgag cggggaagcc atgggggtgg tgctgcgtgg ggaccgcgac aagcccaggg 41280 ccatcgtcgt caacgcggag cgagggtagg aggccaacgg gtgggtgggg gtgctgcccg 41340 tecaggegtg eeegeegtgt ettatgeega atgeeageet etcaeagget ggggagaett 41400 tccacctggg gatccaatgg gtggctttcc agggtcccaa aagcaaacac aggtttttca

cagcccgtcc gggaaagcag aaagccccaa ggggctggaa ggggaaaggg ggagctctgc 41520 tgagaggtta caaggcagcg ctggccgacg ggagttgcag ttgataggtt ttgtatcatc 41580 cttgttaaac ttgaaccctg tgcagaaatc ccttccacgg catgggggct gcctgttgac tegeteetgt tecaceaeag ggageteetg ggettettee teccagagge eecegaeget 41640 41700 cccacctgtt ggtcgtcaga gcttctggtt ggtgggaagg cacccaggac cttgaggtct 41760 ccaqaqaqaa aaqccaggga aagagggaga ccgaaaccca tgtgacatga aactcaggct ccaaactgag cacgggaacg tttggggaca ggagcgcgat ggccttcctc agatagctgg 41820 41880 ggggctggca tgaagacggg agctacagcc agcacaggtc ctgggccggg agcccagaga 41940 ttgagccctg actctgtcac ttactggcca cgtgaccttg ggcgggtggc atagcctctt ggagactcag tttcctcatt ggtaggagtg acggccacag tggtgcggcc tctgcagcac 42000 42060 acggggggct cggtgggcgg aagccccggg tctataaggc ggctgtgcag gagccagccg 42120 agetggtete ecaacageea gggeteeggg gteettagea getgtggggg geetgeacet gtttcccatg gctgctgtca gaaattacca gaagccaggt ggctgagagt aatggacact 42180 42240 tgttctctca cagttcctga gggctgaagc ccgagatcga ggtgtgggca gggccctgcg 42300 ccetetgaag getetgaggg aacetttggg ettetggtgg etceaggeae ecettgaett 42360 gtggtcctgt cactccagtc tetetgtetg getgeacatg gegtggeete ttetgtacca 42420 ttgaaggaca cttcagttgg atttagggcc taccetcace cattgtggte gtatettgat 42480 ccttcatgac atttgtaaag accetgette caaataaget cacattetga ggttetgggg 42540 tgagcgggaa tttggagagc attgttcaac tagtatagaa tgtgacctgt cagcctcggg 42600 cagecetgag aggeagggge tttecacage ceagetgggt gecetggget cegtgetgte 42660 cgaggagacg ccatccccac accegteett caccegccac cetecegcag gtacetgtac ttcaccaaca tgcaggaccg ggcagccaag atcgaacgcg cagccctgga cggcaccgag 42720 42780 egegaggtee tetteaceae eggeeteate egecetgtgg ceetggtggt agacaacae 42840 ctgggcaagc tgttctgggt ggacgcggac ctgaagcgca ttgagagctg tgacctgtca 42900 ggtacgcgcc ccggggcctg ccctaaccgc agacacccgg ccttcattgt cagtaatggc 42960 ageagetgee acattgteeg agacetgeeg tgageeeagt geegegeeag gggetttgtg 43020 tgtagogtgt tttgtoctca cactgacago tgtaggotgg ggttotgagt gagocccaca 43080 gggcagaggc agaaaatgag tctcagagag ggtgagcgag ctgcttgggg ccccacagca 43140 ggagatggag caggactgca gcctagcctc tgcccccagc acctgcgcaa gaagctgctc

tgctctggac tgtgttaggc tgcgagggct ggagagaaat gagagttggt gcttagagag 43200 43260 ggggegeagg tececatgge titteetett atgatgaggt agatgggtga agggagggge catgettgea ggggecagtg accgaggece geegttggaa etgatggeet teatecegag 43320 43380 cccagcccag gtgggagcag ggctttccga gggcttgtct tgggtcggcc tgcttccagg 43440 gactetgetg cageteceae ecetgtecaa ageatggaat ececeagget ecetggeagt 43500 cctgtcaacc tctgtcctcc caagctgagt gtggggcaag ttctggaggt cagcactgct 43560 caggggggcc cacgggctgc ttgcaggggc caaccgcctg accctggagg acgccaacat cgtgcagcct ctgggcctga ccatccttgg caagcatctc tactggatcg accgccagca 43620 gcagatgatc gagcgtgtgg agaagaccac cggggacaag cggactcgca tccagggccg 43680 43740 tgtcgcccac ctcactggca tccatgcagt ggaggaagtc agcctggagg agttctgtac 43800 gtgggggctg gcagtgggt gggcagggtg gcctctaaac ccgacccctg gaggaggctg 43860 gaggccagtg caagatcctg tgtggcctca gccaggcggt ggtctctgcc agatgccaac tgttgcccgc tggggttcag cgacatgtcc gaatgtcccg aggcctctga ggttgttttc 43920 ttttgccgca gaacaaatca ccacgaacag cgttttaaga caacaccaac tcttttttt 43980 ttttttttt tgagtcagga tcttgctctg ttgcccaggc tggggtgccc tggtgcaaac 44040 acagttcact gcagcctcga cctctgggct taattaagtg aacaccttgc ctcagcctcc 44100 caggtagctg ggactacagg tgggcaccac cacacctggc taatttttt ttgtagagac 44160 44220 ggggtttccc catgttgccc aggctggtct gcaactcctg ggcacaagct atctgcctgc 44280 tgtggcctcc caaagtgcta ggattatagg tgtgagccac tggcctgaca acacccacgg attgtctctc agttctgtaa ggcaaagtcc aggcacagcg tggctcacct gggttctctg 44340 ctcagggtct cacggggcca gaatcaaggt gtcaggaacg ctgggccctc agcggaggct 44400 44460 ctgtggagaa attagcttcc ttgctcactc agcaggtagc agttgtggga tcgaggttct gttttctctc tggttattgg tcggggacca ctctcagctc ctagaggcca ccacaggtcc 44520 44580 ttgccccgtg gccctctctg cctcagcagt gggggctccc tgcgtcagtc cctcccacac 44640 cttgagtctc tctgatttgc ttctaaaggg ccctgtgatt cggctcagcc acctttagat taggttagcc tcccctttga tagactccaa gtcggctgat taataacctt aatcacatct 44700 gcagaatccc ttctgccaca taaggtcatg acgccgtgct ggggactggg gtgggaaatt 44760 44820 acggggtcat ttaggattct gcctgccact gccttgctgt gtcccagggc ttgggggagg ggcctccaca gctgggacca cagtccttcc tcccctccat ggtaaccatc tgaggattac 44880

ttgagaccag cctgggcaac atggtgagaa cccatcccta caaaaaatac aaacaaaaag 44940 45000 ggaccaggct gggcttggtg gctcatgcct ataatcccag cactttggga gaccaaggtg 45060 ggctgatcac ttgaggttgg gagttcgaga ccagcctgcc caacatagtg aaatcccgtc 45120 tctactaaaa atacaaaaat tagctgggtg tggtggcagg cgcctgtatt cccagctact 45180 ggggaggctg aggtgggaga attacttgaa cctgggaggc ggaagttgca gtgagccaaa 45240 45300 gggccagggg tggtagtgac aaagagaccc tatcccaaaa aaaccgaaca ctgaatcctt 45360 gagactgagt aaggacactg tgaaattttt ctgggtgggg cagggaacag agcgtcttct 45420 gtcatttctt ccacctgggt gtggtcagct ctccctccaa gctgcctcct cttcttctca 45480 ttgtccgggt gttggacaca tttggttaac tggatagaat aacgcgagtt cccagggact 45540 45600 tttatttatt tattgagatg gagtttcgtt tttgtcgccc aggctggagt gcagtggcgc 45660 gatctcggtt cactgcaacc tctgcctccc aggttcaagt gattctccta cctcagcctt 45720 ccaagtaact gggattacag gcacccacca ccataccagg ctaatttttt tgtattttta 45780 gtagagacgg gttttcgcca ttttgcccag gctggtcttc aactcctagc ctcaggtgat ccacgcacct cggcctccca aagtgctggg attacaggca tgagccacca cgcctggcac 45840 45900 catttgctat titaattccc atgtgtatta gtgtcccacg gctgctgtaa caaatgacca 45960 caaactggat ggcttaaagc aacagaaatg gattccccca atgtgctgga gaccagaagc 46020 ctgcgaccaa actgttggga gggctgtgct tcctctgggg gctccaggga ggatctattt 46080 gttggccctt ccagtgctgt gggtgccagc gttccacact tgtggatgcg ccgcctcaac 46140 ctctqcccat cttcatqtqt ccatctcctt tqtqtctqcq tctttacctc ttcttcttqt 46200 ctgtgttgcc tcttataagg acgtttgtca ttgggtttag ggcccaccca aatcatccga 46260 gatgaceteg tettgagate ettaacetge aaagaceett tttecaaaaa aaggttatge 46320 tcacagattc taggccttaa gacatgggtg tatctttctg gggggcacta tccaacccct 46380 tatacaatga aagacgggaa gagggccagg tgtggtagtt cacgcctgta atctcagcac 46440 tttaggaagc tgaagcggga ggatcacttg agcccaggag tttacaagta gctaggcaac 46500 46560 tggtggctca cacctgtaat cccagcactt tgggaggctg aggcaggcag atcacgaggt 46620 caggagattg agaccatcct ggctaacacg gtgaaacccc gtctctacta aaaatacaaa

46680 aaattatggc cgggcgcagt ggctcccgcc tgtaatccca gcactttggg aggccgaggt gggtgaatta caaggtcaag agatcgagac catcttggct aacacggtga aaccccatca 46740 agatcacaag gtcaagagat ggagaccatc ctggctaaca cggtgaaacc ccgtctctac 46800 46860 taaaaataca aaaaattagc cgggcatggt agcgggcgcc tgtagtccca gctgctcggg aggctgaggc aggagaatgg cgtgaacccg ggaggcggag cttgcggtga gccgagatcg 46920 46980 ctccatgcca ctgcactcca gcctgggtga cagagtgaga ctccgtctca aaaaaaaaa 47040 aaaaaaaaaa aaaaaaagaa aattagccag gcacagtggc aggtgcctat tgtcccagct 47100 acttgggagg ctaaggcagg agaatggcat gaacccggga ggtggagttt gcagtgagcc gagatcatgc cactgcgctc cagcctgggc gatagagcaa gactctgtct caaaaaaaaa 47160 47220 agccaggcat ggtggtgcat gcctgtagtc ccagctactc aagaggctga ggcaggaggg 47280 ttgttegaee caeggagate aaggetaeag tgageeatga tegeaeeaet geeeteeage 47340 ctgggtgaca gagtgtgacc ctgtctcaaa gtaagtaaat aggaggagag acaagtgggc 47400 agttcagact gatggtatgg gcacagtaga gactggtgca gacaggctgg cctgtgatgt 47460 caagcaactt ctgtaattgt ttccggcatc catttgtgtg tcaatttccg tgtcagtagg aagactctgt aggctgccaa gaggaataag tgggaggatc ctcccagaga ggccgggcct 47520 gcaggagggc cagtteteat gagtteteat ttggccccta ccctccagge tgtggttetg 47580 aggtgggaga cagagcetga cetetgtttg tettgttttg tetttgcage ageceaecea 47640 47700 tgtgcccgtg acaatggtgg ctgctcccac atctgtattg ccaagggtga tgggacacca 47760 cggtgctcat gcccagtcca cctcgtgctc ctgcagaacc tgctgacctg tggaggtagg 47820 tqtqacctaq qtqctccttt ggggtgatgg acaggtacct gattctctgc ctgctaggct 47880 gctgcctggc atccttttaa aatcacagtc cctgtggcat ccagtttcca aagctgattg 47940 tgtcttcctt tgccctcctt tcttttctac tatgtgcatt cggtgctatg aattttcctc 48000 taagtactgc gtttcctgca tctcacaaat tttgttacat tttcattttc aggtagtttg 48060 aatattttta cacttctcct gagatgacat ctttggctca tgtgttattt agaagtgttg 48120 cttagtttct aaagagttgg ggcttttcca gctgtctctc tgcaactgat ttctaattta 48180 attctactgt agtctgagag cttattttat atgatttctg ttattttaaa tgtgttgggt 48240 48300 gtttttgaga cagtgtcttg ctctgtcact caggctggag tgcaatggcg cgatctcagc 48360 tcaccgcaac ctctgcctcc cgggttcaag tgatcctctt gcctcagcct cctgagtagc

tgggattaca ggtgcacgcc accataccca gctaattttt gtatttttag tagagacggg 48420 gtttcaccat gttggtcagg ctggtctcga actcctgacc tcgtgatccg cccacctcgg 48480 cctcccaaag tgctgggatt ataggcgtga gccactgtgc ctggccatta ggtgtgtttt 48540 48600 atcacccage atcatgcagt ttatettggt gaatgttetg tgtactettg aaaagaatgt 48660 ggattctgct gttgttgggt ggagtgttcc agaaacatca attagatcca gttggttaat 48720 agtgctcatc aggttgtctc tatccttcct tcctgactgc ctgcttgagc tgtcagttat tgacaggggt gtggagtctc caactctaat ggtggatttg tttatttctc ctagtagttc 48780 48840 tatettttte teteetteta eeettgatee tetteteeee etagggette etggtgttag tggtgggaga gtggggtagt gaagaacctg gactttaggg ccaaagaggc cagggttcaa 48900 atcctggctc tgtcacttcc cagttgagtg accctggctg gtgcctgaat ctctgtgagc 48960 ctccacttcc tcctctgtga aattgagagc acttacctgg caggctgtca tgggcatcaa 49020 gtaacagggc actocacctg gaccotgaca cgtgatgcac aggaatgcca gctgctatgc 49080 49140 catgggtgtg gcagtagtaa taaagtgacc atctgtatcc tcaccacagt gaagcctgtc cagggettte tetectatge ecceatgeet ceaggtggee tiggateetg tiggitetgt 49200 getetgetea gegaeettte teeegtggga gtteetgggg gtteagette ateetacaga 49260 cagcagcaca cactggctgt gcaccetttt tttttttttt tttttttt tgagatggag 49320 tetegetttt ttegegeagg etgaagtgea gtggtgtgat ettggeteae tgeaacetet 49380 49440 acctcctggg ttcaagtgat tttcctgcct caccctccca agtagctggg attacaggct 49500 cccaccacca cgcccggcta atttttgtat tttcagtaga gatggtgttt caccatgttg 49560 gccaggatgg tcttgaactc ctgacctcag gtgatccgcc cacctcagcc tcccaaagtg cagggattac aggcgtgagc caccacaccc ggagtgccgg ttgtttttag cagtttgtct 49620 49680 tgttcctgga gagactggct cctgcccagg agctcgggga gtagggccgc ggggtgctgc ctcacacctc gagtttggcc gtaagcagag gggacatttt gtgactgtcc ccctcctgag 49740 49800 cttcccagca gcttttctcc aagttacagc ccaaaagctc aggtggattt gcaacccaac ggtgtctgtg cacctcccac tgatgcccga actgccctgg ccaagaaacg gggccgtcag 49860 aacgctgcac taactgcagc cttgggcctc catgccagag gccatgccct tccatccacc 49920 49980 accccctggc ctgggccctg ggccctcctg gctcgggaac tccaggcccc ttcctcacgg 50040 ctcgagagac gtgtatttac cgcacaggtg cttgtcattc tcttgtggcc tcttctccag ggagatcaca gaaggacagg gcctcactga ggtctcggac atggaccctt tgatagtggc 50100 aggagecagg etgggeaaga ggeggeeaca gteaceteag eagtgeeate accacegeea 50160 ttcagccctt ccctgagccg ggcgccccc tggctctggc cccagtgtcc cagttacagc 50220 50280 tcacaggagc ttgtggtgcc cagcggctgc ttctgattga gagtcgaggt cggaggcttt gggaggctga gaggctgctc ggtttcacaa ctgctgaggg agacttgggc tccatctcag 50340 50400 gtatgcccca tgtcgccctc aacctccagc caccggtcct ccgtgtcccc catggccagg 50460 cacggettge agacatetgt egttggetee teteageegt egtgggetga ceetggeaeg tectectgtg getgageeca gtggggaeag etgetteett ttattaceet agaacteteg 50520 50580 tetttgatea ggecceetee eetatgecae acagteeetg teactegggt gageccagta gtcatgggga aggcctgcgg gttccaaaca tccaaaggct tgcgtgcagc atgacagctt 50640 50700 gaaaccgatg tittttacct tgatcagatt tcagcttggc gggggctttg ctcagctttc 50760 agtgaggcct gggccgattt cccagcatcc cctcctgagg ccagcctctg tttcctgtga 50820 ttttctgcac aaagtgggag ggaggagtcc taggaaatgg ggggccacct cgaagcctag 50880 gcctcctctg gcttctctgt gccagtgccc ccacgctttg tgtctgtgtc cccagcccat 50940 gggactetge tattecetga gtgetgeege atgeecagee egeactgagg aegtggagee ccgaggggca ggatggcctc catggtcaca cgtaggaagt ggcctccacc ctccgatgat 51000 51060 cetetecete etecetttea gegecetece egggggtgte eteagecete etgeetgtge 51120 tttgtcccgt cttctgcagg cgcctgggac gtgctgacag gtcctctgcc ggctcctgcc 51180 ttgctatgcg cacgetggtc accacagagg cctggccctt cttctgtagc agtcccacac ccgcaacagg tgtggctgct gaccacctgc tttctgcccc tctggtcctg aggagggcgc 51240 51300 agtgggcact caggcgtggc tgagcagatg tgtgttgccg ggaggaggaa ggactgctcc 51360 agtcaggget gaattteeca eeeggageat ttetgetgta tttggtgtag egeetgetge 51420 ttaaagctct gattcccagt tggcaccctt tcccttctgc attgaaaaac atacggatgc atgtettett geagtgaatg tgtattetee cageetetet tetgggttgg ggetggaggt 51480 ggagcggcac acaggagccg cagcgatgga ggatgtgcgg gtgcagcacc ccgtacagca 51540 51600 gggatgccaa accegegetg agtecetete aacttetget ttgaageeea gteaegeeat 51660 tgcctgggtt ttgctgggcg gggctgcgtg tgatgttctc ctctgtccct cccccagagc 51720 cgcccacctg ctccccggac cagtttgcat gtgccacagg ggagatcgac tgtatccccg 51780 gggcctggcg ctgtgacggc tttcccgagt gcgatgacca gagcgacgag gagggctgcc 51840 ccgtgtgctc cgccgcccag ttcccctgcg cgcggggtca gtgtgtggac ctgcgcctgc

51900 gctgcgacgg cgaggcagac tgtcaggacc gctcagacga ggcggactgt gacggtgagg ccctccccgt caaggetetg ccaagaccet ggccctgccc tccgggatac gagettgggg 51960 ctgcctccgg cctcacagga gtaggggctc tgaaaacctt tgcttgcagg gagattgcca 52020 agtotgtott ttaggoccaa caaggaaaac totgoagtto caccoatoot gtoccaccag 52080 gtagtgtggc ttgaaggcag actgtgaggg tctatctcac cttcctgcat taggtcagga 52140 52200 gtttcacaga aacctgaggc acattcaggg gtgggctgca gaggtccatg gctcacaccc 52260 tggaaaatcc gcccccaaaa gacagtgctg tctccactga ccagtctgtg ggatagtgct taagcctgag tggtttctat caacatgtag aatcaggagg tataaagaga tttgctcagg 52320 catectggge cetetetgae cageaggate tteetttaga tettgaeagt gaaacaeate 52380 52440 tottotgtgo cocotgtgag ttttotttoa ttoattoatt cattoattoa ttoattoatt 52500 cattcattcq agacagagtc ttgctctgtc acccaggctg gagtgccctg gtgtaatctc 52560 ggctcactgc aacctctgcc tccagggttc aatcgattct cctgcctcag cctcccgagt agctgggatg acaggtgcgc accaccatgc ctggctaatt tttgtatttt tagtagagac 52620 agggtttcac catgttggcc aggctggtct cgaactcctg acctcaggtg atccgcccgc 52680 52740 ctcagcctcc caaagtgctg ggattacagg catgagccac cgcgcccggc ctgagttttc 52800 cttttatgaa ggacctgctt ggttggttgc ctgccacatg ttgtcagcac catgggccca ggactgctga ggagctgttg atgccctcgc tctcccagag ccaccggctc tgttagataa 52860 52920 ttcacatgca gtctggccac tgtcctacgt cctcattcac aaagagcaga catttcgtag aagatgaggg cctgggagta acctccctgc atgtttttct ataaaggcat agtggttaag 52980 teetteeage teattgacea tiggagaatt tiatggagge igtagaciag gggeiggiaa 53040 actaagggcc caggggccaa atccagcctg ccacctactt ttgtaaataa agttttcttg 53100 53160 gtgcacagcc atgcccattc attcatttgc acaatgtctg tggctgcttt catgccaaaa gcaagagaac tgagtggtta tgctggagac ctacggcctt caaagcccca gacctcacgt 53220 53280 ctggcccttg acagacagag cttccccagc cctgctgcgc atcctggccc agcatgtgct gtgtgtgtga tttcagcttg caggagccgt ggttaggaat tgtccctgtg ttggtccatt 53340 53400 ttgcattgct atgaaggagc acctgaggcc gggtagatta tgaaggaaag aggtctgtct ggctcatggt tctgtaggca gcaccagtat ggcacccgca tctgctcagc ttctagtgag 53460 gtctcaggaa gctttgactc atggtgaaag tcgaagcggg agcaggtgca tcacatggtg 53520 agagagggag caacggagag agagagagag cgcctctccc tcttgccctc accttgagag 53580

gagatgccag gctcctttaa gtaaccagct cccatgtgaa ctcacagtga gagcccattt 53640 getactgegg agagggeace aggeatetge teccatgace caaacactge ecaccaggee 53700 53760 53820 ccatgccatg ccatgctatt cctattctat tatttgagac agaatctcgc tctgttgccc 53880 aggetggagt geagtggeat gatettgget caetgeaace tecacetece aggtteaage gattctcctg tatcagcctc ccgagtagct gggattacag gcacacacca ccacacccgg 53940 54000 ctaatttttg tattttcaat agagatgggg tttcaccatg ttggccaggc tggtctcaaa ctcctggcct caagtgatcc acctacctcg gcctcccaaa gtgccatgat tacagatgtg 54060 agtcactgcg cccagtgagg gtcacatttc cgttgagatt tggaggggca gacgttggag 54120 54180 ccatctgagc cccctcgtcc cgctctagct tctcctcccg tgtgccccgc ggtgctggtg gcaggccctt acgccggttc tggctgcatg ctctgttcca gaagctttct tccctgcttg 54240 54300 gttaccagaa aatcatccca tccattacaa ggacagggtc cccttatctc ccattcccag 54360 ggcaggacac cgggggcagg gcaggtgggg aactgagcaa gttctctggg ggcaggcgtg 54420 gctatggctc cctctgggtg ggcgtctggg gaggggtgga ggcagccgtc agcgccctgg 54480 cttgctcttc ctccctggcc agagactgtg gccttgtgct gctcccgtgt gggctgcctg cacetecagt gggttgtget eceteceete eceteceete aagetetget gageaceaet 54540 gccttccaca gcccccactc tcgggaggcg aggctcctcg tggccattcc tgtccttggc 54600 54660 acceacece ceaceaaeet ggtagageet tgggeggggt etgttaetee ttgcatggeg 54720 tagacetece cacagtagge acetgacaca tacetectgg ggggcaggea ggaggtgegt 54780 tgaggtetea gecetggeag teceteceet gegtggeata ggeetegeea cagggteate 54840 gagggtgggt ggagactgta ctagaccact ccccgctggt cctagaaagg gtcccatctg tetgetetet gtttggagte cagacettgg ttgetgtgee etgeatggtg ggetggggg 54900 54960 caccetecag cetetetgag tgeatggeet etcettgeag ceatetgeet geccaaceag 55020 ttccggtgtg cgagcggcca gtgtgtcctc atcaaacagc agtgcgactc cttccccgac 55080 tgtatcgacg getecgacga geteatgtgt ggtgagecag ettetggeac ggggaagggg 55140 cgtccgggct gggttccccc aggaacgtgg agtttagggg aggagacgtg cctttccagc ggggctgggg gctgtgtggg agactcaggc ggctgggagg ctccttgcgg gaggcaggga 55200 55260 agcetttece agggeagegg ceaggaggae agaetgtgag etgtgggete ggeggetaea 55320 gagtetgeet eagtgggegg ggetgatggt gteeaggtge etgeageaeg cacceaceca

cgggaccttg ctgagcagcg tctgtcaggc agcaagatta cccgagggct gcagtggtcc 55380 55440 tgttccctgg cagcitactg tctggctgag gaggagtgat gttcacatat gcacacatgt 55500 catgtgcaca cacatgtaca tgacaacatc ccacatgctc ctcaaatagc atgacctgta cagtcacgga tatagggcct aggggatagg aggccaagac agtcagggaa gactttccag 55560 55620 aggcagtggc tcctgaaagg ctgtctgatt caggcaggaa gggagctgag ttcagatagg 55680 aagtagcaat gagtcattgt gtctggggac atggccactc cttcgctgca gagggacctg ggctgagagc tcctctctta tggctgcagt cgggagagaa gtctgttggg gggagaaggg 55740 55800 ggcttcctca agggactccc tgtgcccttt ggcaccttcg tgccaggtca ggcttgaggc 55860 ctgaaggcag tggtgggggc caccaagggt cgcctcctct gctgggcaag ttcccagtct gacgggcctg tgccgtgggc cccagctgtg ggggcgctgt tgatgcgcag ccaggcctcg 55920 55980 ccgccagage ccgcacgett ccattccgct gacttcatcg acgccctcag gatcgctggg 56040 ccggccctgt gggagagtga atgtggcttt tgccaaagtt gagtctggag cctggaaact 56100 tecetatggg cageettgat agtggagtgg cecaaggage ceaeceagee gaceetgeee 56160 etecegtgge tggtgggegg caccagggge tgeetggett tgetegttea ceaacateae ctgggctggc cagggcgcgc tcacttctgc caccaccgag ggccctgggc gaaggagtga 56220 56280 ataccagget geettggeag ggatgtgttg agggetgtgg ggagteggae ageggegggg 56340 gtcagaggag gaggagggtg caccgtgcag gctgaagggc cacgttaccc tgaggttggc 56400 caggetecce aggeetagee teccagetee eccaetttet ecccaecete caccagtgge 56460 aaagccagcc ccttcagggc gcacggtgtc tgcccccaag gagggcccat tccgttgggg 56520 ttaatgttgg ccacctcttt ctgtttgtct ctggcagaaa tcaccaagcc gccctcagac 56580 gacagecegg eccaeageag tgecateggg eccgteattg geateatect etetetete 56640 gtcatgggtg gtgtctattt tgtgtgccag cgcgtggtgt gccagcgcta tgcgggggcc 56700 aacgggccct tcccgcacga gtatgtcagc gggaccccgc acgtgcccct caatttcata 56760 gccccgggcg gttcccagca tggccccttc acaggtaagg agcctgagat atggaatgat 56820 ctggaggagg caggagagta gtctgggcag ctttggggag tggagcaggg atgtgctacc 56880 ccaggecete ttgcacatgt ggcagacatt getaategat cacageatte ageettteee 56940 actgageetg tgettggeat eagaateett caacacagag geetgeatgg etgtageaac 57000 ccaccetttg gcactgtagg tgtggagaaa gctccttgga cttgaccttc atattctagt 57060 aggacatgtg ctgtgttgtc cacaaatcct catgtaccct agaaatgaat gtgggggcgg

57120 ctgggctctc tccagagctg aaggaatcac tctgtaccat acagcagctt tgtcttgagt gcagctggga tttgtggctg agcagttaca attcctacgt ggcccaggca ccaggaacgc 57180 aggetgtgtt tgtagatgge tgggeageeg cacegeagag etgeaceatg etggtttgta 57240 57300 tcacatgggt gaccatggta tgtctaagaa ggtggagtcc ctgtgaggtc tgcaggtgcc 57360 cccacagete caggecacet tgaggattge etetgeetge ccagecetga gttecetete 57420 ccctgtcctg tcccactgtc accccaagcc ggcctcattg ggagcctgtt ggatggcagg gtatagatgt aacctgattc tctctgggga gcggggttat ctggcttctc aagagctcct 57480 aggageceae agtggtggea ceateaeagt egeageagee eeeagagaae geggeeetgt 57540 ctgttcctgg cgtgctctgt gctgccccgc ctgggttccc tgccccagtc gcaggcccct 57600 57660 tggaggaggt accatgtgtc tcccgtttca cagatgagcc ccggggagct cactctagta 57720 gtggccagag aggcctgcgg ctcagggagc ggggcacatt tccaacagga cacaccgccc 57780 tggtctgagt ctcgtgggta gtgggagcag aggagagcgc cctatgtctg tggggcggct tggctgagcc tggaagccac ctgacctccc ccgtcccttc cctgccaggc atcgcatgcg 57840 57900 gaaagtecat gatgagetee gtgageetga tggggggeeg gggeggggtg ceeetetaeg 57960 accggaacca cgtcacaggg gcctcgtcca gcagctcgtc cagcacgaag gccacgctgt 58020 accegeeggt gaggggggg geeggggagg ggeggggegg gatggggetg tgggeeeete ccaccgtcag tgctggccac cggaggcttc ccgggttcct gggggctgtg ccaccgcctc 58080 58140 tgaggcatgc ttgctttctt cccttttcaa acccttctgc ttccttcttt aatgacattg 58200 ttgattgtgg ataatctgaa aactacacaa aaatataaag agccaaaatc tcacccaaat 58260 ccacctccta gagtggctgt tgggctccgt cagcatccag gcggccgtct gtgttccgca 58320 eggeecagee categatage egeetgeace aggeetgtet geectetgtg ageeteecea 58380 cagggttccc tccacaaaca ccctgttctc ccacccaggg ctggctgctt cctggaaaac 58440 agctggatgg ttttgtgcat gacagacaaa cacagggtga ttttcgtggc taaaatactc 58500 cctggagctt ttggcagggt gaggggctgg ctccagctga gccacgcctt gagtgaaatg actgtgagga gaataaactg ccgctgccct ccaggatcac tggggctggc tggggagaac 58560 58620 ccccgtttct gggagcacag tcccaggatg ccaaggcgag cttggtgccg agatgtgaac 58680 teetgagtgt aaacageggg ggetgaettg acatgetttg tatgetttte atttgtteet 58740 geagetgtat geceetaagg tgagteeage eccettetge tteetetggg geetegeeag 58800 tgagccccac cttgctgggg ctggttcctc ctgcccttct gggtatccct cacatctggg

gtcttgtctt cttgttttct ttttcttttt tttttgagac ggagtttcac ttttgttgcc 58860 58920 caggetteag tgeaatggtg tgatetetag geteacegea acetetgeet eccaggttea agcagttccc ctgcctcagc ctccctagta gctgggatta caggcatgtg ccaccacgcc 58980 cagetaattt tgtattttta gtagagatgg ggttteteea tgttggteag getgatettg 59040 59100 aactccctac ctcaggtgat ccgcccacct tggcctccca aagtgctggg attacaggcg 59160 59220 cgctctgtca cccaggctgg agtgcaatgg tgtcatcatg gctaactgca gcctctacct tctaggctca agcaatcctc ccatctcagc ccctaagtag ctaggactgc acgcatgcat 59280 ccccatgccc agctaatatt tacatttttt gtagagatga agtttcacta tattgcccag 59340 59400 getggtetee aacteetgga etegagegat eeteetgeet eggeeteeee aggtgetggg 59460 attacaggcg tgagccaccg tgcctggcct ggggtattgt cttcttatgg cacctgactg 59520 tggtgggccc tgggaaggaa gtagcagaag agggttcttc ttggtttcct ggacagtaac tgagtgttct ggaggcccca gggcctggct ttgtttaggg acaaagggaa ctggtaacca 59580 gaagccgaga gtttaaacac ccactgccct tcttccctgc tcctgctgct gcaacccagc 59640 59700 ttaaccagec aggagtgeta ggaacccaag cagggeeece gageacacag caggeagete acgaattete titteetgit eteeettggg agetgggagg atettaatea ggeaataaga 59760 59820 gatggcactg agcagccagc taatttttta aatcacttta ttgtttaacc atatgactca 59880 cccacttaaa aaagggtaca gttcagtggg ttttagtgta ttcacagatg tgtgcaaccc 59940 tcaccacagt taattttaga acattttcct gcccctaaaa gaaactctgc atgaagccag 60000 ctgtttttaa attagcaaag ttattttgca tcctttaaat atatgttcat ggtacaaaat 60060 tcaaaagata cagaagagtc tgcagtccaa agagactccg cccccatgac gccaagcagg catecetggg aggeatggee teetgeagtg tgtttettet atgteecece aggggteate 60120 tgtacatatg caagcataca agagcgtgga ctttgttttc caagccagaa gataattgta 60180 gatttatgtg cagttgtgag aaagagcaca gacccattta teetetgeet ggttteecee 60240 agtgctgcct gccatcttgc atgacttcca ttcctatcat aagcaagaca ctgataacga 60300 ttctttcacc ttattcagat tgacataagt gttttttgtt tgttcttgag acaaacttcc 60360 60420 tetgteacce agtgggagtg cagtggcaca atcacagete actgcageet caaacteetg 60480 ggctcaagcg attetectge etcagteece teaagtaget cagatggeag gtgtgeacea 60540 tcatgccagg ctaattttta aattttttgt ggaggtgagg cctcactaaa tttcctgggc

60600 tagtettgaa eteetgaget aaagtgatee teetgeetea geeteecaaa gtggtaggat tacaggcatg agccactgcg cctgggctga catatgtgtt ttcgtaagcc cgaaagatag 60660 catctgaaga gtcaacattg agccttgcct tttgctgcta acgatgtata aaagctgctg 60720 ttctgagcat ttcggaggct cccagctgcc gtgtgcaccc tgcctagagc tctaccgtaa 60780 cccatctccg ggaggaggtg ctattgtttt cctcattttg caacaaggag gctgaagaac 60840 tgagcatgaa ccactggcct gggtcgttcg gttggtaggc agtggggcca ggccatccaa 60900 ctcacaacca ccttctactc tgcttccccc gcaccctgaa gtttgttctg ttttgaggac 60960 61020 acageegtea cattettggt ggetgaacag caeteettgt caggegtgge tgggeececa 61080 ctggagggca tcatggtcct ctctcctgct gcggttgaac cttggctgtt tcaaccactc ctgccaagtg gccctctgaa agggacagtc catcttttct cagcagaggg ccacactggc 61140 61200 aaaacggtcc ctggcaccct ttctctccac ctgtctaata tagagtaaaa atggtatcat 61260 gttaagatet teatttatat ttattttate atgaatgatg taageateat tttgtgtgtt taagaacctt tgggcccagc gtgatggctt gcagctgtaa tctcagcact ttaggaggct 61320 61380 gagatgagcg gatcacttga ggccgggagt ttgagaccag cctggccaac atggagaaac cccgtctcta gtaaaaattt aaaaattagc cgggtatggt gatcccagct acttgggagt 61440 61500 ctgaagcatg agaattgctt gaacatggga ggcggaggtt gcagtgagcc gagatcgcgc 61560 aaaagaaaag aaattatcaa totootottt tatggcatat atatatatat atatatatat 61620 61680 atatatatat atatatattt tttttttttg gttatgttca gaaaggcctt ccctgctctg atcataaaaa acaacttatt ttcacactct ctctctttt tttttgagac agagttttgc 61740 61800 teetgttgee caggetggag tgeagtggeg caateteage teactgtaae eteegeetee cgggttggag tgattctcct gccttacctt cccgagtagc tgggattata ggcatgcacc 61860 accatgcctg gctaattttg tacttttagt agagacgggg gtttctccat gttggtcagg 61920 ctggtctcga actcgcgacc tcaggtgatc cacccacctc ggcctcccaa agtgctggga 61980 62040 ttacagacgt gagccaccat gcccagccca cactetett ettaaegtee teeteettte 62100 gttttacgtt cacatcttta attcttctgg gatgtaatta gatttgatga gcaaggtggg 62160 catccagett gtttettgge tgatggetta tgggtggegt gaattagteg gggtetatea ggaggcagaa actctatgag aatttgaaca gagaaagttc cgtctacagg cttattacca 62220 62280 gggactggaa tagcagaaat tgaacagtga gatgtacaga gaactctaag aatgcaggaa

taggccaggc atggtggctc acacctgtca teccagcact ttgggagacc aaggegggtg 62340 gatcacctga ggtcaggagt tcgagaccag cctggccaac atagtgaaac cccatctcta 62400 ctaaaaatac aaaaaaatta gctgggtgtg gtggcgcatg cctgtaatcc cagctactcg 62460 62520 ggaggctgag gcaggagaat cacttgaacc tgggaggcag aggttgcagt gagccgagat 62580 catgccactg tactccagcc tgggtggaag agcggaactc tgtctgaaaa aaaaaaaaa aacaagaagt tcaacttgaa gggaaaaatg ccgtattgtc tttccctttg ttatgtcacc 62640 62700 agggcacagt ccatcccagg ctggcgctga tccacgggct ggagaggggc tgccccagaa gaggacatgc caggaagggc ttggctggtg ttcaggagcc caggccaggt caggtcaaga 62760 ggtgttgagg ctggacggga gaggccagct aggggctcat gtaggatatg aggggtcggc 62820 ccatttcaac gtggaaactg agetettetg ettetette ttetteactg cattaagatt 62880 62940 caataccgct tgggaagcag gtatttccct tcctataaag gatggttggg agcctgagtg 63000 ttgggagaaa gtgtagccgc tgagttacta acaactaggg ctgccgtcaa gcctatgggg 63060 aaagagagaa gaggacattt ggaaggagag agatcaagct gtggcaccct gggagaggac cacagaaaag aggccagtga gggggttccc cggtggcatc tgaaggtgtg gcccaaccag 63120 gaggtccaga ggctgccagc cgagtggccc aggagaggga acctcacagg ggctgagtgg 63180 gacccaagcc ctatccaccg tcctaaccac ccacatttct cgggaacaag acctcccaca 63240 gtggcctccc cggcagtgga aatagccaaa ctggcaacat ggactttctt caactgcccg 63300 63360 ggcgatgctg cctcagtgcc ccagggcagg caggaagctc ccacacccat tctggaatga 63420 ggggttggag gaaggctgag ctgagcaaag gacccatctc tgctctggtt ggtggggagg gagcccatta tacaagagac ccctcagggc tcagtgaggg gtgacagaga cttggggagt 63480 63540 agtggctgtc actgcagagg tgagagggtt tggagagaag gtacatgcct ttttggccac 63600 attgagtagc acctggtagc cagttagtaa cgtgtattgg ataaacaaaa gattaaacgg atgcaaaaaa aaatgttggc tttgcttctt tttacccaaa cctcagttcc ctcaagtaga 63660 63720 ttctgggaac accccctacc tggctggact gttgtgaagt ttaaataagc caggttaact 63780 tcacctcctc ctttaagaca cagctcagac actgcctcct ccaagaagcc ccctctggct 63840 tcctgtgtga atatgacggc cctctgggct ctagggtatc ttagaacaat gcttccttat ggctttggaa ccccgctgtc tcctggattg ggagcaaatg caggggagga gccacacctg 63900 63960 actaatetet gggtetecea geacataagt ggeataaggg eagggetgtg eeegetteag 64020 gcacttactg aaggatgtac ttggcagagg gtaggcagcc ggcggatgag cccctcactc

64080 tccccagctg actgcgtggg cgggaaaggc gggttcagga gacccagcct ccctgggctg tcaccacctc tgcacatcca gccccattga tcaagggttc aatttttggg gtcctgttgg 64140 gaggccagga gactetetee aggeaettet tecaggtett tgtgttaggg tgtgtgtgt 64200 64260 atttatttat ttatttattt tgagacgcag tctcgctctg ttgcccaggt tggagggtgg 64320 tggcatgatc teggetcact gcaagetceg cetecegggt teaegecatt etectgeete 64380 actetteetg agtageegga ttaeaggege aegeaceatg cetggetaat tattttgttt 64440 ttttagtaga gacagggttt cgccacgttg cccaggctgg tcttgaatcc ctggcctcaa 64500 gcgatccgcc cgcctcagcc tcccaaagtg ctgggattac aggcgtgagc caccgtgccc 64560 64620 gcccagccta ggggtacatg aaactttttt ttttttttt ttgagacaga gtttcactct 64680 qtcctcaqqc tqqaqtqcag tggcqtgatc tcggcqtact gcaatctccg cctcccggtt caagegatte teetgeetea geeteeegag tagetgggat tgeaggeaeg egeeaeeaea 64740 cccagctaat ttttgtattt ttagtagaga cgggctttca ccatgtggga caggatggtc 64800 64860 togatotoct gacotogtga tocgocogco toagootocg aaagtgotgg gattacaggo ctgagccacc gtgcccagcc atgatgtttt gatacaggca tataacgtat aataatcaca 64920 tcagggtaaa tgatgtaacc atcacatcaa gcatttatcc tttgtgttac aaaaaaaaat 64980 65040 gtcgcccagg ctggagtgca gtggcatgat ctcagttcac tgcaagctct gcctcctagc 65100 65160 tetgeeteet gggtteatge catteteetg teteageete gegagtaget gggactaeag 65220 gegeetgeea eegtgeeegg etaattittt tittigtatt titiggtagag acagggttie acceptettag ccaegateget ctcgatctcc tgacctcata atccecceet ctcegecetec 65280 caaagtgctg ggattacagg catgagccac cgcccccagc ctatttattc ttaaatgtac 65340 aataaattat tgttgactcc agtcaccctg ctgtgctacc aaatacggat cttcttcatt 65400 65460 ctatctaact gtatttctgt acctgttaac catctctcct ccacctcacc ccccaaaccc 65520 actaccette teageetetg gtaaccatee ttetactete tatetetatg agtteaattg tattaatttt tagctccccg gccgggcacg gtggctcacg cctgtaatcc cagcacttca 65580 ggaggctgag gcaggtggat cacgaggtca ggagtttgag accagcctgg ccaacatggt 65640 65700 ggaaccccat ctctactaaa aacacaaaaa ttagctgggc gtggtggtgg gcgcttgtag toccagotac ttgggaggot gaggoaggag aatogottga aactgggagg cagaggttgo 65760

65820 agtgagccaa gattgcgcca ctgcactcca gtctgggtga cagagtaaga ttccatcccg aaaaaaaaaa agtttagctc ccacaaataa gtgagaacac gtgaagtttc tctttctgtg 65880 cctcgcttgt ttcacttaac ataatgacct ccagttccat ccacgttgtt gctttgttat 65940 aaatgacagg atcttggtca ggcgcagtgg ctcatgcctg taatcccagc actttgggag 66000 66060 gctgaggtgg actgatcatg aggtcaagag atcgagacca tcctggctaa cacagtgaaa 66120 ccccgtctct actaaaaata caagaaatta gccgggcgtg gtggtgggca cccatttccg ccccttctcg ggacgctgat gcacgacata ttacccatcc ccggaagact aatcctcccc 66180 66240 cactctatat tgtacctctt cctttctcct ccacgcgatt ccccgagtaa cccgtcttcc ctccctcctc ggattacgct cacctttccg cttcaatcac gttgctccgt ccccttcccc 66300 attegtacca etecteactt tegtetteet acceecacta tecetttteg teetetat 66360 tecttaetta etectecee ttetetteat aetteattee eteegetett eccaetegeg 66420 ctcccacttt cacctagttg ccctcaccta cgttgccatc tcgccccttc ttcagctctc 66480 ggeeteteae ecatetgtee tetetettae eteteteete atetegetea gacatetete 66540 tagactatec etcaetttac etteteagte gtettettee tateettegt tetecatgat 66600 cttcacgtcg ccatctcttt tcgccccttt catatgtctc tcttcatgtt ctcactatca 66660 ttctcatgat cactatcgtt ctcactactt atcactcccc tctttcttca tcaattcctc 66720 teegteatte tegtetetet ettacaaceg cetteettgt getatetaac teaaceatge 66780 66840 ctctcctact ctctctat cgcccctcca tcgcttatgc atcctcttct attgcacacc 66900 cgccctcca tcgcttatgc atcctcttct attgcacacc gcccctccat cgcttatgca 66933 tcctcttcta ttgcacatcc tcttctattg cac

<210> 12

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 12 ctgagcggaa ttcgtgagac c

<210>	13		
<211>	23		
<212>	DNA		
<213>	Artificial Sequence		
<220>			
<223>	Artificial sequence	is a primer.	
<400> ttggt	13 ctcac gtattccgct cga		2:
<210>	14		
<211>	20		•
<212>	DNA		
<213>	Artificial Sequence		
<220>			
<223>	Artificial sequence	is a primer.	
<400> ctcga	14 gaatt ctggatcctc		2·
<210>	15		
<211> <212>			
<213>	Artificial Sequence		
<220>			
\22V2			
	Artificial sequence	is a primer.	
<223> <400>	Artificial sequence	is a primer.	2
<223> <400>	Artificial sequence 15 gatcc agaattctcg ag	is a primer.	2
<223> <400> ttgag <210> <211>	Artificial sequence 15 gatcc agaattctcg ag 16 21	is a primer.	2
<223> <400> ttgag <210> <211> <212>	Artificial sequence 15 gatcc agaattctcg ag 16 21 DNA		2
<223> <400> ttgag <210> <211> <212>	Artificial sequence 15 gatcc agaattctcg ag 16 21 DNA Artificial Sequence		2

	and the second s				
<223> Artific	cial sequence	is a primer.			
<400> 16 tgtatgcgaa tt	cgctgcgc g				21
				+*.	
<210> 17					
<211> 23					
<212> DNA					
<213> Artific	cial Sequence				
<220>					
<223> Artific	cial sequence	is a primer.			
<400> 17 ttcgcgcagc ga	aattcgcat aca				23
<210> 18					
<211> 21					
<212> DNA					
<213> Artifi	cial Sequence				
<220>					
<223> Artifi	cial sequence	is a primer.			
<400> 18 gtccactgaa t	tctcagtga g				21
			4		
<210> 19		•			
<211> 23					·
<212> DNA					
<213> Artifi	cial Sequence				
<220>					
<223> Artifi	cial sequence	is a primer	•		
<400> 19 ttgtcactga g	aattcagtg gac				23
<210> 20					
				\$.	

<212>	DNA							
<213>	Artificial	Sequence						
<220>								
<223>	Artificial	sequence i	s a primer	•				
<400> gaatco	20 gaat teetgg	tcag c					2	21
	en e							
<210>	21							
<211>	23			e.				
<212>	DNA						• •	
<213>	Artificial	Sequence			•			
<220>								
<223>	Artificial	sequence i	s a primer	. · · · · · · · · · · · · · · · · · · ·				
<400>	21 gacca ggaatt	caga ttc						23
regers	jacca ggaacc	cgga ccc						
<210>	22							
<211>	33							
<212>	DNA					•		
<213>	Artificial	Sequence						
<220>							-	
<223>	Artificial	sequence i	s a primer	·•				
<400>	22	• ,						
	acuac uactga	igcgg aattc	gtgag acc					33
<210>	23							•
<211>	32			٠.				
<212>	DNA							
<213>	Artificial	Sequence						
<220>								
<223>	Artificial	sequence i	s a primen	· ·	÷			
<400>	23							

cuacuacuac uactcgagaa	ttctggatcc tc		32
		\ \ \	
<210> 24			
<211> 33			
<212> DNA			
<213> Artificial Seque	ence		
<220>		4	
<223> Artificial seque	ence is a primer.		
<400> 24 cuacuacuac uatgtatgcg	aattcgctgc gcg		33
<210> 25			
<211> 33		·.	
<212> DNA			
<213> Artificial Sequ	ence		
<220>			
<223> Artificial sequ	ence is a primer.		
<400> 25 cuacuacuac uagtccactg	aattctcagt gag		33
<210> 26			
<211> 33			
<212> DNA			
<213> Artificial Sequ	ence		
<220>			
<223> Artificial sequ	ence is a primer.		
<400> 26 cuacuacuac uagaatccga	atteetggte age		33
<210> 27			
<211> 45			
<212> DNA			
<213> Artificial Segu	ience		

<210> 31

<220>	184 J. North						,			
<223> Ar	ctificial	sequence	is a p	orimer.					•	
<400> 27	7									
	aga attcgc	ggcc gcag	gaatti	t tttt	tttt	ttttt				45
<210> 28	3					•				
<211> 13	3					•				
<212> DN	NA.									
<213> Ar	ctificial	Sequence	•							
<220>										
						•				
<223> Ar	ctificial	sequence	is a p	primer.						
<400> 28	3									
aattcgg						÷				13
<210> 29	9									
<211> 9										
<212> DN	AI									
<213> An	rtificial	Sequence								
<220>										
<223> A1	rtificial	sequence	is a	primer.						
<400> 29	9								***	
ctcgtgc										9
<210> 30)			-						
					•					
<211> 14	4							•		
<212> DN	NA .				:					
-212 \ X =	rtificial	Comience				•				
<213> Al	rtificial	sequence								
<220>										
<223> A1	rtificial	sequence	is a 1	orimer.						
•										
<400> 30								. *		14
gracyace	ggc cagt									T-1
		N								

<211> 16	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 31 aacagctatg accatg	16
<210> 32	
<211> 18	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 32 ccaagttctg agaagtcc	18
<210> 33	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 33 aatacetgaa accatacetg	20
<210> 34	
<211> 57	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	

<400> 34			
agetgetegt agetgtetet ceetggatea eggg	stacatg tactggac	ag actgggt	57
<210> 35			
<211> 56			
<212> DNA			
			•
<213> Artificial Sequence			
<220>			
<223> Artificial sequence is a prime	c.		
<400> 35 tgagacgccc ggattgagcg ggcagggata gctt	cattece totocco	cat tacggc	56
	3 3 3	,	
<210> 36			
<211> 27			
<211> 27			
<212> DNA			
<213> Artificial Sequence			
<220>			
<223> Artificial sequence is a prime	r.	s e	
<400> 36 agctgctcgt agctgtctct ccctgga			27
<210> 37			
.011. 07			
<211> 27			
<212> DNA			
<213> Artificial Sequence			
<220>			
	~		
<223> Artificial sequence is a prime			
<400> 37 gccgtaatgc ggcacaggga ataagct			. 27
3003000030 3300003330 0000300			
<210> 38			
<211> 20			
-212 DNA			

	<213> Artificial Sequence	
	<220>	
	<223> Artificial sequence is a primer.	
	ZZZJY AICIIICIAI BEQUENCE 15 a primer.	
	<400> 38	٠
•	gagaggctat atccctgggc	20
	<210> 39	N. 1
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<213> Artificial Sequence	
	<220>	
	<223> Artificial sequence is a primer.	
	<pre><400> 39 acagcacgtg tttaaagggg</pre>	20
	acageacyty tetaaayyyy	
	<210> 40	
	211. 162	
	<211> 163	: .
	<212> DNA	
	<213> Homo sapiens	
	<400> 40	
	actaaagege egeegeegeg ceatggagee egagtgaget eggegeggge cegteeggee	60
	geeggaeaac atggaggeag eteegeeegg geegeegtgg eegetgetge tgetgetget	120
	getgetgetg gegetgtgeg getgeeegge eeeegeegeg gee	163
	210× 41	
	<210> 41	
. ,	<211> 419	÷.,
	<212> DNA	
	<213 Homo ganieng	
	<213> Homo sapiens	
	<400> 41	
	geoceacage etegeogete etgetatttg ceaacegeeg ggaegtaegg etggtggaeg	60
	ccggcggagt caagctggag tccaccatcg tggtcagcgg cctggaggat gcggccgcag	120 180
	tggacttcca gttttccaag ggagccgtgt actggacaga cgtgagcgag gaggccatca agcagaccta cctgaaccag acgggggccg ccgtgcagaa cgtggtcatc tccggcctgg	240
	tetetecega eggeetegee tgegaetggg tgggcaagaa getgtaetgg aeggaeteag	300
	agaccaaccg catcgaggtg gccaacctca atggcacatc ccggaaggtg ctcttctggc	360
	aggacettga ccageegagg gecategeet tggaceeege teaegggtaa accetgetg	419

<210> 42						
<211> 221						
<212> DNA						
<213> Homo	sapiens					
<400> 42					L	60
ccccgtcaca	ggtacatgta	ctggacagac	tggggtgaga	acatttacta	ggggggga	60 120
ctgaccatcg	acctggagga	gaagaccacc	tactqqqctq	acgccaagct	cagcttcatc	180
caccgtgcca	acctggacgg	ctcgttccgg	taggtaccca	c		221
•						
<210> 43						
<211> 221						
<212> DNA						
0.7.0						
<213> HOMO	sapiens					
<400> 43						
tecetgactg	caggcagaag	gtggtggagg	gcagcctgac	gcaccccttc	gccctgacgc	60 120
agggcactgg	qqqqaaqaqq	aaggagatcc	tgagtgccct	atactcaccc	atggacatcc	180
aggtgctgag	ccaggagcgg	cagccttttt	gtgagtgccg	g ' ' '		221
•						
<210> 44						
.011. 156		·				
<211> 156						
<211> 156 <212> DNA						
<212> DNA	caniens					
	sapiens					
<212> DNA <213> Homo <400> 44				tagtaggagg	tatacatact	60
<212> DNA <213> Homo <400> 44 tttctcagtc	cacactcgct	gtgaggagga acacatgcgc	caatggcggc ctqcccacq	tggtcccacc qgtqtgcaga	tgtgcctgct tgcaggacaa	60 120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc	cacactcgct gagccttttt	gtgaggagga acacatgcgc gtgaggcggt	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc	cacactcgct gagccttttt	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc	cacactcgct gagccttttt	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45	cacactcgct gagccttttt	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg	cacactcgct gagccttttt	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45	cacactcgct gagccttttt	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45 <211> 416 <212> DNA	cacactcgct gagccttttt tgtaaggcag	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45 <211> 416	cacactcgct gagccttttt tgtaaggcag	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45 <211> 416 <212> DNA <213> Homo <400> 45	cacactcgct gagccttttt tgtaaggcag	acacatgcgc gtgaggcggt	gggacg	ggtgtgcaga	tgcaggacaa	120 156
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45 <211> 416 <212> DNA <213> Homo <400> 45 ctccacagga	cacactcgct gagccttttt tgtaaggcag sapiens	acacatgcgc gtgaggcggt	ggcccggcgg gggacg	ggtgtgcaga	tgcaggacaa	120
<212> DNA <213> Homo <400> 44 tttctcagtc gtccccaagc cggcaggacg <210> 45 <211> 416 <212> DNA <213> Homo <400> 45 ctccacagga gctggacacg tgccatcgac	cacactcgct gagcctttt tgtaaggcag sapiens gccgaggagg ccggacttca	acacatgcgc gtgaggcggt tgctgctgct ccgacatcgt tagagggcta	ggcccggcgg gctgcaggtg tgtctactgg	acggacctac gacgacatcc acagatgacg	ggaggatete ggcaegecat	120 156
	<213> Homo <400> 42 ccccgtcaca ggatggatg ctgaccatcg caccgtgcca <210> 43 <211> 221 <212> DNA <213> Homo <400> 43 tccctgactg tctccgggga agcgcactgg aggtgctgag	<213> Homo sapiens <400> 42 ccccgtcaca ggtacatgta gggatggatg gcagcacccg ctgaccatcg acctggagga caccgtgcca acctggacgg <210> 43 <211> 221 <212> DNA <213> Homo sapiens <400> 43 tccctgactg caggcagaag tctccgggga cactctgtac agcgcactgg ggggaagagg aggtgctgag ccaggagcgg	<213> Homo sapiens <400> 42 ccccgtcaca ggtacatgta ctggacagac gggatggatg gcagcacccg gaagatcatt ctgaccatcg acctggagga gcagaagctc caccgtgcca acctggacgg ctcgttccgg <210> 43 <211> 221 <212> DNA <213> Homo sapiens <400> 43 tccctgactg caggcagaag gtggtggagg tctccgggga cactctgtac agcgcactgg ggggaagagg tgggaggagg caggaggg caggagggg caggaggg caggagggg caggaggg caggagggg caggaggg caggagggg caggagggg caggagggg caggaggg caggagggg caggaggg caggagagg caggaggg caggaggg caggaggg caggagagg caggaggg caggagg caggaggg caggagg caggaggg caggagg cag	<213> Homo sapiens <400> 42 ccccgtcaca ggtacatgta ctggacagac tggggtgaga gggatggatg gcagcacccg gaagatcatt gtggactcgg ctgaccatcg acctggagga gcagaagctc tactgggctg caccgtgcca acctggacgg ctcgttccgg taggtaccca <210> 43 <211> 221 <212> DNA <213> Homo sapiens <400> 43 tccctgactg caggcagaag gtggtggagg gcagcctgac tcccgggga cacctgtac tggacagact ggcagaaccg agcgcactgg gggaagagg aaggagatcc tgagtgccg aggtgctgag ccaggtgctgag cagccttttt gtgactgccg gtgagtgccg	<pre><213> Homo sapiens <400> 42 ccccgtcaca ggtacatgta ctggacagac tggggtgaga gcagcaccg gaagatcatt ctgaccatcg acctggagga gcagaagctc tactgggctg acatttactg tactgggcca acctggacga ctcgttccgg taggtaccca cccgtgcca acctggacgg ctcgttccgg taggtaccca cccgtgcca acctggacgg ctcgttccgg tactgggctg acgccaagct taggtaccca cccgtgcca acctggacgg ctcgttccgg taggtaccca cccctccatcatcatcatcggacga acctggacga gtggtggagg gcagcctgac gcaccccttctcccggggaagagagagagagagagagaga</pre>	<pre><213> Homo sapiens <400> 42 ccccgtcaca ggtacatgta ctggacagac tggggtgaga cgccccggat tgagcgggca gggatggatg gcagcacccg gaagatcatt gtggactcgg acatttactg gcccaatgga ctgaccatcg acctggagga gcagaaggtc tactgggctg acgccaagct cagcttcatc caccgtgcca acctggacgg ctccgtccgg taggtaccca c <210> 43 <211> 221 <212> DNA <213> Homo sapiens <400> 43 tccctgactg cagcagaag gtggtggagg gcagcctgac gcacccttc gccctgacgc tctccgggga cactctgtac tggacagact ggcagaaccg gcagaccg gcagcactgg ggcagaaggg aaggaatcc tgagtgccct atactcaccc atggacaca agggcactgg ggggaagagg cagccttttt gtgagtgccg g aggtgtgag gggagtgcg ggcagcctgac gcaccctcc atactcaccc atggacactc aggtgctgag ccaggaggg cagccttttt gtgagtgccg g</pre>

<212> DNA

				•			
cacqqaccqc	atcgaggtga	tcgactgggt cgcgcctcaa ccatcgcact	cggcacctcc	cgcaagatcc	tggtgtcgga		300 360 416
<210> 46							
<211> 198							,
<212> DNA						• .	
<213> Homo	sapiens						
aacttggatg	ggcaggagcg acctgcagga	ctggacagac gcgtgtgctg ggggaagctc	gtcaatgcct	ccctcgggtg	gcccaacggc		60 120 180 198
<210> 47							
<211> 244						٠.	
<212> DNA							
<213> Homo	sapiens						
<400> 47 ccgtcctgca tcccgcacat	ggtgatcaat tttcgggttc	gttgatggga acgctgctgg	cgaagaggcg gggacttcat	gaccctcctg ctactggact	gaggacaagc gactggcagc		60 120
 gccgcagcat	cgagcgggtg	cacaaggtca aaagctgtga	aggccagccg	ggacgtcatc	attgaccagc		180 240 244
<210> 48	en de la companya de La companya de la co						
<211> 313					* .		
<212> DNA							
<213> Homo	sapiens			·.			
<400> 48 gttcgcttcc	aggaaccaac	ccgtgtgcgg	acaggaacgg	ggggtgcagc	cacctgtgct		60
tctgcacacc	ccacgcaacc	cggtgtggct	gccccatcgg	cctggagctg	ctgagtgaca		120 180
tgaagacctg	categtgeet	gaggcctttt aacaacgacg	tggtetteae	gctcacggc	gccacccaca		240
cctcagccct	ggactttgat	gtgtccaaca	accacatcta	ctggacagac	gtcagcctga		300
aggtagcgtg	ggc						313
			,	11			
<210> 49							

<213> Homo sapiens <400> 49 cctgctgcca gaccatcagc cgcgccttca tgaacgggag ctcggtggag cacgtggtgg 120 agtttggcct tgactacccc gagggcatgg ccgttgactg gatgggcaag aacctctact gggccgacac tgggaccaac agaatcgaag tggcgcggct ggacgggcag ttccggcaag 180 tcctcgtgtg gagggacttg gacaacccga ggtcgctggc cctggatccc accaaggggt 240 255 aagtgtttgc ctgtc <210> 50 <211> 210 <212> DNA <213> Homo sapiens <400> 50 gtgccttcca gctacatcta ctggaccgag tggggcggca agccgaggat cgtgcgggcc 120 ttcatggacg ggaccaactg catgacgctg gtggacaagg tgggccgggc caacgacctc accattgact acgctgacca gcgcctctac tggaccgacc tggacaccaa catgatcgag 180 210 tcgtccaaca tgctgggtga gggccgggct <210> 51 <211> 352 <212> DNA <213> Homo sapiens <400> 51 gtgttcatgc aggtcaggag cgggtcgtga ttgccgacga tctcccgcac ccgttcggtc 60 tgacgcagta cagcgattat atctactgga cagactggaa tctgcacagc attgagcggg 120 ccgacaagac tagcggccgg aaccgcaccc tcatccaggg ccacctggac ttcgtgatgg 180 240 acatectggt gttecactee teeegeeagg atggeeteaa tgaetgtatg cacaacaaeg 300 ggcagtgtgg gcagctgtgc cttgccatcc ccggcggcca ccgctgcggc tgcgcctcac 352 actacaccct ggaccccage ageogeaact geageogtaa gtgcctcatg gt <210> 52 <211> 225 <212> DNA <213> Homo sapiens <400> 52 gcctcctcta cgcccaccac cttcttgctg ttcagccaga aatctgccat cagtcggatg atcccggacg accagcacag cccggatctc atcctgcccc tgcatggact gaggaacgtc 120 aaagccatcg actatgaccc actggacaag ttcatctact gggtggatgg gcgccagaac 180 225 atcaagcgag ccaaggacga cgggacccag gcaggtgccc tgtgg

	<210> 53						
	\0.11 0.25						
	<211> 235	er Santa e e e e e e e e e e e e e e e e e e e					
	<212> DNA						
	(ZIZ) DNA						
	<213> Homo	sapiens					
	, 12 20, 20, 20						
	<400> 53					* .	
		cagccctttg	ttttgacctc	tctgagccaa	ggccaaaacc	cagacaggca	60
	gccccacgac	ctcagcatcg	acatctacag	ccggacactg	ttctggacgt	gcgaggccac	120
	caataccatc	aacgtccaca	ggctgagcgg	ggaagccatg	ggggtggtgc	tgcgtgggga	180
	ccgcgacaag	cccagggcca	tegtegteaa	cgcggagcga	gggtaggagg	ccaac	235
	<210> 54						
	<211> 218						
	.010 DXX						
	<212> DNA						
	<213> Homo	caniens		en e			
	(213) Homo	papiens					
	<400> 54						
		gcaggtacct	gtacttcacc	aacatgcagg	accgggcagc	caagatcgaa	60
	cqcqcaqccc	tggacggcac	cgagcgcgag	gtcctcttca	ccaccggcct	catccgccct	120
	gtggccctgg	tggtggacaa	cacactgggc	aagctgttct	gggtggacgc	ggacctgaag	180
	cgcattgaga	gctgtgacct	gtcaggtacg	cgccccgg			218
	<210> 55						
	0.7.7. 0.0.4						
	<211> 234						
	<212> DNA						
	CZIZ> DNA						
	<213> Homo	sapiens					
	1237 2101110			•			
•	<400> 55						
	ggctgcttgc	aggggccaac	cgcctgaccc	tggaggacgc	caacatcgtg	cagcctctgg	60
	gcctgaccat	: ccttggcaag	catctctact	ggatcgaccg	ccagcagcag	atgatcgagc	120
	gtgtggagaa	gaccaccggg	gacaagcgga	ctcgcatcca	gggccgtgtc	gcccacctca	180
	ctggcatcca	tgcagtggag	gaagtcagcc	tggaggagtt	ctgtacgtgg	gggc	234
	010 56						
	<210> 56						
	<211> 157					•	
	~211/ 10/						
	<212> DNA					•	
		1000					
	<213> Homo	sapiens		٠, ٠,٠٠٠.	** .		
	1.5						
	<400> 56						- د
	ttgtctttg	c agcageceae	ccatgtgccc	gtgacaatgg	tggctgctcc	cacatctgta	60
		g tgatgggaca			ccacctcgtg	ctcctgcaga	120
	acctactasc	c ctatagaagat	aggtgtgacc	taggtgc	*	•	157

<210> 57			•			
<211> 272						
<212> DNA						
<213> Homo	sapiens					•
<400> 57				•		
gttctcctct	gtccctcccc	cagageegee	cacctgctcc	ccggaccagt gacggctttc	ccaactacaa	60 120
tgaccagagc gggtcagtgt	gacgaggagg gtggacctgc	gctgccccgt	gtgctccgcc cgacggcgag	gcccagttcc gcagactgtc	cctgcgcgcg	180 240 272
<210> 58	· · · · · · · · · · · · · · · · · · ·					
<211> 134						
<212> DNA				•		
<213> Homo	sapiens					
<400> 58						
tctccttgca	gccatctgcc	tgcccaacca	gttccggtgt	gcgagcggcc	agtgtgtcct	60
catcaaacag tggtgagcca		ccttccccga	ctgtatcgac	ggctccgacg	agctcatgtg	120 134
	3					•
<210> 59				•		
<211> 274					-	
<212> DNA		-				
<213> Homo	sapiens					
<400> 59						
gtttgtctct	ggcagaaatc	accaagccgc	ctctcttcct	cageceggee catgggtggt	cacagcagtg	120
tgtgccagcg	cyccaccygc	accaccccc				
	cgtggtgtgc	cagcgctatg	cgggggccaa	cgggcccttc	ccgcacgagt	180
atgtcagcgg gccccttcac	cgtggtgtgc gaccccgcac	cagcgctatg	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	180 240 274
atgtcagegg geceetteae	cgtggtgtgc gaccccgcac	cagcgctatg gtgcccctca	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	240
atgtcagegg gccccttcac <210> 60	cgtggtgtgc gaccccgcac	cagcgctatg gtgcccctca	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	240
gccccttcac	cgtggtgtgc gaccccgcac	cagcgctatg gtgcccctca	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	240
gcccttcac	cgtggtgtgc gaccccgcac	cagcgctatg gtgcccctca	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	240
<pre><210> 60 <211> 164</pre>	cgtggtgtgc gaccccgcac aggtaaggag	cagcgctatg gtgcccctca	cgggggccaa atttcatagc	cgggcccttc	ccgcacgagt	240
<pre><210> 60 <211> 164 <212> DNA <213> Homo <400> 60</pre>	cgtggtgtgc gacccgcac aggtaaggag sapiens	cagcgctatg gtgcccctca cctgagatat	cgggggcaa atttcatagc ggaa	cgggcccttc	ccgcacgagt	240

	cgtccagcac	gaaggccacg	ctgtacccgc	cggtgagggg	cggg		164
٠.						• .	
	<210> 61						
	200	1. The second of					
	<211> 130				. 1		
	<212> DNA						
					·		
	<213> Homo	sapiens	** *				
	<400> 61					taaatataaa	60
	ttggctctcc	tcagatcctg	aacccgccgc	ecteceegge	cacggacccc	nactograca	120
	acatggacat	gttctactct	tcaaacattc	cggccactgc	gagaccgtac	aggraggara	130
	tcccctgcag		·				130
	<210> 62						
	<211> 496						
			4				
	<212> DNA						
	<213> Homo	sapiens					
	<400> 62		~~~~~~~~	aggggtaga	tcattccacc	aataacaccc	60
	tcaaacattc	eggedaetge	gagaccgtac	aggececaea	scaccogagg	ccactagaag	120
	ccgacgacgc	cetgeageae	cgacgtgtgt	gacagegace	cctatccacc	ccaccaca	180
	gccagcaagt	actacctgga	tttgaactcg	agetgeege	cctacccacc	caccaaaaaa	240
	ecceacagee	agracergre	ggcggaggac	tececetees	cocactcatc	ctgacctcgg	300
	ayctacttcc	atcoccicco	geceeteeg	taaataatt	taaatatgaa	caaagaaaaa	360
	cegggeeact	atastttass	tgtgcccctg aaataaatat	aattoggatt	ttaaaaacat	gagaaatgtg	420
	aatatattt	acyacicada	ggctgggaga	actttotaca	atagagaaat	atttataaac	480
	aactgtgatg		ggccgggaga	accedegeaca	5-55454446		496